

USER ACCEPTANCE TESTING (UAT) TEMPLATE

Date	29 September 2026
Team ID	6ab800af30f9767f87729b97
Project Name	Script-Controlled ACL – Restrict Record Access Based on Field Value
Maximum Marks	As per project requirement

Project Overview

Project Name: Script-Controlled ACL – Restrict Record Access Based on Field Value

Project Description: A ServiceNow access-control project that uses role-based and script-controlled ACLs to restrict access to Institution Details records. EEE users are permitted to access the intended EEE records, while administrators retain full access.

Project Version: 1.0

Testing Period: 28 September 2026

Testing Scope

Features and functionalities to be tested:

- READ access for permitted EEE records
- READ denial for unauthorized users
- CREATE access controlled by bb2
- WRITE access controlled by bb3
- DELETE access controlled by bb4
- Administrator full access
- Role and Branch based ACL evaluation

User stories/requirements to be tested: authorized and unauthorized record access, creation, modification, and deletion according to the configured ACL rules.

Testing Environment

URL/Location: ServiceNow instance – Institution Details table (u_institution_details)

Credentials: Use the configured test users/roles and administrator account during supervised testing.

Test Cases

Test Case ID	Test Scenario	Test Steps	Expected Result	Actual Result	Pass/Fail
TC-001	EEE user READ access	Impersonate EEE user → open Institution Details list → review records.	Configured permitted EEE records are accessible.	To be recorded during execution	To be recorded
TC-002	Unauthorized READ access	Impersonate user without required access → open Institution Details.	Unauthorized access is denied.	To be recorded during execution	To be recorded
TC-003	Administrator access	Impersonate admin → open Institution Details list.	Admin can access all records.	To be recorded during execution	To be recorded
TC-004	CREATE access	Use user with bb2 → select New → enter valid data → submit.	Record creation is permitted.	To be recorded during execution	To be recorded
TC-005	CREATE denial	Use user without bb2 → attempt to create a record.	Creation is denied.	To be recorded during execution	To be recorded
TC-006	WRITE access	Use user with bb3 → open permitted record → edit → save.	Record update is permitted.	To be recorded during execution	To be recorded
TC-007	WRITE denial	Use user without bb3 →	Record update is denied.	To be recorded during	To be recorded

		attempt to edit a record.		execution	
TC-008	DELETE access	Use user with bb4 → select permitted record → delete.	Deletion is permitted.	To be recorded during execution	To be recorded
TC-009	DELETE denial	Use user without bb4 → attempt to delete a record.	Deletion is denied.	To be recorded during execution	To be recorded

Bug Tracking

Bug ID	Bug Description	Steps to Reproduce	Severity	Status	Additional Feedback
BG-001	To be recorded if an unexpected ACL/UAT behaviour is observed.	Record exact steps used during UAT.	Low / Medium / High	Open / In Progress / Closed	To be recorded
BG-002	To be recorded if an unexpected ACL/UAT behaviour is observed.	Record exact steps used during UAT.	Low / Medium / High	Open / In Progress / Closed	To be recorded
BG-003	To be recorded if an unexpected ACL/UAT behaviour is observed.	Record exact steps used during UAT.	Low / Medium / High	Open / In Progress / Closed	To be recorded

Sign-off

Tester Name: _____

Date: _____

Signature: _____

Project Manager Approval: _____

Product Owner Approval: _____

Notes

- All test cases should cover both positive and negative scenarios.
- Testers should record detailed feedback and any improvement suggestions.
- Any discovered defect should include severity, status, and reproducible steps.
- Actual results and Pass/Fail status must be completed after UAT execution.
- Obtain the required project sign-off before deployment.