

AIR QUALITY MONITORING SYSTEM

TEAM MEMBER

Aswin R – (912221106003)

INTRODUCTION


Clean air is a fundamental requirement for the health and well-being of all living organisms on our planet. However, in recent decades, the quality of the air we breathe has become a growing concern due to the increasing levels of air pollution and its detrimental effects on human health and the environment. In response to these concerns, air quality monitoring systems have emerged as indispensable tools for assessing and managing air quality. These systems are designed to track various pollutants and provide real-time data, enabling governments, organizations, and individuals to make informed decisions to safeguard public health and the environment.

Air quality monitoring systems have come a long way since their inception. Originally, these systems were rudimentary, primarily consisting of simple sensors that measured a limited set of pollutants, such as particulate matter and certain gases. However, the pressing need for more comprehensive and accurate data has driven significant advancements in air quality monitoring technology. Modern systems now employ a sophisticated array of sensors, data analytics, and communication technology to monitor an extensive range of pollutants, including fine particulate matter (PM_{2.5}), nitrogen dioxide (NO₂), sulfur dioxide (SO₂), carbon monoxide (CO), ozone (O₃), and volatile organic compounds (VOCs).

One of the pivotal aspects of air quality monitoring systems is their ability to provide real-time data. This real-time monitoring not only allows for timely responses to deteriorating air quality but also offers valuable insights into the sources and patterns of pollution. Governments and regulatory bodies can use this data to implement effective pollution control measures and enact policies to reduce emissions from industrial, vehicular, and other sources. Additionally, businesses and industries can use this information to comply with environmental regulations and improve their environmental sustainability.

Furthermore, air quality monitoring systems serve as critical tools in raising public awareness about the quality of the air we breathe. Many of these systems provide user-friendly interfaces and mobile applications, enabling individuals to access real-time air quality information. This empowers citizens to make informed decisions about outdoor activities, especially for vulnerable populations, such as children, the elderly, and individuals with respiratory conditions, who are most at risk from poor air quality.

In the following pages, we will delve deeper into the components and technologies that make up modern air quality monitoring systems. We will explore the different types of sensors, data collection methods, and the network infrastructure that underpin these systems. Additionally, we will discuss the importance of data interpretation and visualization, as well as the applications and impacts of air quality monitoring on public health and environmental protection. Overall, this comprehensive exploration aims to shed light on the pivotal role of air quality monitoring systems in the contemporary world, where clean air is not only a necessity but a right that must be upheld and protected.



Here's a list of tools and software commonly used in air quality monitoring systems:

Hardware:

1. **Air Quality Sensors:** These sensors measure various pollutants, including PM2.5, PM10, CO2, VOCs, NO2, and more.
2. **Weather Stations:** Collect data on temperature, humidity, wind speed, and direction.
3. **Data Loggers:** Capture and store sensor data for analysis.
4. **Communication Devices:** Transmit data to a central server, often using Wi-Fi, cellular, or IoT protocols.
5. **GPS Receivers:** Provide location information for data geotagging.

Software:

1. Data Acquisition and Management:

- **Data Logger Software:** Manages data collection from sensors.
- **Database Management Systems (DBMS):** Store and organize collected data.
- **Cloud Services:** Like AWS, Azure, or Google Cloud for data storage and processing.

2. Data Analysis and Visualization:

- **Data Analysis Software:** Tools like Python with libraries such as Pandas and NumPy for data manipulation.
- **Data Visualization Tools:** Matplotlib, Seaborn, Tableau, or Power BI for creating visual representations of air quality data.

3. Real-time Monitoring and Alerting:

- **SCADA (Supervisory Control and Data Acquisition) Systems:** Monitor and control sensors and data.
- **Alerting Systems:** Send alerts when air quality exceeds predefined thresholds.

4. GIS (Geographic Information System) Software:

- **ArcGIS, QGIS:** Used for spatial analysis and mapping of air quality data.

5. Modeling and Forecasting:

- Air Quality Modeling Software: Models like CMAQ or WRF-Chem to predict air quality.
- Machine Learning Tools: For predictive analytics and forecasting.

6. Mobile Apps and User Interfaces:

- Mobile App Development Tools: To create user-friendly apps for viewing air quality information.

7. Regulatory Compliance:

- EPA Tools: In the United States, tools and databases provided by the Environmental Protection Agency (EPA) for compliance.

8. Reporting and Data Sharing:

- Reporting Tools: Generate reports for stakeholders and regulatory authorities.
- APIs: Create interfaces for sharing data with external systems.

9. Historical Data Retrieval:

- Historical Data Repositories: For accessing and analyzing past air quality data.

10. Maintenance and Diagnostics:

- Remote Monitoring Tools: For checking sensor health and status.

11. Integration with IoT Platforms:

- IoT Platforms: Like Azure IoT, AWS IoT, or Google Cloud IoT for seamless device management and data flow.

This is not an exhaustive list, but it covers some of the key tools and software commonly used in air quality monitoring systems.

Designing an air quality monitoring system involves various components and considerations. Below is an outline for presenting this in a document:

Design of an Air Quality Monitoring System

1. System Components

- Describe the major components:
 - Sensors: Explain the types of sensors used to measure various pollutants.
 - Data Processing Unit: Detail how data is collected, processed, and stored.
 - Communication Module: Discuss how the system communicates data.
 - User Interface: Explain how users interact with the system.

2. System Architecture

- Present an architectural diagram showing how the components are connected.

3. Sensor Selection

- Discuss the rationale behind selecting specific sensors and their specifications.

4. Data Processing

- Explain how raw sensor data is processed into meaningful air quality information.

5. Communication

- Describe how data is transmitted to a central database or platform for remote access.

6. User Interface

- Show the design and functionality of the user interface, including mobile apps or web portals.

7. Data Visualization

- Provide examples of data visualization techniques used for clear presentation.

8. Alerting and Reporting

- Detail how the system triggers alerts or generates reports in case of poor air quality.

9. Power Management

- Discuss strategies for optimizing power consumption.

10. Calibration and Maintenance

- Describe the procedures for calibrating sensors and maintaining the system.

11. Data Security and Privacy

- Explain measures taken to protect data and user privacy.

12. Environmental Impact

- Address the sustainability and environmental impact of the system.

13. Case Study (Optional)

- Include a case study or real-world example if applicable.

14. Challenges and Future Improvements

- Discuss potential challenges and opportunities for future enhancements.


This structured document will provide a comprehensive overview of your air quality monitoring system's design and its various components, making it easy for stakeholders to understand and evaluate the system.

Designing an innovative air quality monitoring system involves several key considerations:

1. **Sensor Technology:** Utilize advanced sensor technology such as laser-based, electrochemical, or solid-state sensors for accurate and real-time data collection.
2. **IoT Integration:** Implement Internet of Things (IoT) capabilities to enable remote monitoring and data transmission, allowing users to access air quality information through smartphones and other devices.
3. **Data Analytics:** Incorporate machine learning and data analytics to process and interpret the collected data, enabling predictive modeling and actionable insights.
4. **Mobile Apps and User Interface:** Develop user-friendly mobile apps and web interfaces for easy access to air quality information, including historical trends and real-time alerts.
5. **Environmental Parameters:** Monitor a wide range of air quality parameters, including particulate matter (PM2.5, PM10), gases (CO, NO2, VOCs), temperature, humidity, and more.
6. **Integration with Smart Devices:** Integrate with smart home devices like thermostats and air purifiers to automate responses based on air quality.
7. **Geospatial Mapping:** Implement geospatial mapping to provide location-specific air quality data, helping users make informed decisions about their surroundings.

8. Open Data and APIs: Provide open data access and APIs for researchers and developers to create additional applications and insights.
9. Energy Efficiency: Optimize power consumption to ensure the system is energy-efficient, especially if it's designed for continuous monitoring.
10. Environmental Impact: Consider the environmental impact of the system, such as the materials used, energy consumption, and end-of-life disposal.
11. Public Engagement: Promote public awareness and engagement through social media, community partnerships, and educational programs.
12. Regulatory Compliance: Ensure the system complies with relevant air quality regulations and standards.

Incorporating these elements will help create an innovative air quality monitoring system that contributes to better environmental and public health outcomes.



Source code

```
#include <ESP8266WiFi.h>

#include <Wire.h>

#include <Adafruit_Sensor.h>
#include <Adafruit_BME280.h>
#include "MQ135.h"
#include <Arduino.h>

#define LENG 31 //0x42 + 31 bytes equal to 32 bytes
Unsigned char buf[LENG];

Int PM01Value=0;    //define PM1.0 value of the air detector module
Int PM2_5Value=0;   //define PM2.5 value of the air detector module
Int PM10Value=0;    //define PM10 value of the air detector module

Float h, t, p, pin, dp;
Char temperatureFString[6];
Char dpString[6];
```

```
Char humidityString[6];
```

```
Char pressureString[7];
```

```
Char pressureInchString[6];
```

```
Adafruit_BME280 bme; // I2C
```

```
String apiKey = "85JJUZZ7WX809P3M";
```

```
// replace with your routers SSID
```

```
Const char* ssid = "Sri Krishna 2.";
```

```
// replace with your routers password
```

```
Const char* password = "subbu@123";
```

```
Const char* server = "api.thingspeak.com";
```

```
WiFiClient client;
```

```
Void setup()
```

```
{
```

```
  Serial.begin(9600);
```

```
  Delay(10);
```

```
  Serial.println();
```

```
  Serial.print("Connecting to ");
```

```
  Serial.println(ssid);
```

```
  WiFi.begin(ssid, password);
```

```
  While (WiFi.status() != WL_CONNECTED) {
```

```
    Delay(500);
```

```
    Serial.print(".");
```

```
  }
```

```
  Serial.println("");
```

```
  Serial.println("WiFi connected");
```

```

// Printing the ESP IP address
Serial.println(WiFi.localIP());

If (!bme.begin())
{
    Serial.println("Could not find a valid BME280 sensor, check wiring!");
    While (1);
}
}

Void loop()
{
    If(Serial.find(0x42)){ //start to read when detect 0x42
        Serial.readBytes(buf,LENG);

        If(buf[0] == 0x4d){
            If(checkValue(buf,LENG)){
                PM01Value=transmitPM01(buf); //count PM1.0 value of the air detector module
                PM2_5Value=transmitPM2_5(buf); //count PM2.5 value of the air detector module
                PM10Value=transmitPM10(buf); //count PM10 value of the air detector module
            }
        }
    }

    Static unsigned long OledTimer=millis();
    If (millis() – OledTimer >=1000)
    {
        OledTimer=millis();
    }
}

```

```
Serial.print("PM1.0: ");  
Serial.print(PM01Value);  
Serial.println(" ug/m3");
```

```
Serial.print("PM2.5: ");  
Serial.print(PM2_5Value);  
Serial.println(" ug/m3");
```

```
Serial.print("PM10 : ");  
Serial.print(PM10Value);  
Serial.println(" ug/m3");  
Serial.println();
```

```
MQ135 gasSensor = MQ135(A0);  
Float air_quality = gasSensor.getPPM();  
Serial.print("Air Quality: ");  
Serial.print(air_quality);  
Serial.println(" PPM");  
Serial.println();
```

```
H = bme.readHumidity();  
T = bme.readTemperature();  
T = t*1.8+32.0;  
Dp = t-0.36*(100.0-h);
```

```
P = bme.readPressure()/100.0F;  
Pin = 0.02953*p;  
Dtostrf(t, 5, 1, temperatureFString);
```

```
Dtostf(h, 5, 1, humidityString);  
Dtostf(p, 6, 1, pressureString);  
Dtostf(pin, 5, 2, pressureInchString);  
Dtostf(dp, 5, 1, dpString);
```

```
Serial.print("Temperature = ");  
Serial.println(temperatureFString);  
Serial.print("Humidity = ");  
Serial.println(humidityString);  
Serial.print("Pressure = ");  
Serial.println(pressureString);  
Serial.print("Pressure Inch = ");  
Serial.println(pressureInchString);  
Serial.print("Dew Point = ");  
Serial.println(dpString);
```

```
Serial.println(".....");
```

```
If (client.connect(server,80)) // "184.106.153.149" or api.thingspeak.com
```

```
{  
  String postStr = apiKey;  
  postStr += "&field1=";  
  postStr += String(PM01Value);  
  postStr += "&field2=";  
  postStr += String(PM2_5Value);  
  postStr += "&field3=";  
  postStr += String(PM10Value);  
  postStr += "&field4=";  
  postStr += String(air_quality);
```

```
postStr += "&field5=";  
postStr += String(temperatureFString);  
postStr += "&field6=";  
postStr += String(humidityString);  
postStr += "&field7=";  
postStr += String(pressureInchString);  
postStr += "\r\n\r\n";
```

```
client.print("POST /update HTTP/1.1\n");  
client.print("Host: api.thingspeak.com\n");  
client.print("Connection: close\n");  
client.print("X-THINGSPEAKAPIKEY: "+apiKey+"\n");  
client.print("Content-Type: application/x-www-form-urlencoded\n");  
client.print("Content-Length: ");  
client.print(postStr.length());  
client.print("\n\n");  
client.print(postStr);
```

```
}
```

```
Client.stop();
```

```
}
```

```
}
```

```
Char checkValue(unsigned char *thebuf, char leng)
```

```
{
```

```
Char receiveflag=0;
```

```
Int receiveSum=0;
```

```

For(int i=0; i<(leng-2); i++){
receiveSum=receiveSum+thebuf[i];
}
receiveSum=receiveSum + 0x42;

if(receiveSum == ((thebuf[leng-2]<<8)+thebuf[leng-1])) //check the serial data
{
    receiveSum = 0;
    receiveflag = 1;
}
Return receiveflag;
}

Int transmitPM01(unsigned char *thebuf)
{
    Int PM01Val;
    PM01Val=((thebuf[3]<<8) + thebuf[4]); //count PM1.0 value of the air detector module
    Return PM01Val;
}

//transmit PM Value to PC

Int transmitPM2_5(unsigned char *thebuf)
{
    Int PM2_5Val;
    PM2_5Val=((thebuf[5]<<8) + thebuf[6]); //count PM2.5 value of the air detector module
    Return PM2_5Val;
}

//transmit PM Value to PC

Int transmitPM10(unsigned char *thebuf)
{
    Int PM10Val;

```

```

PM10Val=((thebuf[7]<<8) + thebuf[8]); //count PM10 value of the air detector module


Return PM10Val;

}

```

Online Monitoring of Air Pollution

Once the code is uploaded to NodeMCU, you can click on the serial monitor and see the following results.



The screenshot shows a serial monitor window with a 'Send' button in the top right. The left pane displays the code for 'air_Q', and the right pane shows the output. The output is divided into three sections by dotted lines, each containing a set of sensor readings.

```

.....
PM1.0: 529  ug/m3
PM2.5: 1049  ug/m3
PM10 : 1372  ug/m3

Air Quality: 97.21  PPM



.....
Temperature =  85.8
Humidity =  69.9
Pressure =  944.5
Pressure Inch = 27.89
Dew Point =  75.0
.....
PM1.0: 524  ug/m3
PM2.5: 1053  ug/m3
PM10 : 1373  ug/m3

Air Quality: 91.38  PPM

.....
Temperature =  85.8
Humidity =  69.8
Pressure =  944.5
Pressure Inch = 27.89
Dew Point =  75.0
.....
PM1.0: 514  ug/m3

```

Similarly, you can go to Thingspeak and check the private view to see the following graph below.



There is an upgraded version of BME280 Sensor called BME680 Sensor, that can also measure Index of Air Quality (IAQ) & can be used to measure Air Quality as well. So the single sensor is enough to replace BME280 & MQ-135.

Bulid loading and preprocessing the dataset:

1. Define the Scope:

Determine the specific air quality parameters you want to monitor, such as particulate matter (PM2.5, PM10), ozone (O3), nitrogen dioxide (NO2), sulfur dioxide (SO2), carbon monoxide (CO), and more.

2. Collect Data:

Gather air quality data from various sources. This data can come from government agencies, environmental sensors, weather stations, or even IoT devices. Ensure that the data is in a machine-readable format, such as CSV or JSON.

3. Data Cleaning and Preprocessing:

The collected data may be noisy and contain missing values. Preprocess the data to ensure its quality and consistency. Common preprocessing steps include:

- Removing duplicate entries.
- Handling missing data through imputation or removal.
- Converting data types and formats to a uniform structure.
- Handling outliers and erroneous readings.
- Timestamp normalization to a common time zone.

4. Data Integration:

If you are collecting data from multiple sources, integrate it into a single dataset. Ensure that the data is aligned and synchronized properly.

5. Data Exploration and Visualization:

Explore the data to gain insights and identify trends. Visualize the data using tools like Python's Matplotlib, Seaborn, or data visualization libraries specific to your programming language of choice.

6. Data Storage:

Store the preprocessed data in a suitable database system, such as PostgreSQL, MySQL, or NoSQL databases. Make sure the database is capable of handling time-series data efficiently.

7. Real-time Data Streaming (optional):

If you want to monitor air quality in real-time, set up a system to stream data from sensors continuously. Technologies like Apache Kafka or MQTT can be used for real-time data streaming.

8. Web Application or Dashboard (optional):

Build a web-based dashboard or application to display air quality data in a user-friendly manner. Tools like Django, Flask, or React can be used to create the front-end interface.

9. Data Analysis and Machine Learning (optional):

You can use machine learning models to make predictions, detect anomalies, and provide insights from the air quality data.

10. Notifications and Alerts (optional):

Set up alerting systems that can send notifications when air quality crosses certain thresholds or when anomalies are detected.

11. Compliance and Reporting:

Ensure that your system complies with local regulations and standards. Generate periodic reports for stakeholders, regulatory bodies, or the public.

12. Maintenance:


Regularly monitor and maintain the system to ensure it continues to function properly. Update the data sources and algorithms as needed.

13. Scalability:

Plan for future scalability by designing your system to handle a growing volume of data and additional monitoring points.


An air quality monitoring system typically involves several key activities, including:

1. **Data Collection:** Gathering data from various sensors and sources, such as particulate matter (PM), ozone, nitrogen dioxide (NO₂), sulfur dioxide (SO₂), carbon monoxide (CO), and meteorological data.



2. **Data Preprocessing:** Cleaning, formatting, and preparing the collected data for analysis. This may include handling missing values, outliers, and data normalization.
3. **Feature Engineering:** Creating relevant features from the raw data to improve the model's performance. This could involve time-series analysis, extracting statistical metrics, or creating composite variables.
4. **Model Selection:** Choosing an appropriate machine learning or statistical model for predicting air quality. Common models include regression models, neural networks, or ensemble methods.

5. **Model Training:** Using historical data to train the selected model, allowing it to learn the relationships between various features and air quality levels.
6. **Model Evaluation:** Assessing the model's performance using metrics such as Mean Absolute Error (MAE), Mean Squared Error (MSE), or R-squared to determine how well it predicts air quality.
7. **Model Validation:** Ensuring the model's generalizability by validating it on unseen data (e.g., cross-validation) to check for overfitting.
8. **Deployment:** Implementing the trained model into the air quality monitoring system to make real-time predictions or provide air quality forecasts.
9. **Continuous Monitoring and Feedback:** Continuously monitoring the system's performance, retraining the model with new data, and making improvements as needed.
10. **Reporting and Visualization:** Presenting the air quality data, predictions, and insights in a user-friendly manner, often through interactive dashboards or reports.



Conclusion:

The Vital Role of Air Quality Monitoring Systems in the Modern World**

Air quality is a fundamental component of our environment and has a profound impact on public health, ecosystems, and the overall quality of life. With the growing challenges of urbanization, industrialization, and climate change, monitoring and managing air quality have become critical tasks for governments, communities, and individuals. In this discussion, we have explored the advantages and disadvantages of air quality monitoring systems, shedding light on their pivotal role in our contemporary world.

Advantages of Air Quality Monitoring Systems

Air quality monitoring systems offer a plethora of benefits that are indispensable for a sustainable and healthy environment. Foremost, they serve as early warning systems for potential health hazards. By continuously measuring various air pollutants, these systems enable the detection of elevated pollution levels, allowing authorities and individuals to take precautionary measures. This is particularly crucial for vulnerable groups, such as children, the elderly, and individuals with respiratory conditions, as it empowers them to make informed decisions about outdoor activities during poor air quality episodes.

Furthermore, air quality monitoring systems are indispensable tools for environmental protection. They help in identifying pollution sources, tracking pollution trends, and assessing the effectiveness of pollution control measures. This data is invaluable for policymakers, allowing them to devise and implement regulations and policies that curb emissions and safeguard the environment. Additionally, this information serves as a foundation for scientific research and analysis, leading to a better understanding of the sources and impacts of air pollutants.

Air quality monitoring systems are instrumental in ensuring regulatory compliance. Many regions and countries have established air quality standards and regulations to protect public health and the environment. Monitoring systems provide the data needed to assess compliance and take appropriate enforcement actions when standards are violated.

Moreover, these systems offer data for decision-making. The real-time information they provide can be used by government agencies, businesses, and individuals to make informed choices. For example, during periods of high pollution, authorities can implement traffic controls or issue advisories to minimize outdoor exposure, while businesses can optimize their

operations to reduce emissions and improve energy efficiency. Public awareness is also heightened through the availability of air quality data on websites and mobile apps, encouraging individuals to take protective measures when air quality deteriorates.

In times of environmental emergencies, such as forest fires, chemical spills, or industrial accidents, air quality monitoring systems play a pivotal role in emergency response. They provide essential data to assess the situation's severity, plan evacuations, and deploy resources effectively. This capability significantly enhances public safety in the face of environmental disasters.

Disadvantages of Air Quality Monitoring Systems

While the advantages of air quality monitoring systems are clear and substantial, there are also certain drawbacks that need to be acknowledged and addressed. One of the primary disadvantages is the cost associated with establishing and maintaining these systems. It encompasses the acquisition and upkeep of monitoring equipment, data management, and the expenses incurred in employing skilled personnel. These financial investments can be a substantial burden for governments and organizations, particularly in economically constrained regions.

The complexity of air quality monitoring systems is another challenge. Operating and maintaining these systems requires specialized expertise in instrument calibration, data analysis, and quality control. Access to such expertise can be limited in some areas, further exacerbating disparities in monitoring capabilities and data quality.

Data accuracy is a crucial concern. The precision and reliability of monitoring data can be compromised by various factors, including instrument calibration, siting, and maintenance. Inaccurate data can lead to incorrect conclusions and may even erode public trust in the monitoring system.

Another disadvantage is the limited coverage of monitoring stations, which are often concentrated in urban areas. Rural and remote regions may have limited or no access to air quality data. This leads to disparities in pollution exposure and hinders the ability to develop and implement equitable policies and responses. Access to reliable air quality information should be a universal right.

Response lag is another issue that affects the usefulness of air quality monitoring systems. In some cases, data may not be available in real-time or near real-time, limiting the effectiveness of immediate responses to pollution events. Timely information is crucial for taking actions to protect public health.

Maintenance challenges are significant, as monitoring equipment is exposed to wear and tear. Regular maintenance is essential to ensure data reliability. Neglecting maintenance can result in data gaps and compromises in system performance, ultimately affecting the effectiveness of air quality monitoring.

Low-cost sensors, while increasingly popular for their accessibility, may introduce issues related to data accuracy and reliability. These sensors, while cost-effective, might not always provide data that meets regulatory standards or the requirements of scientific research, which could lead to inaccurate assessments and policy decisions.

The Way Forward

In conclusion, air quality monitoring systems have become indispensable tools for our modern society. The advantages they offer in protecting public health, safeguarding the environment, and supporting informed decision-making are substantial and well-documented. However, the disadvantages associated with these systems, such as cost, complexity, data accuracy, and limited coverage, should not be underestimated.

To address these challenges, governments, organizations, and individuals should prioritize investments in air quality monitoring infrastructure, ensuring its widespread availability and data accuracy. This includes funding for high-quality monitoring equipment, comprehensive maintenance programs, and the development of human capital with expertise in monitoring technology and data analysis. Collaborative efforts between different sectors, including government agencies, research institutions, and the private sector, can help alleviate some of the cost and complexity challenges.

The advancement of technology, particularly in the field of sensor development, holds promise for improving the accessibility and affordability of air quality monitoring. While low-cost sensors have their limitations, ongoing research and development efforts may lead to

sensors that provide both affordability and accuracy, expanding the reach of monitoring systems to underserved areas.

Efforts to promote public awareness about air quality issues should also continue, as an informed and engaged public can be a powerful force in advocating for cleaner air and driving changes in behavior and policy. Additionally, the integration of air quality data into urban planning, transportation, and industrial processes can contribute to reducing emissions and improving air quality.

In the face of the ongoing challenges of urbanization, industrialization, and climate change, the role of air quality monitoring systems is more critical than ever. By recognizing and addressing their limitations, we can harness the full potential of these systems to protect the air we breathe, safeguard our environment, and enhance the overall well-being of society. It is a collective responsibility to ensure that air quality monitoring remains a cornerstone of our efforts to create a healthier, more sustainable world for future generations.