

Rajalakshmi Engineering College

Name: Aswin Siddharth A
Email: 240701064@rajalakshmi.edu.in
Roll no: 240701064
Phone: 9489304331
Branch: REC
Department: CSE - Section 9
Batch: 2028
Degree: B.E - CSE

Scan to verify results



2024_28_III_OOPS Using Java Lab

2028_REC_OOPS using Java_Week 5_Q3

Attempt : 1
Total Mark : 10
Marks Obtained : 10

Section 1 : Coding

1. Problem Statement

Neha is working as a developer for CityElectricity Board, which wants to build a household electricity billing system.

Each customer's electricity account has:

A Customer ID (integer) A Customer Name (string) Units Consumed (double)

The electricity bill is calculated based on these rules:

For the first 100 units 5 units charge per unit For the next 100 units (101–200) 7 units charge per unit For units above 200 10 units charge per unit If the total bill exceeds 2000 units, a 5% discount is applied on the final bill.

Neha has been asked to implement this system using:

A class with attributes for customer details. A constructor to initialize customer details. Setter methods to update details if needed. Getter methods to retrieve details. Objects of the class to represent customers.

Finally, display each customer's details and final bill amount.

Input Format

The first line of input contains an integer N, representing the number of customers.

For each customer:

- The next line contains the Customer ID (integer).
- The following line contains the Customer Name (string).
- The next line contains the Units Consumed (double).

Output Format

For each customer, print the details in the following format:

Customer ID: <customer_id>

Customer Name: <customer_name>

Final Bill: <final_bill> (rounded to one decimal place)

Refer to the sample output for formatting specifications.

Sample Test Case

Input: 1

1001

Ravi Kumar

80

Output: Customer ID: 1001

Customer Name: Ravi Kumar

Final Bill: 400.0

Answer

```
import java.util.Scanner;
```

```

class elect {
    int id;
    String name;
    double consu;
    public double bill;
    public elect(int id, String name, double consu) {
        this.id = id;
        this.name = name;
        this.consu = consu;
    }
    public void cal() {
        if(consu <= 100) {
            bill = consu * 5;
        }
        else if(consu <= 200) {
            bill = (consu - 100) * 7 + (100 * 5);
        }
        else {
            bill = (consu - 200) * 10 + (100 * 5) + (100 * 7);
        }
        if(bill > 2000) {
            bill = bill * 0.95;
        }
    }
    public int idget() {
        return id;
    }
    public String nameget() {
        return name;
    }
    public double billget() {
        return bill;
    }
}

```

```

class Main {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        int n = sc.nextInt();
        elect[] custs = new elect[n];
        for(int i = 0; i < n; i++) {

```

```
int id = sc.nextInt();
sc.nextLine();
String name = sc.nextLine();
double consu = sc.nextDouble();
elect cust = new elect(id, name, consu);
cust.cal();
custs[i] = cust;
}
for(elect cust : custs) {
    System.out.println("Customer ID: " + cust.idget());
    System.out.println("Customer Name: " + cust.nameget());
    System.out.printf("Final Bill: %.1f\n", cust.billget());
}
}
```

Status : Correct

Marks : 10/10