Status	Finished
Started	Tuesday, 20 October 2026, 1:56 PM
Completed	Tuesday, 20 October 2026, 2:06 PM
Duration	10 mins 15 secs
Grade	**14.00** out of 15.00 (**93.33**%)

Question **1**

Incorrect

Mark 0.00 out of 1.00

What will set1|set2 do?

```
If set1={"a","b",3}
set2={3,7}
```

a. Elements of set1 will get appended to set2

b. Elements of set2 will get appended to set1

c. A new set will be created with the unique elements of set1 and set2.

d. A new set will be created with the elements of both set1 and set2

Question **2**

Correct

Mark 1.00 out of 1.00

If a=(15,16,17,18,19,25), then a[1:-1] will be

Note :

a=(15,16,17,18,19,25)

print((a[1:-1]))

a. (16,17,18,19)

b. Error

c. (25,19,18,17)

d. (16,17,18)

Question **3**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

```
t1 = (1,2,3,(4,5))
t2 = (3,2,1,(4,5))
print(t1>t2)
```

- a. Error
- b. False ✓
- c. True
- d. Error

Question **4**

Correct

Mark 1.00 out of 1.00

Write the Output of the following Code?

```
t = (15,83,83,52,60,45,52,85,100)
print(min(t)+max(t)+t.count(52))
```

- a. Error
- b. 100
- c. 117 ✓
- d. 2

Question **5**

Correct

Mark 1.00 out of 1.00

What is the output of the following code

```
aSet = {1, 'rec', ('cse', 'ece'), True}
print(aSet)
```

- a. {‘rec’, 1, (‘cse’, ‘ece’)} ☐
- b. Error
- c. {‘rec’, True, (‘cse’, ‘ece’)}
- d. {‘rec’, 1, (‘cse’, ‘ece’),True}

Question **6**

Correct

Mark 1.00 out of 1.00

What will be the output of the below Python code?

t1=(55,12,78,64,25)

t1.pop(12)

print(tuple1)

- a. (55,78,64,25)
- b. (12)
- c. Error ☐
- d. 12

Question **7**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
set1={0,0,9}

print(set1)
```

a. It will throw an error as there are two 0 while creating the set.

b. {0,0,9}

c. {9}

d. {0,9} ✓

Question **8**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

t = (11, 3)

x = 3 * t

print(x)

a. [11,11,11,3,3,3]

b. (11,3,11,11,3,11,11,11,3)

c. (11, 3, 11, 3, 11, 3) ✓

d. (11,3)(11,3)(11,3)

Question **9**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

```
t1 = (1,2,3)
t2 = (4,5,6)
x = t1+t2
print(x)
```

- a. (1,2,3,3,2,1)
- b. (1,2,3)(4,5,6)
- c. (1,2,3,4,5,6) ✓
- d. Error

Question **10**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
list1=[1,3,4,2]

x=list1.pop(2)

print(set([x]))
```

- a. {1,3,2}
- b. {1,3,4}
- c. {2}
- d. {4} ✓

Question **11**

Correct

Mark 1.00 out of 1.00

What is the output of the following union operation

```
set1 = {10, 20, 30, 40}
set2 = {50, 20, "10", 60}

set3 = set1.union(set2)
print(set3)
```

a. {40, '10', 50, 20, 60, 30}

b. {40, 10, '10', 50, 20, 60, 30} ☐

c. {40, 10, 50, 20, 60, 30}

d. SynatxError: Different types cannot be used with sets

Question **12**

Correct

Mark 1.00 out of 1.00

Which of the following Python code will create a set?

(i) set1=set((0,9,0))
(ii) set1=set([0,2,9])
(iii) set1={}

a. All of the above

b. ii

c. iii

d. i,ii ☐

Question **13**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

```
t = (58, 47, 36, 25, 14, 3)
x = t[2:-1]
print(x)
```

a. (58,47,36,25)

b. Error

c. (36, 25, 14) ✓

d. (3,14,25)

Question **14**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

```
t1 = (55, 44, 33, 22, 11)
x = [t1[i] for i in range(0, len(t1), 2)]
print(x)
```

a. [55, 33, 11] ✓

b. (55,33,11)

c. ([55,33,11])

d. [(55,33,11)]

Question **15**

Correct

Mark 1.00 out of 1.00

Which of the following options will not result in an error when performed on tuples in Python where tupl=(5,2,7,0,3)?

a. tupl.sort()

b. tupl[1]=2

c. tupl1=tupl+tupl ✓

d. tupl.append(2)