

Database System Engineering and Distributed Backend Development

Course Code: 25CS13002E

ROLL NO:2520030001

NAME: M. ASWITHA PATEL

INSERT CUSTOMER DATA

ORGANIZATION
MYDAM ASWITHA PA...

PROJECT
Project 0

Compare tiers

+

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
 - banktbl
 - bookflow
 - local
 - sample_mflix

Cluster0 > bankdb > customers

View monitoring

Visualize Your Data

Documents 8

Aggregations

Schema

Indexes 1

Validation

Type a query: { field: 'value' } or [Generate query](#) +

Explain

Reset

Find

Options

ADD DATA

BULK

EXPORT CODE

25

1 - 8 of 8

customers

	_id ObjectId	customer_id Int32	name String	city String	account_type String	balance Int32	
1	ObjectId('6a8ff61b8286d8...')	101	"Ravi Kumar"	"Hyderabad"	"Savings"	85000	
2	ObjectId('6a8ff62f8286d8...')	102	"Priya Sharma"	"Vijayawada"	"Current"	125000	
3	ObjectId('6a8ff6438286d8...')	103	"Arjun Reddy"	"Hyderabad"	"Savings"	45000	
4	ObjectId('6a8ff6578286d8...')	104	"Sneha Rao"	"Warangal"	"Savings"	210000	
5	ObjectId('6a8ff66c8286d8...')	105	"Kiran Kumar"	"Guntur"	"Current"	65000	
6	ObjectId('6a8ff67c8286d8...')	106	"Anjali Singh"	"Hyderabad"	"Savings"	175000	
7	ObjectId('6a8ff68e8286d8...')	107	"Rahul Verma"	"Bengaluru"	"Current"	95000	
8	ObjectId('6a8ff6a68286d8...')	108	"Meena Devi"	"Chennai"	"Savings"	320000	

ORGANIZATION
MYDAM ASWITHA PA...

PROJECT
Project 0

Compare tiers

+

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
 - banktbl
 - bookflow
 - local
 - sample_mflix

Cluster0 > bankdb > customers

View monitoring

Visualize Your Data

Documents 8

Aggregations

Schema

Indexes 1

Validation

Type a query: { field: 'value' } or [Generate query](#) +

Explain

Reset

Find

Options

ADD DATA

BULK

EXPORT CODE

25

1 - 8 of 8

customers

	_id Int32	name String	city String	account_type String	balance Int32	status String	
1		"Ravi Kumar"	"Hyderabad"	"Savings"	85000	"Active"	
2		"Priya Sharma"	"Vijayawada"	"Current"	125000	"Active"	
3		"Arjun Reddy"	"Hyderabad"	"Savings"	45000	"Active"	
4		"Sneha Rao"	"Warangal"	"Savings"	210000	"Active"	
5		"Kiran Kumar"	"Guntur"	"Current"	65000	"Inactive"	
6		"Anjali Singh"	"Hyderabad"	"Savings"	175000	"Active"	
7		"Rahul Verma"	"Bengaluru"	"Current"	95000	"Active"	
8		"Meena Devi"	"Chennai"	"Savings"	320000	"Active"	

INSERT TRANSACTION DATA

ORGANIZATION
MYDAM ASWITHA PA...

PROJECT
Project 0

Compare tiers

+

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
 - banktbl
 - bookflow
 - local
 - sample_mflix

Cluster0 > bankdb > transactions

View monitoring

Visualize Your Data

Documents 15

Aggregations

Schema

Indexes 1

Validation

Type a query: { field: 'value' } or [Generate query](#) +

Explain

Reset

Find

Options

ADD DATA

BULK

EXPORT CODE

25

1 - 15 of 15

transactions

	_id ObjectId	transaction_id Int32	customer_id Int32	type String	amount Int32	mode String	
1	ObjectId('6a8ff7648286d8...')	1001	101	"Deposit"	25000	"UPI"	
2	ObjectId('6a8ff7758286d8...')	1002	101	"Withdrawal"	10000	"ATM"	
3	ObjectId('6a8ff7888286d8...')	1003	102	"Deposit"	50000	"NEFT"	
4	ObjectId('6a8ff79f8286d8...')	1004	102	"Withdrawal"	15000	"ATM"	
5	ObjectId('6a8ff7c48286d8...')	1005	103	"Deposit"	30000	"UPI"	
6	ObjectId('6a8ff7fb8286d8...')	1006	103	"Withdrawal"	5000	"ATM"	
7	ObjectId('6a8ff8168286d8...')	1007	104	"Deposit"	100000	"NEFT"	
8	ObjectId('6a9001378286d8...')	1008	104	"Withdrawal"	25000	"ATM"	
9	ObjectId('6a90014c8286d8...')	1009	105	"Deposit"	15000	"UPI"	
10	ObjectId('6a90015e8286d8...')	1010	106	"Deposit"	75000	"NEFT"	

ORGANIZATION MYDAM ASWITHA PA... PROJECT Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS {}

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- bankdb1
- bookflow
- local
- sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Type a query: { field: 'value' } or [Generate query](#)

ADD DATA BULK EXPORT CODE

25 1 - 15 of 15

	transactions	_id ObjectId	transaction_id Int32	customer_id Int32	type String	amount Int32	mode String
6	ObjectId('6a8ff7fb286d8...')	1006	103	103	"Withdrawal"	5000	"ATM"
7	ObjectId('6a8ff8168286d8...')	1007	104	104	"Deposit"	100000	"NEFT"
8	ObjectId('6a9001378286d8...')	1008	104	104	"Withdrawal"	25000	"ATM"
9	ObjectId('6a90014c8286d8...')	1009	105	105	"Deposit"	15000	"UPI"
10	ObjectId('6a90015e8286d8...')	1010	106	106	"Deposit"	75000	"NEFT"
11	ObjectId('6a9001728286d8...')	1011	106	106	"Withdrawal"	20000	"ATM"
12	ObjectId('6a9001858286d8...')	1012	107	107	"Deposit"	40000	"IMPS"
13	ObjectId('6a90019e8286d8...')	1013	107	107	"Withdrawal"	12000	"ATM"
14	ObjectId('6a9001af8286d8...')	1014	108	108	"Deposit"	150000	"NEFT"
15	ObjectId('6a9001c28286d8...')	1015	108	108	"Withdrawal"	30000	"ATM"

ORGANIZATION MYDAM ASWITHA PA... PROJECT Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS {}

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- bankdb1
- bookflow
- local
- sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Type a query: { field: 'value' } or [Generate query](#)

ADD DATA BULK EXPORT CODE

25 1 - 15 of 15

	transactions	id Int32	type String	amount Int32	mode String	date String	status String
6		7	"Withdrawal"	5000	"ATM"	"2026-08-04"	"Success"
7		8	"Deposit"	100000	"NEFT"	"2026-08-04"	"Success"
8		9	"Withdrawal"	25000	"ATM"	"2026-08-05"	"Success"
9		10	"Deposit"	15000	"UPI"	"2026-08-05"	"Success"
10		11	"Deposit"	75000	"NEFT"	"2026-08-06"	"Success"
11		12	"Withdrawal"	20000	"ATM"	"2026-08-06"	"Success"
12		13	"Deposit"	40000	"IMPS"	"2026-08-07"	"Success"
13		14	"Withdrawal"	12000	"ATM"	"2026-08-07"	"Success"
14		15	"Deposit"	150000	"NEFT"	"2026-08-08"	"Success"
15		16	"Withdrawal"	30000	"ATM"	"2026-08-08"	"Success"

QUERY 1: DISPLAY ALL CUSTOMERS:

ORGANIZATION MYDAM ASWITHA PA... PROJECT Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS {}

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- bankdb1
- bookflow
- local
- sample_mflix

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

Type a query: { field: 'value' } or [Generate query](#)

ADD DATA BULK EXPORT CODE

25 1 - 8 of 8

	customers	_id ObjectId	customer_id Int32	name String	city String	account_type String	balance Int32
1	ObjectId('6a8ff61b8286d8...')	101	"Ravi Kumar"	"Hyderabad"	"Savings"	85000	
2	ObjectId('6a8ff62f8286d8...')	102	"Priya Sharma"	"Vijayawada"	"Current"	125000	
3	ObjectId('6a8ff6438286d8...')	103	"Arjun Reddy"	"Hyderabad"	"Savings"	45000	
4	ObjectId('6a8ff6578286d8...')	104	"Sneha Rao"	"Warangal"	"Savings"	210000	
5	ObjectId('6a8ff66c8286d8...')	105	"Kiran Kumar"	"Guntur"	"Current"	65000	
6	ObjectId('6a8ff67c8286d8...')	106	"Anjali Singh"	"Hyderabad"	"Savings"	175000	
7	ObjectId('6a8ff68e8286d8...')	107	"Rahul Verma"	"Bengaluru"	"Current"	95000	
8	ObjectId('6a8ff6a8286d8...')	108	"Meena Devi"	"Chennai"	"Savings"	320000	

Output: -

ORGANIZATION MYDAM ASWITHA PA... PROJECT Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS {}

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- bankdb1
- bookflow
- local
- sample_mflix

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

Type a query: { field: 'value' } or [Generate query](#)

ADD DATA BULK EXPORT CODE

25 1 - 8 of 8

	customers	_id ObjectId	customer_id Int32	name String	city String	account_type String	balance Int32
1	ObjectId('6a8ff61b8286d8...')	101	"Ravi Kumar"	"Hyderabad"	"Savings"	85000	
2	ObjectId('6a8ff62f8286d8...')	102	"Priya Sharma"	"Vijayawada"	"Current"	125000	
3	ObjectId('6a8ff6438286d8...')	103	"Arjun Reddy"	"Hyderabad"	"Savings"	45000	
4	ObjectId('6a8ff6578286d8...')	104	"Sneha Rao"	"Warangal"	"Savings"	210000	
5	ObjectId('6a8ff66c8286d8...')	105	"Kiran Kumar"	"Guntur"	"Current"	65000	
6	ObjectId('6a8ff67c8286d8...')	106	"Anjali Singh"	"Hyderabad"	"Savings"	175000	
7	ObjectId('6a8ff68e8286d8...')	107	"Rahul Verma"	"Bengaluru"	"Current"	95000	
8	ObjectId('6a8ff6a8286d8...')	108	"Meena Devi"	"Chennai"	"Savings"	320000	

QUERY 2: FIND ACTIVE CUSTOMERS

ORGANIZATION MYDAM ASWITHA PA... PROJECT Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankkb
- customers
- transactions
- bookflow
- local
- sample_mflix

Cluster0 > bankkb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

Generate query Explain Reset Find Options

25 1-7 of 7

	customers	_id ObjectId	customer_id Int32	name String	city String	account_type String	balance Int32
1	ObjectId("6a8ff61b8286d8...")	101	"Ravi Kumar"	"Hyderabad"	"Savings"	85000	
2	ObjectId("6a8ff62f8286d8...")	102	"Priya Sharma"	"Vijayawada"	"Current"	125000	
3	ObjectId("6a8ff6438286d8...")	103	"Arjun Reddy"	"Hyderabad"	"Savings"	45000	
4	ObjectId("6a8ff6578286d8...")	104	"Sneha Rao"	"Warangal"	"Savings"	210000	
5	ObjectId("6a8ff67c8286d8...")	106	"Anjali Singh"	"Hyderabad"	"Savings"	175000	
6	ObjectId("6a8ff68e8286d8...")	107	"Rahul Verma"	"Bengaluru"	"Current"	95000	
7	ObjectId("6a8ff6a8286d8...")	108	"Meena Devi"	"Chennai"	"Savings"	320000	

Output: -

ORGANIZATION MYDAM ASWITHA PA... PROJECT Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankkb
- customers
- transactions
- bookflow
- local
- sample_mflix

Cluster0 > bankkb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

Generate query Explain Reset Find Options

25 1-7 of 7

	customers	_id ObjectId	customer_id Int32	name String	city String	account_type String	balance Int32
1	ObjectId("6a8ff61b8286d8...")	101	"Ravi Kumar"	"Hyderabad"	"Savings"	85000	
2	ObjectId("6a8ff62f8286d8...")	102	"Priya Sharma"	"Vijayawada"	"Current"	125000	
3	ObjectId("6a8ff6438286d8...")	103	"Arjun Reddy"	"Hyderabad"	"Savings"	45000	
4	ObjectId("6a8ff6578286d8...")	104	"Sneha Rao"	"Warangal"	"Savings"	210000	
5	ObjectId("6a8ff67c8286d8...")	106	"Anjali Singh"	"Hyderabad"	"Savings"	175000	
6	ObjectId("6a8ff68e8286d8...")	107	"Rahul Verma"	"Bengaluru"	"Current"	95000	
7	ObjectId("6a8ff6a8286d8...")	108	"Meena Devi"	"Chennai"	"Savings"	320000	

ORGANIZATION MYDAM ASWITHA PA... PROJECT Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankkb
- customers
- transactions
- bookflow
- local
- sample_mflix

Cluster0 > bankkb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

Generate query Explain Reset Find Options

25 1-7 of 7

	customers	ir_id Int32	name String	city String	account_type String	balance Int32	status String
1			"Ravi Kumar"	"Hyderabad"	"Savings"	85000	"Active"
2			"Priya Sharma"	"Vijayawada"	"Current"	125000	"Active"
3			"Arjun Reddy"	"Hyderabad"	"Savings"	45000	"Active"
4			"Sneha Rao"	"Warangal"	"Savings"	210000	"Active"
5			"Anjali Singh"	"Hyderabad"	"Savings"	175000	"Active"
6			"Rahul Verma"	"Bengaluru"	"Current"	95000	"Active"
7			"Meena Devi"	"Chennai"	"Savings"	320000	"Active"

QUERY 3: FIND CUSTOMERS WITH BALANCE GREATER THAN 100000

ORGANIZATION MYDAM ASWITHA PA... PROJECT Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

bankdb1

bookflow

local

sample_mflix

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

Generate query Explain Reset Find Options

25 1-4 of 4

customers	_id ObjectId	customer_id Int32	name String	city String	account_type String	balance Int32
1	ObjectId("6a8ff62f8286d8...")	102	"Priya Sharma"	"Vijayawada"	"Current"	125000
2	ObjectId("6a8ff6578286d8...")	104	"Sneha Rao"	"Warangal"	"Savings"	210000
3	ObjectId("6a8ff67c8286d8...")	106	"Anjali Singh"	"Hyderabad"	"Savings"	175000
4	ObjectId("6a8ff6a8286d8...")	108	"Meena Devi"	"Chennai"	"Savings"	320000

ORGANIZATION MYDAM ASWITHA PA... PROJECT Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

bankdb1

bookflow

local

sample_mflix

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

Generate query Explain Reset Find Options

25 1-4 of 4

customers	_id Int32	name String	city String	account_type String	balance Int32	status String
1		"Priya Sharma"	"Vijayawada"	"Current"	125000	"Active"
2		"Sneha Rao"	"Warangal"	"Savings"	210000	"Active"
3		"Anjali Singh"	"Hyderabad"	"Savings"	175000	"Active"
4		"Meena Devi"	"Chennai"	"Savings"	320000	"Active"

QUERY 4: FIND HYDERABAD CUSTOMERS:

ORGANIZATION MYDAM ASWITHA PA... PROJECT Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

bankdb1

bookflow

local

sample_mflix

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

Generate query Explain Reset Find Options

25 1-3 of 3

customers	_id ObjectId	customer_id Int32	name String	city String	account_type String	balance Int32
1	ObjectId("6a8ff61b8286d8...")	101	"Ravi Kumar"	"Hyderabad"	"Savings"	85000
2	ObjectId("6a8ff6438286d8...")	103	"Arjun Reddy"	"Hyderabad"	"Savings"	45000
3	ObjectId("6a8ff67c8286d8...")	106	"Anjali Singh"	"Hyderabad"	"Savings"	175000

Output: -

ORGANIZATION MYDAM ASWITHA PA... PROJECT Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

bankdb1

bookflow

local

sample_mflix

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

Generate query Explain Reset Find Options

25 1-3 of 3

customers	_id ObjectId	customer_id Int32	name String	city String	account_type String	balance Int32
1	ObjectId("6a8ff61b8286d8...")	101	"Ravi Kumar"	"Hyderabad"	"Savings"	85000
2	ObjectId("6a8ff6438286d8...")	103	"Arjun Reddy"	"Hyderabad"	"Savings"	45000
3	ObjectId("6a8ff67c8286d8...")	106	"Anjali Singh"	"Hyderabad"	"Savings"	175000

Organization: MYDAM ASWITHA PA... Project: Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
- customers
- transactions
- bankdb1
- bookflow
- local
- sample_mflix

Cluster0 > bankdb > customers

Documents

Aggregations

Schema

Indexes 1

Validation

Generate query

Explain

Reset

Find

Options

ADD DATA

BULK

EXPORT CODE

25

1-3 of 3

customers	rr_id Int32	name String	city String	account_type String	balance Int32	status String
1		"Ravi Kumar"	"Hyderabad"	"Savings"	85000	"Active"
2		"Arjun Reddy"	"Hyderabad"	"Savings"	45000	"Active"
3		"Anjali Singh"	"Hyderabad"	"Savings"	175000	"Active"

QUERY 5: FIND SAVINGS ACCOUNT CUSTOMERS:

Organization: MYDAM ASWITHA PA... Project: Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

Cluster0 > bankdb > customers

Documents

Aggregations

Schema

Indexes 1

Validation

Generate query

Explain

Reset

Find

Options

ADD DATA

BULK

EXPORT CODE

25

1-3 of 3

{

"account_type": "Savings"

}

Output: -

Organization: MYDAM ASWITHA PA... Project: Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
- customers
- transactions
- bankdb1
- bookflow
- local
- sample_mflix

Cluster0 > bankdb > customers

Documents

Aggregations

Schema

Indexes 1

Validation

Generate query

Explain

Reset

Find

Options

ADD DATA

BULK

EXPORT CODE

25

1-5 of 5

customers	_id ObjectId	customer_id Int32	name String	city String	account_type String	balance Int32
1	ObjectId("6a8ff61b8286d8...")	101	"Ravi Kumar"	"Hyderabad"	"Savings"	85000
2	ObjectId("6a8ff6438286d8...")	103	"Arjun Reddy"	"Hyderabad"	"Savings"	45000
3	ObjectId("6a8ff6578286d8...")	104	"Sneha Rao"	"Warangal"	"Savings"	210000
4	ObjectId("6a8ff67c8286d8...")	106	"Anjali Singh"	"Hyderabad"	"Savings"	175000
5	ObjectId("6a8ff6a8286d8...")	108	"Meena Devi"	"Chennai"	"Savings"	320000

Organization: MYDAM ASWITHA PA... Project: Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
- customers
- transactions
- bankdb1
- bookflow
- local
- sample_mflix

Cluster0 > bankdb > customers

Documents

Aggregations

Schema

Indexes 1

Validation

Generate query

Explain

Reset

Find

Options

ADD DATA

BULK

EXPORT CODE

25

1-5 of 5

customers	rr_id Int32	name String	city String	account_type String	balance Int32	status String
1		"Ravi Kumar"	"Hyderabad"	"Savings"	85000	"Active"
2		"Arjun Reddy"	"Hyderabad"	"Savings"	45000	"Active"
3		"Sneha Rao"	"Warangal"	"Savings"	210000	"Active"
4		"Anjali Singh"	"Hyderabad"	"Savings"	175000	"Active"
5		"Meena Devi"	"Chennai"	"Savings"	320000	"Active"

QUERY 6: FIND TRANSACTIONS GREATER THAN 20000:

ORGANIZATION MYDAM ASWITHA PA... PROJECT Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

customers transactions

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Generate query Explain Reset Find Options

25 1-9 of 9

Output: -

ORGANIZATION MYDAM ASWITHA PA... PROJECT Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

customers transactions

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Generate query Explain Reset Find Options

25 1-9 of 9

transactions	_id ObjectId	transaction_id Int32	customer_id Int32	type String	amount Int32	mode String
1	ObjectId("6a8ff7648286d8...")	1001	101	"Deposit"	25000	"UPI"
2	ObjectId("6a8ff788286d8...")	1003	102	"Deposit"	50000	"NEFT"
3	ObjectId("6a8ff7c48286d8...")	1005	103	"Deposit"	30000	"UPI"
4	ObjectId("6a8ffa168286d8...")	1007	104	"Deposit"	100000	"NEFT"
5	ObjectId("6a9001378286d8...")	1008	104	"Withdrawal"	25000	"ATM"
6	ObjectId("6a90015e8286d8...")	1010	106	"Deposit"	75000	"NEFT"
7	ObjectId("6a9001858286d8...")	1012	107	"Deposit"	40000	"IMPS"

ORGANIZATION MYDAM ASWITHA PA... PROJECT Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

customers transactions

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Generate query Explain Reset Find Options

25 1-9 of 9

transactions	id Int32	type String	amount Int32	mode String	date String	status String
1		"Deposit"	25000	"UPI"	"2026-08-01"	"Success"
2		"Deposit"	50000	"NEFT"	"2026-08-02"	"Success"
3		"Deposit"	30000	"UPI"	"2026-08-03"	"Success"
4		"Deposit"	100000	"NEFT"	"2026-08-04"	"Success"
5		"Withdrawal"	25000	"ATM"	"2026-08-05"	"Success"
6		"Deposit"	75000	"NEFT"	"2026-08-06"	"Success"
7		"Deposit"	40000	"IMPS"	"2026-08-07"	"Success"

QUERY 7: FIND DEPOSITS

ORGANIZATION MYDAM ASWITHA PA... PROJECT Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

customers transactions

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Generate query Explain Reset Find Options

25 1-9 of 9

{ "type": "Deposit" }

Output: -

ORGANIZATION MYDAM ASWITHA PA... PROJECT Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
- customers
- transactions
- bankdb1
- bookflow
- local
- sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Generate query Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1-8 of 8

transactions	_id ObjectId	transaction_id Int32	customer_id Int32	type String	amount Int32	mode String
1	ObjectId("6a8ff7648286d8...")	1001	101	"Deposit"	25000	"UPI"
2	ObjectId("6a8ff788286d8...")	1003	102	"Deposit"	50000	"NEFT"
3	ObjectId("6a8ff7c48286d8...")	1005	103	"Deposit"	30000	"UPI"
4	ObjectId("6a8ff8168286d8...")	1007	104	"Deposit"	100000	"NEFT"
5	ObjectId("6a90014c8286d8...")	1009	105	"Deposit"	15000	"UPI"
6	ObjectId("6a90015e8286d8...")	1010	106	"Deposit"	75000	"NEFT"
7	ObjectId("6a9001858286d8...")	1012	107	"Deposit"	40000	"IMPS"
8	ObjectId("6a9001af8286d8...")	1014	108	"Deposit"	150000	"NEFT"

ORGANIZATION MYDAM ASWITHA PA... PROJECT Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
- customers
- transactions
- bankdb1
- bookflow
- local
- sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Generate query Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1-8 of 8

transactions	id Int32	type String	amount Int32	mode String	date String	status String
1		"Deposit"	25000	"UPI"	"2026-08-01"	"Success"
2		"Deposit"	50000	"NEFT"	"2026-08-02"	"Success"
3		"Deposit"	30000	"UPI"	"2026-08-03"	"Success"
4		"Deposit"	100000	"NEFT"	"2026-08-04"	"Success"
5		"Deposit"	15000	"UPI"	"2026-08-05"	"Success"
6		"Deposit"	75000	"NEFT"	"2026-08-06"	"Success"
7		"Deposit"	40000	"IMPS"	"2026-08-07"	"Success"
8		"Deposit"	150000	"NEFT"	"2026-08-08"	"Success"

QUERY 8: FIND ATM TRANSACTIONS

ORGANIZATION MYDAM ASWITHA PA... PROJECT Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
- customers
- transactions
- bankdb1
- bookflow
- local
- sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Generate query Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1-7 of 7

transactions	_id ObjectId	transaction_id Int32	customer_id Int32	type String	amount Int32	mode String
1	ObjectId("6a8ff7758286d8...")	1002	101	"Withdrawal"	10000	"ATM"
2	ObjectId("6a8ff79f8286d8...")	1004	102	"Withdrawal"	15000	"ATM"
3	ObjectId("6a8ff7fb8286d8...")	1006	103	"Withdrawal"	5000	"ATM"
4	ObjectId("6a9001378286d8...")	1008	104	"Withdrawal"	25000	"ATM"
5	ObjectId("6a9001728286d8...")	1011	106	"Withdrawal"	20000	"ATM"
6	ObjectId("6a90019e8286d8...")	1013	107	"Withdrawal"	12000	"ATM"
7	ObjectId("6a9001c28286d8...")	1015	108	"Withdrawal"	30000	"ATM"

Output: -

ORGANIZATION MYDAM ASWITHA PA... PROJECT Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
- customers
- transactions
- bankdb1
- bookflow
- local
- sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Generate query Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1-7 of 7

transactions	_id ObjectId	transaction_id Int32	customer_id Int32	type String	amount Int32	mode String
1	ObjectId("6a8ff7758286d8...")	1002	101	"Withdrawal"	10000	"ATM"
2	ObjectId("6a8ff79f8286d8...")	1004	102	"Withdrawal"	15000	"ATM"
3	ObjectId("6a8ff7fb8286d8...")	1006	103	"Withdrawal"	5000	"ATM"
4	ObjectId("6a9001378286d8...")	1008	104	"Withdrawal"	25000	"ATM"
5	ObjectId("6a9001728286d8...")	1011	106	"Withdrawal"	20000	"ATM"
6	ObjectId("6a90019e8286d8...")	1013	107	"Withdrawal"	12000	"ATM"
7	ObjectId("6a9001c28286d8...")	1015	108	"Withdrawal"	30000	"ATM"

ORGANIZATION MYDAM ASWITHA PA... PROJECT Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

bankdb1

bookflow

local

sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Generate query

Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1-7 of 7

* transactions	tr_id Int32	type String	amount Int32	mode String	date String	status String
1		"Withdrawal"	10000	"ATM"	"2026-08-02"	"Success"
2		"Withdrawal"	15000	"ATM"	"2026-08-03"	"Success"
3		"Withdrawal"	5000	"ATM"	"2026-08-04"	"Success"
4		"Withdrawal"	25000	"ATM"	"2026-08-05"	"Success"
5		"Withdrawal"	20000	"ATM"	"2026-08-06"	"Success"
6		"Withdrawal"	12000	"ATM"	"2026-08-07"	"Success"
7		"Withdrawal"	30000	"ATM"	"2026-08-08"	"Success"

QUERY 9: FIND DEPOSITS GREATER THAN 50000

ORGANIZATION MYDAM ASWITHA PA... PROJECT Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Generate query

Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1-3 of 3

```
{
  "type": "Deposit",
  "amount": {
    "$gt": 50000
  }
}
```

Output: -

ORGANIZATION MYDAM ASWITHA PA... PROJECT Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

bankdb1

bookflow

local

sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Generate query

Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1-3 of 3

* transactions	_id ObjectId	transaction_id Int32	customer_id Int32	type String	amount Int32	mode String
1	objectId("6a8ff8168286d8...")	1007	104	"Deposit"	100000	"NEFT"
2	objectId("6a90015e8286d8...")	1010	106	"Deposit"	75000	"NEFT"
3	objectId("6a9001af8286d8...")	1014	108	"Deposit"	150000	"NEFT"

ORGANIZATION MYDAM ASWITHA PA... PROJECT Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

bankdb1

bookflow

local

sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Generate query

Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1-3 of 3

* transactions	tr_id Int32	type String	amount Int32	mode String	date String	status String
1		"Deposit"	100000	"NEFT"	"2026-08-04"	"Success"
2		"Deposit"	75000	"NEFT"	"2026-08-06"	"Success"
3		"Deposit"	150000	"NEFT"	"2026-08-08"	"Success"

QUERY 10: FIND HYDERABAD CUSTOMERS WITH HIGH BALANCE

Organization: MYDAM ASWITHA PA... Project: Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

transactions

customers

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

Generate query Explain Reset Find Options

```
{
  "city": "Hyderabad",
  "balance": {
    "$gt": 100000
  }
}
```

Output: -

Organization: MYDAM ASWITHA PA... Project: Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

bankdb

bookflow

local

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

Generate query Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1-1 of 1

	customers	_id ObjectId	customer_id Int32	name String	city String	account_type String	balance Int32	
1	ObjectId('6a8ff67c8286d9...')	106		Anjali Singh	Hyderabad	Savings	175000	

QUERY 11: FIND CUSTOMERS IN MULTIPLE CITIES

Organization: MYDAM ASWITHA PA... Project: Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

Generate query Explain Reset Find Options

```
{
  "city": {
    "$in": [
      "Hyderabad",
      "Vijayawada",
      "Warangal"
    ]
  }
}
```

Output: -

Organization: MYDAM ASWITHA PA... Project: Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

bankdb

bookflow

sample_mflix

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

Generate query Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1-5 of 5

	customers	_id ObjectId	customer_id Int32	name String	city String	account_type String	balance Int32	
1	ObjectId('6a8ff61b8286d9...')	101		Ravi Kumar	Hyderabad	Savings	85000	
2	ObjectId('6a8ff62f8286d9...')	102		Priya Sharma	Vijayawada	Current	125000	
3	ObjectId('6a8ff6438286d9...')	103		Arjun Reddy	Hyderabad	Savings	45000	
4	ObjectId('6a8ff6578286d9...')	104		Sneha Rao	Warangal	Savings	210000	
5	ObjectId('6a8ff67c8286d9...')	106		Anjali Singh	Hyderabad	Savings	175000	

ORGANIZATION MYDAM ASWITHA PA... PROJECT Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - bankdb1
 - bookflow
 - local
 - sample_mflix

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

Generate query Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1-5 of 5

ir_id Int32	name String	city String	account_type String	balance Int32	status String
1	"Ravi Kumar"	"Hyderabad"	"Savings"	85000	"Active"
2	"Priya Sharma"	"Vijayawada"	"Current"	125000	"Active"
3	"Arjun Reddy"	"Hyderabad"	"Savings"	45000	"Active"
4	"Sneha Rao"	"Warangal"	"Savings"	210000	"Active"
5	"Anjali Singh"	"Hyderabad"	"Savings"	175000	"Active"

QUERY 12: SORT CUSTOMERS BY BALANCE

ORGANIZATION MYDAM ASWITHA PA... PROJECT Project 0

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - bankdb1
 - bookflow
 - local
 - sample_mflix

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes

\$sort

Untitled - modified SAVE CREATE NEW EXP

Stage1 \$sort

```

1 {
2   "balance": -1
3 }
  
```

Output: -

Output preview after \$sort stage (Sample of 8 documents)

```
_id: ObjectId('6a8ff6a68286d06a5e945f1e')
customer_id: 108
name: "Meena Devi"
city: "Chennai"
account_type: "Savings"
balance: 320000
status: "Active"
```

```
_id: ObjectId('6a8ff6578286d06a5e945f16')
customer_id: 104
name: "Sneha Rao"
city: "Warangal"
account_type: "Savings"
balance: 210000
status: "Active"
```

Output preview after \$sort stage (Sample of 8 documents)

```
_id: ObjectId('6a8ff67c8286d06a5e945f1a')
customer_id: 106
name: "Anjali Singh"
city: "Hyderabad"
account_type: "Savings"
balance: 175000
status: "Active"
```

```
_id: ObjectId('6a8ff62f8286d06a5e945f12')
customer_id: 102
name: "Priya Sharma"
city: "Vijayawada"
account_type: "Current"
balance: 125000
status: "Active"
```

Output preview after \$sort stage (Sample of 8 documents)

```
_id: ObjectId('6a8ff68e8286d06a5e945f1c')
customer_id: 107
name: "Rahul Verma"
city: "Bengaluru"
account_type: "Current"
balance: 95000
status: "Active"
```

```
_id: ObjectId('6a8ff61b8286d06a5e945f10')
customer_id: 101
name: "Ravi Kumar"
city: "Hyderabad"
account_type: "Savings"
balance: 85000
status: "Active"
```

Output preview after \$sort stage (Sample of 8 documents)

```
_id: ObjectId('6a8ff66c8286d06a5e945f18')
customer_id: 105
name: "Kiran Kumar"
city: "Guntur"
account_type: "Current"
balance: 65000
status: "Inactive"
```

```
_id: ObjectId('6a8ff6438286d06a5e945f14')
customer_id: 103
name: "Arjun Reddy"
city: "Hyderabad"
account_type: "Savings"
balance: 45000
status: "Active"
```

QUERY 13: CALCULATE TOTAL TRANSACTION AMOUNT

Organization: MYDAM ASWITHA PA... Project: Project 0

Clusters: Cluster0, admin, bankdb, customers, transactions, bankdb1, bookflow, local, sample_mfix

Query: Cluster0 > bankdb > customers

Aggregations: \$group

Stage 1: \$group

```
1 {
2   "_id": null,
3   "total_amount": {
4     "$sum": "$amount"
5   }
6 }
7
```

Output preview after \$group stage (Sample of 1 document):

```
{
  "_id": null,
  "total_amount": 0
}
```

QUERY 14: CALCULATE AVERAGE TRANSACTION AMOUNT

Organization: MYDAM ASWITHA PA... Project: Project 0

Clusters: Cluster0, admin, bankdb, customers, transactions, bankdb1, bookflow, local, sample_mfix

Query: Cluster0 > bankdb > customers

Aggregations: \$group

Stage 1: \$group

```
1 {
2   "_id": null,
3   "average_amount": {
4     "$avg": "$amount"
5   }
6 }
7
```

Output preview after \$group stage (Sample of 1 document):

```
{
  "_id": null,
  "average_amount": null
}
```

QUERY 15: TOTAL TRANSACTION AMOUNT BY TYPE

Organization: MYDAM ASWITHA PA... Project: Project 0

Clusters: Cluster0, admin, bankdb, customers, transactions, bankdb1, bookflow, local, sample_mfix

Query: Cluster0 > bankdb > customers

Aggregations: \$group

Stage 1: \$group

```
1 {
2   "_id": null,
3   "total_amount": {
4     "$sum": "$amount"
5   }
6 }
7
8
9
10
11
```

Output preview after \$group stage (Sample of 1 document):

```
{
  "_id": null,
  "total_amount": 0
}
```

QUERY 16: NUMBER OF TRANSACTIONS PER CUSTOMER

ORGANIZATION MYDAM ASWITHA PA... PROJECT Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

banktbl

bookflow

local

sample_mflix

transactions customers

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

\$group

Generate aggregation Explain Run Options

Untitled - modified SAVE CREATE NEW EXPORT CODE

PREVIEW STAGES TEXT WIZARD

Stage 1 \$group

Output preview after \$group stage (Sample of 8 documents)

```

1 {
2   "_id": "customer_id",
3   "transaction_count": {
4     "$sum": 1
5   }
6 }
7
8
9

```

Output preview after \$group stage (Sample of 8 documents)

```

_id: 103
transaction_count: 1

_id: 104
transaction_count: 1

```

ORGANIZATION MYDAM ASWITHA PA... PROJECT Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

banktbl

bookflow

local

sample_mflix

transactions customers

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

\$group \$sort

Generate aggregation Explain Run Options

Untitled - modified SAVE CREATE NEW EXPORT CODE

PREVIEW STAGES TEXT WIZARD

Stage 2 \$sort

Output preview after \$sort stage (Sample of 8 documents)

```

1 {
2   "transaction_count": -1
3 }
4

```

Output preview after \$sort stage (Sample of 8 documents)

```

_id: 100
transaction_count: 1

_id: 101
transaction_count: 1

```

QUERY 17: CUSTOMER + TRANSACTION JOIN

ORGANIZATION MYDAM ASWITHA PA... PROJECT Project 0

Compare tiers

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

banktbl

bookflow

local

sample_mflix

transactions customers

Cluster0 > bankdb > transactions

Documents 16 Aggregations Schema Indexes 1 Validation

\$lookup

Generate aggregation Explain Run Options

Untitled - modified SAVE CREATE NEW EXPORT CODE

PREVIEW STAGES TEXT WIZARD

Stage 1 \$lookup

Output preview after \$lookup stage (Sample of 10 documents)

```

1 {
2   "from": "customers",
3   "localField": "customer_id",
4   "foreignField": "customer_id",
5   "as": "customer_details"
6 }
7

```

Output preview after \$lookup stage (Sample of 10 documents)

```

_id: ObjectId('6a8ff7543286d86a5e945f21')
transaction_id: 1801
customer_id: 101
type: "Deposit"
amount: 25000
mode: "NFT"
date: "2026-08-01"
status: "Success"
customer_details: Array (1)

_id: ObjectId('6a8ff755286d86a5e945f23')
transaction_id: 1802
customer_id: 101
type: "Withdrawal"
amount: 10000
mode: "ATM"
date: "2026-08-02"
status: "Success"
customer_details: Array (1)

```

ORGANIZATION: MYDAM ASWITHA PA... PROJECT: Project 0

Compare tiers View monitoring Visualize Your Data

Data Explorer

My Queries Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankbkl
 - customers
 - transactions
 - bankbkl
 - bookflow
 - local
 - sample_mflix

Cluster0 > bankbkl > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Stoosup Sunwind

Generate aggregation Explain Run Options

Untitled - modified SAVE CREATE NEW EXPORT CODE

PREVIEW STAGES TEXT WIZARD

Stage2 Sunwind

1 "\$customer_details"

2

Output preview after Sunwind if stage (Sample of 10 documents)

```

{
  "_id": ObjectId("6a8ff7648286d8a5e945f21"),
  "transaction_id": 1001,
  "customer_id": 101,
  "type": "Deposit",
  "amount": 25000,
  "mode": "UPI",
  "date": "2020-08-01",
  "status": "Success",
  "customer_details": Object (7)
}

```

```

{
  "_id": ObjectId("6a8ff7758286d8a5e945f23"),
  "transaction_id": 1002,
  "customer_id": 101,
  "type": "Withdrawal",
  "amount": 10000,
  "mode": "ATM",
  "date": "2020-08-02",
  "status": "Success",
  "customer_details": Object (7)
}

```

ORGANIZATION: MYDAM ASWITHA PA... PROJECT: Project 0

Compare tiers View monitoring Visualize Your Data

Data Explorer

My Queries Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankbkl
 - customers
 - transactions
 - bankbkl
 - bookflow
 - local
 - sample_mflix

Cluster0 > bankbkl > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Stoosup Sunwind

Generate aggregation Explain Run Options

Untitled - modified SAVE CREATE NEW EXPORT CODE

PREVIEW STAGES TEXT WIZARD

Stage1 Stoosup

1 {

2 "from": "customers",

3 "localField": "customer_id",

4 "foreignField": "customer_id",

5 "as": "customer_details"

6 }

7

Output preview after Stoosup if stage (Sample of 10 documents)

```

{
  "_id": ObjectId("6a8ff7648286d8a5e945f21"),
  "transaction_id": 1001,
  "customer_id": 101,
  "type": "Deposit",
  "amount": 25000,
  "mode": "UPI",
  "date": "2020-08-01",
  "status": "Success",
  "customer_details": Array (7)
}

```

```

{
  "_id": ObjectId("6a8ff7758286d8a5e945f23"),
  "transaction_id": 1002,
  "customer_id": 101,
  "type": "Withdrawal",
  "amount": 10000,
  "mode": "ATM",
  "date": "2020-08-02",
  "status": "Success",
  "customer_details": Array (7)
}

```

```

{
  "_id": ObjectId("6a8ff7758286d8a5e945f25"),
  "transaction_id": 1003,
  "customer_id": 101,
  "type": "Deposit",
  "amount": 10000,
  "mode": "UPI",
  "date": "2020-08-03",
  "status": "Success",
  "customer_details": Array (7)
}

```

```

{
  "_id": ObjectId("6a8ff7758286d8a5e945f26"),
  "transaction_id": 1004,
  "customer_id": 101,
  "type": "Withdrawal",
  "amount": 10000,
  "mode": "ATM",
  "date": "2020-08-03",
  "status": "Success",
  "customer_details": Array (7)
}

```

Stage2 Sunwind

1 "\$customer_details"

2

Output preview after Sunwind if stage (Sample of 10 documents)

QUERY 18: DISPLAY CUSTOMER NAME AND TRANSACTION AMOUNT

ORGANIZATION: MYDAM ASWITHA PA... PROJECT: Project 0

Compare tiers View monitoring Visualize Your Data

Data Explorer

My Queries Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankbkl
 - customers
 - transactions
 - bankbkl
 - bookflow
 - local
 - sample_mflix

Cluster0 > bankbkl > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Stoosup Sunwind Project

Generate aggregation Explain Run Options

Untitled - modified SAVE CREATE NEW EXPORT CODE

PREVIEW STAGES TEXT WIZARD

Stage3 Project

1 {

2 "_id": 0,

3 "transaction_id": 1,

4 "customer_name": "\$customer.name",

5 "city": "\$customer.city",

6 "type": 1,

7 "amount": 1,

8 "mode": 1

9 }

10

Output preview after Project if stage (Sample of 10 documents)

```

{
  "transaction_id": 1001,
  "type": "Deposit",
  "amount": 25000,
  "mode": "UPI",
  "customer_name": "Customer (7)",
  "city": "City (7)"
}

```

```

{
  "transaction_id": 1002,
  "type": "Withdrawal",
  "amount": 10000,
  "mode": "ATM",
  "customer_name": "Customer (7)",
  "city": "City (7)"
}

```

```

{
  "transaction_id": 1003,
  "type": "Deposit",
  "amount": 10000,
  "mode": "UPI",
  "customer_name": "Customer (7)",
  "city": "City (7)"
}

```

```

{
  "transaction_id": 1004,
  "type": "Withdrawal",
  "amount": 10000,
  "mode": "ATM",
  "customer_name": "Customer (7)",
  "city": "City (7)"
}

```

Output preview after Sproject stage (Sample of 10 documents)

```
transaction_id: 1002
type: "Withdrawal"
amount: 10000
mode: "ATM"
```

```
transaction_id: 1003
type: "Deposit"
amount: 50000
mode: "NEFT"
```

```
transaction_id: 1004
type: "Withdrawal"
amount: 15000
mode: "ATM"
```

```
transaction_id: 1005
type: "Deposit"
amount: 30000
mode: "UPI"
```

Sample of 10 documents)

```
transaction_id: 1007
type: "Deposit"
amount: 100000
mode: "NEFT"
```

```
transaction_id: 1008
type: "Withdrawal"
amount: 25000
mode: "ATM"
```

```
transaction_id: 1009
type: "Deposit"
amount: 10000
mode: "UPI"
```

QUERY 19: TOTAL TRANSACTION AMOUNT FOR EACH CUSTOMER

The screenshot displays the Data Explorer interface for a project named 'Project 0'. The left sidebar shows a cluster tree with 'customers' selected. The main workspace shows a query editor with a query that aggregates transaction amounts by customer ID. The query is as follows:

```
1 {
2   $from: "customers",
3   $localId: "customer_id",
4   $foreignId: "customer_id",
5   $as: "customer_details",
6 }
7
```

The query is executed, and the output preview shows a sample of 10 documents. The documents are grouped by customer ID, showing the total transaction amount for each customer. The output preview shows the following documents:

```
{
  "_id": "customer_details",
  "customer_id": "1001",
  "transaction_id": "1001",
  "type": "Deposit",
  "amount": 10000,
  "date": "2020-08-01",
  "status": "Success"
}
{
  "_id": "customer_details",
  "customer_id": "1002",
  "transaction_id": "1002",
  "type": "Withdrawal",
  "amount": 15000,
  "date": "2020-08-02",
  "status": "Success"
}
{
  "_id": "customer_details",
  "customer_id": "1003",
  "transaction_id": "1003",
  "type": "Deposit",
  "amount": 50000,
  "date": "2020-08-03",
  "status": "Success"
}
{
  "_id": "customer_details",
  "customer_id": "1004",
  "transaction_id": "1004",
  "type": "Withdrawal",
  "amount": 15000,
  "date": "2020-08-04",
  "status": "Success"
}
{
  "_id": "customer_details",
  "customer_id": "1005",
  "transaction_id": "1005",
  "type": "Deposit",
  "amount": 30000,
  "date": "2020-08-05",
  "status": "Success"
}
{
  "_id": "customer_details",
  "customer_id": "1006",
  "transaction_id": "1006",
  "type": "Withdrawal",
  "amount": 10000,
  "date": "2020-08-06",
  "status": "Success"
}
{
  "_id": "customer_details",
  "customer_id": "1007",
  "transaction_id": "1007",
  "type": "Deposit",
  "amount": 100000,
  "date": "2020-08-07",
  "status": "Success"
}
{
  "_id": "customer_details",
  "customer_id": "1008",
  "transaction_id": "1008",
  "type": "Withdrawal",
  "amount": 25000,
  "date": "2020-08-08",
  "status": "Success"
}
{
  "_id": "customer_details",
  "customer_id": "1009",
  "transaction_id": "1009",
  "type": "Deposit",
  "amount": 10000,
  "date": "2020-08-09",
  "status": "Success"
}
{
  "_id": "customer_details",
  "customer_id": "1010",
  "transaction_id": "1010",
  "type": "Withdrawal",
  "amount": 10000,
  "date": "2020-08-10",
  "status": "Success"
}
```

ORGANIZATION: MYDAMASWITHA.PA... PROJECT: Project 0

Compare files

Data Explorer

My Queries

Data Modeling

CLUSTERS (3)

Search clusters

Cluster0

admin

bankdb

customers

transactions

bankid

bankflow

loan

sample_mflix

Clustered > bankdb > transactions

Documents: 15 Aggregations Schema Indexes: 1 Validation

Untitled - modified

Generate aggregation

PREVIEW 1 STAGES

Stage 3: Project

Output preview after Project stage (Sample of 10 documents)

```
1 {
2   "_id": 0,
3   "transaction_id": 1,
4   "customer_name": "scustomer_name",
5   "city": "scustomer_city",
6   "type": 1,
7   "amount": 1,
8   "mode": 1,
9 }
10
```

transaction_id: 1896
type: "Withdrawal"
amount: 10000
mode: "ATM"

transaction_id: 1897
type: "Deposit"
amount: 10000
mode: "ATM"

transaction_id: 1898
type: "Withdrawal"
amount: 10000
mode: "ATM"

transaction_id: 1899
type: "Deposit"
amount: 10000
mode: "ATM"

ORGANIZATION: MYDAMASWITHA.PA... PROJECT: Project 0

Compare files

Data Explorer

My Queries

Data Modeling

CLUSTERS (3)

Search clusters

Cluster0

admin

bankdb

customers

transactions

bankid

bankflow

loan

sample_mflix

Clustered > bankdb > transactions

Documents: 15 Aggregations Schema Indexes: 1 Validation

Untitled - modified

Generate aggregation

PREVIEW 1 STAGES

Stage 4: Group

Output preview after Group stage (Sample of 1 document)

```
1 {
2   "_id": "scustomer_id",
3   "total_transaction": {
4     "sum": "sum"
5   }
6 }
7
```

total_transaction: 682900

ORGANIZATION: MYDAMASWITHA.PA... PROJECT: Project 0

Compare files

Data Explorer

My Queries

Data Modeling

CLUSTERS (3)

Search clusters

Cluster0

admin

bankdb

customers

transactions

bankid

bankflow

loan

sample_mflix

Clustered > bankdb > transactions

Documents: 15 Aggregations Schema Indexes: 1 Validation

Untitled - modified

Generate aggregation

PREVIEW 1 STAGES

Stage 5: Sort

Output preview after Sort stage (Sample of 1 document)

```
1 {
2   "total_transaction": -1
3 }
4
```

total_transaction: 682900

+ Add stage

QUERY 20: COMPLEX BANK TRANSACTION REPORT

