A Hedonic Price Analysis of Traffic Noise in the Twin Cities Housing Market

September 14, 2013

Abstract

One consequence of the expanding road network and its associated traffic is increased levels of traffic noise. While the hedonic literature has consistently shown a negative effect of this phenomenon on the real estate market, the relationship between housing prices and automobile traffic noise has rarely been explored at landscape level, especially in the United States. Here, we show this relationship by modeling the propagation of traffic noise over the landscape and by analyzing the extent of its impact on single-family home transactions in the urban area surrounding St. Paul, Minnesota using spatially explicit local regression techniques. Our estimate of the negative relationship between traffic noise levels and house prices is smaller in magnitude than most of the relevant published literature. We find no evidence that the effect of traffic noise varies significantly by geography, nor by traffic noise levels. We find significant differences in the impact of traffic noise before and after the economic recession of 2008-09. Our results suggest that an increase in traffic noise of one decibel decreases house prices by an average of 0.19 percent before September 2008, and an average of 0.37 percent after September 2008.

1 Introduction and Past Research

Prolonged exposure to traffic noise affects people in a number of ways, ranging from simple annoyance (Miedema and Oudshoorn, 2001; Ouis, 2001; Ohrstrom et al., 2007; de Kluizenaar et al., 2013; Weinhold, 2013), to sleep disturbance

(Netherlands, 2004), to increasing risk for stroke (Sorensen et al., 2011), hypertension (Jarup et al., 2008; Bodin et al., 2009), myocardial infarction (Babisch et al., 2005), and overall quality of life (Shepherd et al., 2013). The noise level at which such effects are observed does not have to be high. It has been shown that people exposed to traffic noise with a 24-hour average of 55 decibels (dBA) are found to be at a higher risk for hypertension (Barregard et al., 2009; Bodin et al., 2009), and those exposed to 60 dBA or greater are found to be at a higher risk for stroke (Sorensen et al., 2011).

Automobiles are already perhaps the greatest source of noise in residential neighborhoods (Barber et al., 2010) and traffic noise was estimated to cause around three billion dollars worth of external damage to the United States economy alone in 1991 (Delucchi and Hsu, 1998). Traffic noise and its attendent problems are greater now than they were in the 1990s and predicted to worsen in the future (Goines and Hagler, 2007). With the exception of a slight dip during the economic recession in the late 2000s, the number of vehicle miles traveled in the United States has steadily increased for the past 50 years. Globally, Dargay et al. (2007) predict the number of personal vehicles to grow from roughly 800 million in 2002 to over two billion units by 2030. Additionally, the global trend of increased urbanization is expected to continue, with the proportion of the population living in cities growing from roughly half now to over two-thirds by the middle of the century (United Nations, 2012).

Policies at the local, state, and federal level can influence the level and effect of traffic noise. For instance, the US Federal Highway Admistration reports that 47 states have constructed noise barriers to reduce noise propagation, spending over a half a billion dollars from 2008-2010 (USFHWA, 2012). The efficiency of such projects requires an understanding of the economic cost of traffic noise.

One way to estimate some of the costs of traffic noise (and therefore the

¹http://www.fhwa.dot.gov/policyinformation/statistics/2011/pdf/rc1c.pdf

economic benefits of policies that reduce noise) is through hedonic regression, examining the relationship between house prices and noise levels. Nelson (1982) was the first to review some of the earliest noise hedonic work in the United States and Canada. The review of nine studies found an average estimated impact of traffic noise to be a reduction in house prices of approximately 0.4 percent per additional decibel. More recently, Nelson (2008) notes that many of these early studies (such as Gamble et al., 1974; Langley, 1976) are plagued by issues of small sample sizes (in the hundreds) and limited spatial extents (one or a handful of cities).

Reviews of the research by Bateman et al. (2001) found that the negative effect of traffic noise on house prices ranged from 0.08 to 2.22 percent per decibel with a mean around 0.55 percent per decibel, while Navrud (2002) found an average decrease of 0.64 percent per decibel. However, much of the research in these reviews and subsequent work has tended to focus on the European experience with noise, especially the United Kingdom (Day et al., 2007; Blanco and Flindell, 2011), Sweden (Wilhelmsson, 2000; Andersson et al., 2010), Switzerland (Baranzini et al., 2010), Spain (Duarte and Tamez, 2009), Netherlands (Theebe, 2004), and Germany (Brandt and Maennig, 2011).

Instead of focusing on the impact of automobile traffic, work in the United States has tended to concentrate on noise from airports (Espey and Lopez, 2000; McMillen, 2004; Cohen and Coughlin, 2008) or indirect effects of traffic noise, such as proximity to highways (Matthews and Turnbull, 2007; Chernobai et al., 2009; Li and Saphores, 2012), or traffic counts (Hughes Jr. and Sirmans, 1992; Larsen, 2012). One exception is Cheng (2008), which, using micro data in Louisville, TN during 2007, finds that an additional decibel of traffic noise reduced house prices by 0.34 percent. However, this research is based on less than a thousand transactions in just one city.

Delucchi and Hsu (1998) used an estimate of 0.85 percent reduction in house prices per additional decibel in their cost-benefit analysis of traffic noise. While their preferred estimate of the total damage cost to the United States in 1991 is \$3 billion, they report a possible range of less than \$100 million to over \$40 billion due to uncertainty surrounding the degree of noise propagation over space in the urban built environment and the effect of noise on house prices. Indeed, one of the main conclusions of their work is that more research should be done to better understand the impact of noise on house prices and that better noise data are needed for such work to occur.

One major reason for the thinness of the scholarly literature on this topic in the US lies in the difficulty of modeling traffic noise propagation over the land-scape. To properly analyze the spatial association between real estate prices and exposure to traffic noise at a landscape level, it is necessary to create a noise surface map at sufficiently detailed spatial resolution to account for the complex and heterogeneous interaction between the noise source and the resistance of the landscape to noise propagation. Implementing such a model can be very difficult. For one thing, the data needed for the model is very extensive and may not even be readily available (e.g., building footprint and height data). Furthermore, it is computationally very intensive. Fortunately, recent developments in Geographic Information Systems and distributive computing have reduced these difficulties, making it much easier to create a noise surface map at landscape level.

In this paper, we seek to contribute to the noise hedonic literature by examining the relationship between single family home prices from 2005 to 2010 and variation in road traffic noise exposure in the St. Paul, Minnesota urban area. Our work makes multiple contributions to the field. First, we utilize new estimates of traffic noise that has never before been used in the hedonic litera-

ture. The noise propagation model estimates traffic noise levels at a high spatial resolution (10 m x 10 m) while also incorporating the effects of nearby buildings and landcover.

We also construct a flexible hedonic model that allows for a non-stationary relationship between house prices and our explanatory variables over geography and time. Such Locally Weighted Regression (LWR) models have become increasingly common in published work (see Duarte and Tamez, 2009; Carruthers and Clark, 2010; Sunding and Swoboda, 2010; Nappi-Choulet and Maury, 2011) and have been shown to be more accurate than other spatial econometric models under common circumstances (McMillen, 2012). Duarte and Tamez (2009) used a LWR model to estimate the impact of traffic noise on housing prices in Barcelona, Spain and found evidence of a non-stationary relationship over the study area. We find that while the impact of other important control variables in the hedonic function vary over space, the impact of traffic noise does not.

Lastly, we present the first estimates of the implicit price of traffic noise after the Great Recession and the housing bubble collapse of 2008-09. Contrary to work such as Cho et al. (2011), which found that environmental amenities mattered less after the housing crash, our estimated effect of traffic noise mattered more after the recession (0.37 percent reduction in house prices per additional decibel) compared to beforehand (0.19 percent per decibel).

2 Data

The 2010 US Census lists the population of the Twin Cities Metropolitan Region (Minneapolis and St. Paul and their surrounding areas) as almost 3 million residents spread over seven counties. This study examines single family residential home transactions in the Census-defined urban areas of three of the seven counties: Dakota, Ramsey and Washington County (see Figure 1). We obtained

data from approximately forty thousand sales transactions between 2005 and 2010 (n=42,095) from the 2010 MetroGIS Regional Parcel Dataset published by the Metropolitan Council. Figure 1 shows an overview of the study area as well as the spatial distribution of the house sales prices. In addition to the geographic location and date of the house sale, we collected or calculated structural and locational variables commonly used in the hedonic literature. Table 1 provides a brief description of the variables in our data and some basic summary statistics. Table 2 shows a simple correlation matrix of the quantitative variables.

Table 1: Variable Description and Summary Statistics

	min	25%	50%	mean	75%	max	st. dev.
Sale Price (thousands \$)	98.8	195.0	241.0	265.5	314.9	675.0	102.8
House Size $(feet^2)$	390	1158	1628	1750	2188	4000	704
Lot Size (acres)	0.02	0.17	0.25	0.25	0.31	0.60	0.11
Owner Occupancy (no = 0 , yes = 1)	0.0	1.0	1.0	0.8	1.0	1.0	0.4
Year of House Construction	1850	1950	1973	1967	1993	2010	32
Traffic Noise (dB)	25.1	50.5	55.3	56.4	62.2	91.5	8.8
Median Income in Census Tract (thousands \$)	13.9	54.6	69.1	72.6	89.7	143.3	23.6
Average 3rd Grade Standardized Test Scores	335.6	359.8	365.4	364.5	370.4	551.7	10.6
Distance to Central Business District (km)	1.1	6.8	13.2	14.7	21.8	37.1	8.9
Distance to nearest Park (km)	0.0	1.1	2.2	2.6	3.8	9.7	1.9
Distance to nearest Lake (km)	0.0	0.4	0.8	0.9	1.3	4.4	0.7
Distance to nearest Shopping Center (km)	0.0	0.9	1.5	1.9	2.3	10.8	1.6

2.1 Structural Attributes

According to a review by Wilhelmsson (2000), the most common structural attributes included in real-estate hedonic pricing studies are living area, number of bathrooms, age, garage and lot size. Although the 2010 MetroGIS Regional Parcel Dataset includes structural data on living area, age, garage presence, lot size and owner occupancy for every transaction, we have variables for the number of bedrooms, bathrooms, and size of the garage only for those house sales in one county. We feel confident in our results even without these independent

10 Miles Sale Value <\$175,000 \$175,000 - \$200,000 Minneapolis \$200,000 - \$250,000 St. Paul Carleton College, GIS Lab Northfield, MN 55057 Created January 22, 2013 Twin Cities Urban Area \$250,000 - \$300,000 >\$300,000 County Boundary

Figure 1. Sale Value, Twin Cities Housing Market 2005-2010

Figure 1: This figure shows the spatial extent of our study area as well as the significant spatial variation in single family house sales prices.

Table 2: Matrix of Pearson Correlation Coefficients for Quantitative Variables

	Price	House	Lot	Built	Noise	Inc.	Test	CBD	Park	Lake	Shop
ln Sale Price	1										
House Size	0.74	1									
Lot Size	0.40	0.45	1								
Year Built	0.49	0.52	0.47	1							
Noise	-0.12	-0.07	0.00	-0.19	1						
Income	0.55	0.50	0.41	0.57	-0.18	1					
Elem. Test Scores	0.33	0.28	0.29	0.34	-0.04	0.44	1				
Distance to CBD	0.35	0.45	0.43	0.58	-0.04	0.53	0.35	1			
Distance to Park	0.27	0.28	0.22	0.42	-0.13	0.38	0.22	0.57	1		
Distance to Lake	-0.05	-0.10	-0.25	-0.17	-0.03	-0.12	-0.10	-0.09	0.20	1	
Distance to Shop	0.28	0.27	0.15	0.37	-0.19	0.36	0.18	0.46	0.38	0.15	1

variables for most of our study data because sensitivity analysis conducted in areas with the additional structural variables revealed very similar estimates when the variables were included and excluded. These results are in section 6 of the paper. Additionally, other hedonic work has been published using a similar set of explanatory variables in this area, see for instance, Sander and Polasky (2009).

2.2 Noise Data

To determine the relationship between real estate price and road traffic noise levels, we first created a traffic noise exposure surface for the entire Twin Cities Metro Region (TCMR) by calculating the propagation of traffic noise over the landscape using the FHWA (Federal Highway Authority) 1978 standard (Barry and Regan, 1978). Following Barry and Regan (1978), the traffic noise level at any given location on the landscape is given by:

$$L_{EQ}(i) = \bar{L}_0(i) + 0.115\sigma_i^2 + 10log\frac{N_i\pi D_0}{T*S_i} + 10log\left[\frac{D_0}{D}\right]^{1+\alpha} + 10log\left(\frac{\psi_{\alpha(\phi_1,\phi_2)}}{\pi}\right) + \Delta_{gradient} + \Delta_{shielding}$$
(1)

where $L_{EQ}(i)$ is A-weighted hourly energy equivalent noise level in dBA, which is calculated for each class i of vehicle (automobile and trucks); $\bar{L}_0(i)$ is the mean Sound Pressure Level (SPL) at the reference distance for class i; σ_i is the standard deviation of the SPL for each class of vehicle; N_i is the number of vehicles of the i^{th} class passing during the relevant hour; D_0 is the reference distance (usually 15 m); D is the perpendicular distance from the road center line to the receiver; α is a site parameter (soft and hard surface), $0 < \alpha < 1$; S_i is the mean speed of the i^{th} class; T is the duration, usually 1 hour; ϕ_1 and ϕ_2 are the angles from the perpendicular of the limits of the observer's view of a section of the road. They are used to account for only the energy coming from a portion of the roadway; $\Delta_{gradient}$ is an adjustment for road surface gradient; $\Delta_{shielding}$ is a shielding adjustment (land cover, buildings, noise barriers).

To calculate the traffic noise map for the region using the above model, several data sources were used. A 2007 road centerline and the associated traffic characteristics (volume and proportion of trucks and vehicles) for the region were obtained from the Minnesota Department of Transportation (MNDoT). We converted the posted speed of each road into a GIS layer. For all roads without recorded traffic volume (i.e., residential), we assigned 100 vehicles/day as a minimum estimate. This estimate was based on factors identified in the literature as important for estimating traffic volume, such as census data on commuting population, tract area, the size of a standard street block, and road type (Cheng, 1992; Fricker and Saha, 1986).²

Data on traffic volume and the proportion of trucks and vehicles on each segment of the road were averaged over a 24-hour period, making it impossible to account for a day and night time variation in traffic noise. Following Arditi et al.

 $^{^2}$ In order to assess the sensitivity of our results to our estimate of traffic volume for local roads, we also ran the model using 200 and 300 vehicles/day for one of the counties that make up the TCMR. With the exception of a few areas in the rural part of the county, there was less than 0.05 dBA difference at 30 m from the road centerline.

(2007), we divided the total traffic volume into day and nighttime periods by assuming that 80 percent of vehicles and 65 percent of trucks are driven during the daytime (6am – 10pm) and 35 percent of trucks and 20 percent of vehicles are driven during the nighttime (10pm–6am). Values for ground absorption were chosen by assuming that all road surfaces consisted of impervious bitumen. For computational simplicity, we created the road surface gradient by re-sampling U.S. Geological Survey 30 m resolution Digital Elevation Model (DEM) to 100 m resolution.

We used three data sources for the shielding adjustment: buildings, foliage, and noise barriers. We extracted the perimeter and height of 818,500 buildings using aerial photography and LiDAR data. For the areas where LiDAR data are available, we used LiDAR AnalystTM software to extract buildings footprints. For the areas of the region where only aerial photos are available, we used Feature AnalystTM software to extract building footprints. For measurements extracted using aerial photography, height was determined using a combination of parcel data and field measurements.

The locations chosen for the traffic noise levels were the 818,500 buildings in the TCMR. Thus, we used the perimeter and height of these buildings to account for the shielding effect of buildings. To account for foliage shielding (and to make the computation manageable), we assumed that only forest patches that are at least 10 m high and have an area greater than 10,000 m² will have a significant effect on noise attenuation. Accordingly, we extracted forest polygons with these characteristics using a combination of year 2005 land use data and 2001 National Land Cover Data (NLCD). To account for noise barrier shielding, we used a noise barrier layer obtained from MNDoT, which contains the locations, width, and height of noise barriers in the region.

We used the SoundPlan TM noise modeling software to implement the model

given by Equation 1. Predicted traffic noise output is calculated at a grid resolution of 10 m².³ Once the noise surface for the entire region was developed, we extracted the noise surface for the present study area by overlaying the housing parcel boundaries and calculating the maximum noise level within the parcel.

2.3 Other Locational Attributes

A common real estate addage states that the three most important real estate attributes are: location, location and location. Knowing where each house is located allows us to also construct a vector of other attributes associated with the sales transaction. For instance, using GIS software we are able to calculate the Euclidean distance to numerous points of interest within the dataset, such as the nearest central business district, shopping centers, parks, and lakes. Additionally, a variable denoting the median household income for the surrounding census tract is created through the use of TIGER shapefiles from the 2010 Census Bureau and data from the 2010 American Community Survey (ACS). Lastly, we associate each transaction with its elementary school and include the average 3rd grade Minnesota Comprehensive Assessment (MCA) score for the local elementary school during the year of purchase.⁴

³We conducted a preliminary validation of the model output by comparing it with observed noise levels at 134 locations that were sampled along major highways. For each location, two readings were taken very close to the highway, one between 9am and 10am and another between 1pm and 2pm. The noise level for each location is then determined by averaging the two observed values, and this average is then compared with the predicted noise level. The relationship between the mean observed and predicted noise levels is linear and moderately strong with a correlation of 0.76. It is not surprising that the relationship is not stronger given the size and complexity of the model. In particular, the traffic volume data that we used for modeling traffic noise propagation is a 24-hour average, which requires more time-interval sampling per location than just the two used in the validation. Still, this preliminary comparison serves as a good indicator of how well this model captures traffic noise levels.

⁴Test scores were obtained from the Minnesota Department of Education website. The school district and elementary school attendance boundary spatial information was taken from the Minnesota Geospatial Information Office Clearinghouse Data Catalog.

Table 3: Mean Variable Values by Year

Variable	2005	2006	2007	2008	2009	2010	All
Sales Value (\$1000s)	279	282	275	263	231	233	266
House Size (ft ²)	1737	1736	1743	1813	1727	1775	1750
Lot Size (acres)	0.25	0.25	0.25	0.26	0.25	0.26	0.25
Year Built	1967	1966	1966	1971	1968	1968	1967
Traffic Noise (dB)	58.5	58.6	58.6	52.5	52.8	52.8	56.4
Median Income (\$1000s)	72.0	72.1	72.3	74.8	72.6	73.2	72.6
Elem. Test Scores	364.8	364.8	365.2	363.5	362.3	366.1	364.5
Dist. to CBD (km)	14.7	14.6	14.8	15.0	14.3	14.5	14.7
Dist. to Park (km)	2.6	2.6	2.6	2.8	2.6	2.6	2.6
Dist. to Lake (km)	0.9	0.9	0.9	0.9	0.9	0.9	0.9
Dist. to Shop (km)	1.9	1.9	1.8	2.0	1.9	1.9	1.9
Number of observations	10,991	8,885	6.549	5,503	5,961	4,206	42,095

2.4 Time

Given that we have data from before and after the recession of 2008-09, we subset the data in Table 3 by year of sale to look for differences over time. In addition to the noticeable decline in nominal sales values, there is also a drop in the number of sales across years. For example, in 2010 there were only 4,206 property sales within the dataset, less than half as many in 2005. While the mean sale price declined from roughly \$280,000 pre-crash to \$230,000 post-crash, most of the structural and neighborhood variables are relatively consistent across years. However, traffic noise displays a noticeable difference in the pre-and post-crash market transactions (the mean drops from 58 dB to 52 dB).

3 Basic Econometric Model

Consistent with past research, this study implements a semi-logarithmic hedonic pricing model. Our aim is to estimate the marginal willingness to pay for different attributes, in particular changes in the traffic noise associated with the house. Equation (2) expresses the basic hedonic model.

$$ln \text{ Sale Price}_i = \beta_0 + \beta_1 \text{Noise}_i + \beta_2 S_i + \beta_3 N_i + \beta_4 T_i + \text{error}_i$$
 (2)

Where $Noise_i$ is the noise level for house i, S_i is a vector of the house's structural attributes, N_i is a vector of the neighborhood attributes, and T_i is a vector of time fixed effects. We can interpret the regression model coefficients as the price semi-elasticities of the underlying attributes. For instance, we can interpret the coefficient on noise as the percentage increase in price for a one decibel increase in the traffic noise associated with the transaction in our dataset.

Standard urban economic theory (Alonso, 1964; Mills, 1967; Muth, 1969) predicts that the price of land will vary over space within our dataset to account for locational amenities. As such, we add interaction terms between lot size and distance to the nearest central business district to account for spatial variation in the price of land. The first column in Table 4 shows the results of this regression. The negative coefficient of -0.0027 on the noise variable (a one dB increase in noise decreases house price by 0.27 percent) is in line with the estimates described earlier in the literature. The significant coefficients on the lot size interaction terms suggest that the value of land varies over space.

Table 4 also attempts to begin to understand how the economic recession may have influenced the hedonic function in our study area. The other columns in the table show the regression output from separating the data into sales before and after September of 2008 (the month that the US Federal government took over Fannie Mae and Freddie Mac, Lehman Brothers filed for bankruptcy, and the American International Group (AIG) narrowly avoided bankruptcy only through a \$85 billion loan from the US Federal government).⁵ The coefficients for some of the hedonic variables of interest (noise, schools, land, for instance)

⁵http://www.federalreserve.gov/newsevents/press/other/20080916a.htm

Table 4: Basic Regression Results- Dependent Variable = \ln Sale Price

Table 1. Basic	(1)	(2)	(3)	(4)		
Intercept	9.37E+00 ***	9.49E+00 ***	8.55E+00 ***	1.10E+01 ***		
	(9.48E-02)	(9.62E-02)	(1.11E-01)	(2.12E-01)		
House Size	3.38E-04 ***	3.39E-04 ***	3.35E-04 ***	3.50E-04 ***		
	(1.85E-06)	(1.86E-06)	(1.99E-06)	(4.26E-06)		
Lot Size	1.42E-01 ***	2.74E-01 ***	2.31E-01 ***	2.74E-01 ***		
	(1.14E-02)	(2.12E-02)	(2.29E-02)	(4.99E-02)		
Owner Occupancy	3.22E-02 ***	3.23E-02 ***	3.38E-02 ***	2.61E-02 ***		
	(2.80E-03)	(2.79E-03)	(3.24E-03)	(6.41E-03)		
Year Built	7.82E-04 ***	7.17E-04 ***	9.68E-04 ***	2.15E-06		
	(4.57E-05)	(4.65E-05)	(5.06E-05)	(1.05E-04)		
Traffic Noise	-2.02E-03 ***	-2.00E-03 ***	-1.63E-03 ***	-3.08E-03 ***		
	(1.32E-04)	(1.32E-04)	(1.38E-04)	(3.29E-04)		
Median Income	3.03E-06 ***	3.31E-06 ***	2.86E-06 ***	4.06E-06 ***		
	(5.87E-08)	(5.87E-08)	(6.56E-08)	(1.35E-07)		
Elem. Test Scores	1.88E-03 ***	1.81E-03 ***	3.11E-03 ***	1.21E-03 ***		
	(1.06E-04)	(1.06E-04)	(1.75E-04)	(1.55E-04)		
Distance to CBD	-1.56E-06 ***	7.46E-07 *	-1.57E-07	1.40E-06		
	(1.97E-07)	(3.70E-07)	(3.95E-07)	(8.98E-07)		
Distance to Park	-2.38E-07	-5.48E-07	-6.37E-07	-4.01E-07		
	(6.82E-07)	(6.83E-07)	(7.33E-07)	(1.58E-06)		
Distance to Lake	2.12E-05 ***	2.36E-05 ***	2.22E-05 ***	2.79E-05 ***		
	(1.68E-06)	(1.71E-06)	(1.83E-06)	(4.03E-06)		
Distance to Shop	3.01E-06 ***	3.12E-06 ***	4.16E-06 ***	1.88E-06		
	(7.67E-07)	(7.66E-07)	(8.17E-07)	(1.82E-06)		
Lot size * Distance to CBD)	-8.81E-06 ***	-6.66E-06 ***	-9.55E-06 **		
		(1.19E-06)	(1.27E-06)	(2.94E-06)		
County Fixed Effects	yes	yes	yes	yes		
Year of Sale Fixed Effects	yes	yes	yes	yes		
Month of Sale Fixed Effect	s yes	yes	yes	yes		
Number of Observations	42,095	42,095	$31,\!253$	10,842		
\mathbb{R}^2	0.696	0.696	0.714	0.613		
(standard errors) *** $p < .001$; ** $p < .01$; * $p < .05$						

appear different across the two time periods.

Taken in aggregate, the results in Table 4 suggest that the hedonic price function may vary over space and time. While methods exist for parameterizing this variation (such as spatial expansion as suggested by Casetti, 1972), we have no a priori knowledge of how to parameterize the variation over space and time. As such, we turn to a semi-parametric form of hedonic regression, a flexible modeling approach which lets the data reveal how relationships vary, rather than specifying them beforehand.

4 Locally Weighted Regression Model

Locally Weighted Regression (LWR) techniques (also known as Geographically Weighted Regression) are described in detail by Cleveland and Devlin (1988), Brunsdon et al. (1998), Fotheringham et al. (2002), and others. It is a weighted least squares methodology in which regression coefficients are estimated over space as a function of the local data as described in Equation (3),

$$\hat{\beta}_i = (X'W_iX)^{-1}X'W_iY,\tag{3}$$

where X is a $n \times m$ matrix of independent variables, W_i is the $n \times n$ weights matrix, and Y is the $n \times 1$ vector of dependent variable values. The weights matrix, W_i is a diagonal matrix where element w_{jj} denotes the weight that the j^{th} data point will receive in the regression coefficients estimated at location i in the dataset. We employ a bi-square weights function and a k-nearest neighbor bandwidth approach as described in equation (4),

$$w_{jj} = \left[1 - \left(\frac{d_{ij}}{d_k}\right)^2\right]^2 \text{ if } d_{ij} < d_{ik}, \text{ otherwise} = 0,$$
 (4)

where d_{ij} denotes the distance between observations i and j, and d_{ik} is the distance from observation i to the k^{th} nearest observation. This function assigns weights close to 1 for data points near observation i, weights positive but closer to zero for observations farther away, and zero for all n-k observations farther away than the k^{th} nearest observation. We estimate LWR coefficients using bandwidths ranging from as small as 50 observations and as large as 10,000 observations. We choose the LWR bandwidth my minimizing the Generalized Cross Validation score as detailed in equation (5),

$$n * \sum_{i=1}^{n} \frac{(y_i - \hat{y}_i)^2}{(n - v_1)^2},\tag{5}$$

where y_i is the dependent variable value, \hat{y}_i is the predicted dependent variable value for observation i, and v_1 is the "effective number of model parameters." $v_1 = \text{tr}(\mathbf{S})$, where the matrix \mathbf{S} is the "hat matrix" which maps y onto \hat{y} ,

$$\hat{y} = \mathbf{S}y,$$

and each row of S, r_i is given by:

$$r_i = X_i (X'W_i X)^{-1} X'W_i.$$

The GCV score is a convenient model selection metric that rewards models that provide a good fit to the data, while penalizing models with a greater number of model parameters (Loader, 1999; McMillen and Redfearn, 2010). Such semi-parametric models have been shown to discern whether spatially varying relationships exist, accurately estimate spatially varying coefficients, even outperform other spatial econometric techniques, and do so without wasting degrees of freedom (Paez et al., 2011; McMillen and Redfearn, 2010; McMillen, 2012).


5 Results

Similar to the basic econometric model described in Section 3, the LWR model estimates the logged sales price of a house as a function of structural, locational and temporal variables. In order to account for changing market conditions over time in our data, when estimating LWR coefficients we use only houses sold within the past 12 months. Thus, the coefficient estimates at a particular house are estimated using data from other sales nearby in both time and geography.

Figure 2 shows the relationship between the number of nearest houses receiving positive weights in the Locally Weighted Regression and the Generalized Cross Validation score across three different models. The first model simply uses the basic structural characteristics as the explanatory variables (size of the house in square feet, size of the lot in acres, a categorical variable denoting the architectural style of the house, and whether or not the house is owner-occupied). The second model adds locational variables to the previously described model (test scores at the local elementary school, census tract median income, and distances to the central business district, nearest park, nearest shopping center, and nearest lake). The third model adds city fixed effects. Generally speaking, the third model performs slightly better than the second model, which performs better than the first model. The minimum GCV score is obtained using a bandwidth of 200 nearest houses and Model (3).

Figure 2 also displays the GCV scores for the three models estimated at the global scale. The GCV scores for the global models follow a similar patter as the LWR models, with Model (3) performing better than Model (2) and Model (1) having the highest GCV score. It is also worth noting that the LWR models have significantly lower GCV scores for a range of bandwidths when compared to the global models. These results suggest that it is important to model our data in a spatially explicit manner. Table 5 displays a summary of the results

Generalized Cross Validation Scores Across Models



Bandwidth Size (# of houses sold within last 12 months inluded in LWR)

Figure 2: This figure shows the relationship between bandwidth size and the GCV score for three different Locally Weighted Regression (LWR) models. For comparison, the GCV scores for each model when estimated at a global scale are also shown. Note that the LWR models all have significantly smaller GCV scores than the global models. The minimum GCV score is obtained by LWR Model (3) at a bandwidth of 200 nearest houses.

of LWR Model 3 and a similar regression model run without allowing for spatial variation in the regression coefficients. Again, note that the LWR model yields a substantially smaller GCV score (0.027 vs. 0.041).

The first column in Table 5 displays the estimates from a standard semilog OLS regression with traffice noise, structural characteristics, location-based amenities, and both city and year of sale dummy variables. The coefficient in the second row of the table shows the estimated impact of an additional dB of traffic noise on the natural log of the house sale price to be -.23 percent. This value is within the range of other estimates as described earlier in section 1. Coefficients for the dummy variables (on house style, city, and year of sale) are not reported for the sake of brevity, but are available upon request. The second column in the table reports the estimated coefficient standard errors. With the exception of the coefficient on the distance to the nearest park, all reported coefficients are statistically different from zero at conventional levels.

The third column displays the mean estimated coefficients from the LWR model. In this model coefficients are estimated at each observation within the dataset using the nearest 200 house sales within the past 12 months. The fourth column displays the standard deviation of the estimated coefficients to give a sense of how the coefficients vary when allowed to do so through the use of locally weighted regression techniques.

Column (5) in Table 5 shows the percentage of the local regressions for which the coefficient's p-value is less than 0.1. All regressions contained statistically significant estimates of the impact of increased living space and a majority contained significant estimates for lot size and year of construction. Roughly half of the regressions estimated an impact of traffic noise statistically different from zero, while approximately one-third of the local regressions estimated statistically significant estimates of the locational variables (school test scores, census

Table 5: Hedonic Regression Results (dependent variable = ln(Sale Price))

	Global	Model	Locally Weighted Regression Mode			
	\hat{eta}	$\hat{\sigma}_{\hat{eta}}$	mean $\hat{\beta}$	$\sigma_{\hat{eta}}$	(5)	(6)
(Intercept)	8.4E+00	1.3E-01	2.9E+00	1.5E+01	0.64	0.00
Traffic Noise	-2.6E-03	1.6E-04	-2.5E-03	3.0E-03	0.47	0.67
House Size	3.0E-04	2.7E-06	2.6E-04	9.1E-05	1.00	0.00
Lot Size	2.6E-01	1.5E-02	4.0E-01	3.7E-01	0.67	0.00
Year of Construction	1.2E-03	6.5E-05	4.5E-03	5.4E-03	0.79	0.00
Owner Occupancy	2.7E-02	3.2E-03	2.3E-02	6.4E-02	0.37	1.00
Elementary Test Scores	1.5E-03	1.2E-04	2.4E-04	3.1E-02	0.30	0.00
Median Income	3.3E-06	7.7E-08	9.6E-07	8.1E-06	0.35	0.00
distance to CBD	1.3E-05	6.3E-07	1.1E-05	1.0E-04	0.30	0.00
" nearest Park	-3.7E-07	1.1E-06	-1.6E-05	1.3E-04	0.32	0.00
" nearest Lake	2.5E-05	2.1E-06	-2.8E-05	1.4E-04	0.35	0.00
" nearest Shop	-5.3E-06	1.3E-06	1.5E-05	8.8E-05	0.29	0.00
location of sale	city fixed effects		city fixed effects and nearest 200 sa			0 sales
timing of sale	year fixed effects		within last 12 months			
GCV score	0.0	41	0.027			
Moran's I statistic	0.199		0.012			

Column (5) displays the proportion of $\hat{\beta}_{LWR}$ that can reject the null hypthesis of $\beta=0$. Column (6) displays the proportion of Monte Carlo simulations with larger standard deviations of the LWR coefficients than $\sigma_{\hat{\beta}}$

tract median income, distance to local amenities).

The lack of statistical significance for many of the local regression coefficients could be due to multiple factors. First, because we are estimating local regressions with only the nearest 200 data points, rather than over 30,000 sales as in the global model, we might be estimating the coefficients with less precision and are unable to differentiate the coefficients from zero. Alternatively, the coefficients themselves might vary, sometimes being close to zero and other times not. This variation might be due to random chance (after all, we have estimated tens of thousands of regressions), or it could be the result of true spatial non-stationarity on the part of the coefficients.

5.1 Does the Hedonic Function Vary over Space?

We believe the use of a LWR estimation procedure is appropriate after conducting two different Monte Carlo simulations with the data as described in Fotheringham et al. (2002). In each simulation we resampled (without replacement) the location of each house in the study and then re-estimated the LWR model with the locationally "shuffled" data. In the first simulation we estimated the LWR model using bandwidths ranging from the nearest 50 to 10,000 sales just as before. In 100 consecutive simulations, the smallest Generalized Cross-Validation score was obtained at the largest bandwidth. The smallest of these GCV scores was 0.041, just as was the case with the global (non-LWR) model. In other words, after running thousands of regressions on the shuffled data, we never obtained model performance anywhere near the LWR model with our true locational data. This seems to be strong evidence that the increased ability to predict house prices with a local model is not due to chance.

In the previous simulation we found that the hedonic regression function indeed exhibits spatial non-stationarity. However, we have not yet established which variables have spatially varying coefficients. In the second simulation, we seek to explore which of the hedonic regression coefficients exhibit spatial non-stationarity. We repeat the Monte Carlo simulation described earlier, but only at the optimal bandwidth from the original LWR model. We collected the standard deviation of the estimated LWR coefficients for each variable in each iteration of the simulation. The intuition of the simulation is as follows: a variable might truly exert a spatially stationary effect on house prices, but our estimates vary over space due to chance. If this is the case, by shuffling the location of our observations and rerunning the LWR model, we should see a similar dispersion in regression coefficients over space. However, if the coefficient exhibits true spatial non-stationarity, it is unlikely that we will see as large of a standard deviation in the coefficient estimates after having reshuffled the data (because now the houses for which a coefficient exerts a strong effect are now no longer near each other).

After M=100 iterations of this simulation, the minimum GCV score for these resampled LWR models is 0.060, substantially larger than all models (global and local) with the actual data. The fourth column in Table 5 displays the standard deviations of the LWR regression coefficients obtained with our data. Column (6) displays the proportion of Monte Carlo simulatons that yielded larger standard deviations of LWR coefficient estimates than those shown in column (4). For most variables, we never obtained a larger coefficient standard deviation in the simulation than we obtained from the LWR model with the actual data. However, the values associated with the traffic noise and owner occupancy variables suggest that the variation in LWR coefficients in our data may have been due to random chance. These coefficients may in fact be stationary across the study area, while the other coefficients appear to be non-stationary. Future work may want to estimate a mixed-LWR model in which




Figure 3: Actual LWR Coefficient Standard Deviations (red line) vs. Distribution of Monte Carlo Simulation Standard Deviations by Variable.

the coefficients on traffic noise and owner occupancy remain stationary while the other coefficients are allowed to vary over space. See Fotheringham et al. (2002) for a description of a mixed-LWR estimation algorithm.

Figure 3 visually shows the results presented in column (6) of Table 5 another way. Each subfigure displays the distribution of LWR coefficient standard deviations obtained from the 100 iterations of the Monte Carlo simulation and the standard deviation obtained with the actual data (in red). Note that it is the case that the standard deviations obtained with the actual data are substantially larger than those obtained in the simulation for most of the variables.

In addition to the LWR model with a bandwidth of the nearest 200 houses and a temporal lag of 12 months performing better than other bandwidths and model specifications in terms of the smallest GCV score, it also exhibits far less spatial autocorrelation within the model residuals. We calculate the Morans I statistic to be 0.199 for the global model while our prefered LWR specification reduces the Moran's I statistic to 0.012, a nearly twenty-fold reduction.

5.2 Does the Implicit Price of Traffic Noise Change over Time?

Previous research has suggested that the impact of noise can change with time and economic conditions. For instance, Wilhelmsson (2000) found that the traffic noise penalty to be stronger in the 1990s near Stockholm, Sweden compared to the 1980s. Cohen and Coughlin (2009) also found the (airport) noise penalty to be larger in the early 2000s compared to the late 1990s in Atlanta, Georgia. We know that house prices in the United States fell dramatically during and after the Great Recession of 2008-09. We know less about the patterns of change in the hedonic price functions during and after the fall in prices. Cho et al. (2011) found evidence from hedonic analysis in the Nashville, Tennessee area that consumers' willingness to pay for environmental amenities (such as proximity to open space and water views) decreased during the recession as compared to the previous economic boom.

In this section we look for evidence of temporal non-stationarity in the hedonic coefficient on traffic noise within our data. Specifically, we create two new variables, "months since September 2008" and a dummy variable "post" for all sales after September 2008. We then regress our LWR noise coefficients on

these two variables and their interaction term as shown in equation (6),

$$\hat{\beta}_{LWR} = \alpha_0 + \alpha_1 * Month + \alpha_2 * Post + \alpha_3 * Post * Month + \epsilon.$$
 (6)

The results of this regression will help us understand the patterns of change in the implicit price of traffic noise. In particular, $\alpha_1 \neq 0$ suggests a linear temporal trend in the marginal willingness to pay to avoid traffic noise, while $\alpha_2 \neq 0$ suggests that there was a structural break after September 2008, and $\alpha_3 \neq 0$ will imply a change in the temporal trend after September 2008. The linear regression results presented in Table 6 show that there is a significant negative shock to the estimated LWR coefficients for traffic noise after September 2008. Additionally, the coefficients also begin to a significant negative trend.

Table 6: Dependent Variable = Traffic Noise LWR Coefficients

	Estimate	Std. Err.	t-stat
(Intercept)	-1.7e-03	4.1e-05	-43.4
Month	6.9e-06	2.0e-06	3.5
Post	-8.0e-04	7.2e-05	-11.1
Month*Post	-8.9e-05	4.5e-06	-19.7

 R^2 : 0.093, Adjusted R^2 : 0.093

The results in Table 6 contradict the a priori expectation that environmental amenities will "matter" less during and after the Great Recession compared to the housing boom. In fact, these results suggest that the penalty for homes exposed to higher levels of traffic noise increased. That is, the negative hedonic coefficients on traffic noise got more negative after September 2008. It should be noted that our simple model can explain almost 10 percent of the variation in traffic noise LWR coefficient estimates.

Table 7: LWR Noise Coefficients vs. Noise Levels

	Estimate	Std. Err.	t-value
(Intercept)	-1.8e-03	1.3e-04	-13.3
Noise	-2.8e-06	2.3e-06	-1.2
Post	-3.6e-03	2.2e-04	-16.2
Noise:Post	3.4 e - 05	4.0e-06	8.5

 R^2 : 0.083, Adjusted R^2 : 0.083

5.3 Does the Impact of Traffic Noise Vary Non-linearly?

Some researchers conclude that the semi-elasticity of noise varies with the level of noise (Andersson et al., 2010; Duarte and Tamez, 2009; Theebe, 2004; Miedema and Oudshoorn, 2001; Wilhelmsson, 2000), such as a "threshold" effect at 70dB (Wilhelmsson, 2000; Cohen and Coughlin, 2009). Other researchers report no evidence of varying impacts at higher or lower noise intensities (Blanco and Flindell, 2011; Baranzini et al., 2010; Kim et al., 2007; Huang and Palmquist, 2001). In this section we compare our mean LWR noise coefficient estimates across noise levels to look for threshold effects of traffic noise.

Table 7 reports the results of a simple linear regression of the LWR noise coefficients on the noise levels and whether or not the sale took place before or after September 2008 (as well as their interaction). The table reveals no statistically measurable linear relationship between the noise coefficient and the noise level for sales before September 2008. That is, the semi-elasticity is no different in our data at low levels of noise than at high levels of noise. The positive and significant interaction term suggests that the impact may be different for high vs. low levels of noise post-September 2008, but the difference in the predicted marginal effects is so small that it works about to be a roughly \$25 difference for a \$300,000 house at 50 vs. 75 dB. Thus, while other researchers report finding impact thresholds at 70dB, we cannot corroborate such findings with our data.

Mean LWR Noise Coefficient vs. Noise Level




Figure 4: The mean LWR traffic noise coefficient by 5 decibel category and pre- vs. post-September 2008. The vertical lines denote the standard error of the estimated mean by time and level category. Note that over 99 percent of our data have Noise levels between 35 and 80 dB and no houses were sold post-September 2008 with noise levels above 85 dB.

Figure 4 visually displays the estimated relationship between the level of traffic noise, time, and the estimated LWR traffic noise coefficients. We categorize the traffic noise data in 5 dB wide bins like Theebe (2004) and then estimate the mean LWR traffic noise coefficients in each category while also controlling for whether the sales took place pre- or post-September 2008. We see little to suggest any meaningful non-linearities in the regression coefficients of traffic noise on house prices, once we have controlled for the timing of the sales.

6 Discussion

Our work suffers from at least two noticeable weaknesses. First, we are missing some important structural variables that are commonly used in the housing hedonic literature. To the extent that structural variables like the number of bedrooms, bathrooms, garage size, or construction quality covary with other variables in our dataset, our regression coefficients will suffer from omitted variable bias. We are somewhat comforted, however, because we do have some additional variables for a subset of our data. We obtained the number of bedrooms, bathrooms, and garage area for our houses located within Dakota County from the Dakota County Assessor's Office. Our analysis (Models 1, 2, and 3 described earlier) was repeated on this geographic subset of the data and the results were compared to the estimates obtained from the same analysis when these additional structural variables were omitted. We found strikingly similar estimates of the impact of traffic noise.

Table 8: A Comparison of the Noise Regression Coefficient Estimates in Dakota County with and without Additional Structural Variables

	Additional Included	al Variables in LWR?	
Locally Weighted Regression Model	no	yes	
Model (1) = Structural Variables	-0.0015 (0.0023)	-0.0015 (0.0031)	mean (st. dev.)
Model(2) = Model(1) + Locational Variables	-0.0014 (0.0018)	-0.0014 (0.0022)	
Model(3) = Model(2) + City Fixed Effects	-0.0014 (0.0022)	-0.0014 (0.0018)	

Table 8 shows that the traffic noise coefficients estimated by our LWR models are similar regardless of whether the additional structural variables were included or not. Welch two-sample t-tests fail to reject the null hypothesis of zero mean differences across our three models (comparing LWR estimates with vs. without the additional structural variables included in the model). Paired t-tests find differences for Model 2 and 3, but the estimated differences are zero to four decimal places and in one case the noise impact estimates with the additional variables are slightly larger and in the other case they are slightly smaller. We also conducted simple linear regressions of the noise coefficients without the additional structural variables on the noise coefficients obtained with the additional structural variables for each of our three models. In all cases the intercept estimates were close zero with slopes almost exactly equal to one and each also had R^2 values over 0.7, signifying that the hedonic coefficients for the traffic noise variable are unaffected by omitted variable bias from common structural variables. While we cannot confirm that this lack of ommitted variable bias also occurs elsewhere in our data, the results from Dakota County are promising.

The timing of our independent variable collection is also a potential problem. While our house sales data are collected over the course of six years, some of our other variables were collected at specific points in time and assumed to be constant over the study period. In particular, the traffic noise estimates taken from Nega et al. (2012) are for the year 2007. To the extent that traffic flows and composition signicantly changed over time, our traffic noise variables may be inaccurate for those time periods. For instance, the US Department of Transportation reports that total vehicle miles travelled decreased by up to 4 percent year-on-year during the Great Recession.⁶ Thus, our noise estimates may be inaccurate for later time periods and this may bias our estimates of the impact of noise on house values. Future work may seek to obtain time-series noise data in order to obtain even better estimates of the impact of traffic noise over time. Given the computational complexity of re-estimating the landscape noise surface, such work is beyond the scope of this paper.

⁶http://www.fhwa.dot.gov/ohim/tvtw/08dectvt

7 Conclusion

We estimated the impact of traffic noise on housing prices using Locally Weighted Regression techniques in the St. Paul, Minnesota urban area. Specifically, we estimate semi-logarithmic regressions at each house within our dataset using only information contained in "local" house sales (where local is defined both geographically and temporally). We find strong evidence that the hedonic function in our study area varies over space and time.

Monte Carlo simulations suggest that the better goodness-of-fit provided by the local models are not due to chance and that many hedonic implicit prices vary over space within our study area. When the location of our data was randomly assigned and our LWR model was re-estimated across more than a dozen diferent bandwidths, in 100 consecutive simulations the smallest GCV score was obtained when the data were analyzed at a pooled/global level rather than local. That is, after trying thousands of different combinations of varying levels of local analysis with the spatially redistributed data, we never came close to estimating our observed housing sales prices as well as we can with the local analysis on the actual data. Additionally, re-estimating the LWR model using a local bandwidth of 200 nearest house sales but randomly assigned locations yielded substantially smaller standard deviations for the majority of our regression coefficients. Such differences suggest that the variation exhibited by most of our regression coefficients was not due to simple random chance, but instead is consistent with spatial non-stationarity.

Contrary to the previous results presented by Duarte and Tamez (2009) and Theebe (2004), we find little evidence to suggest that the impact of traffic noise varies over space or by level of noise within our study area. The traffic noise coefficient was one of only two variables with regression coefficient standard deviations smaller than or similar to the simulated distributions obtained from Monte Carlo experiments. We do, however, find significant temporal variation in the impact of traffic noise in our data. The estimated impact of one additional decibel of traffic noise is a 0.19 percent reduction in the sale price of houses before September 2008, vs. 0.37 percent after September 2008. Lastly, after controlling for the Great Recession, we find no significant differences in the impact of traffic noise across the range of commonly seen noise levels (50-70 dB).

Finally, the results of this work suggest multiple areas of fruitful future research to better help policymakers weigh the costs and benefits of traffic noise. First, we suggest research be conducted in more housing markets, as the potential to apply the results of analysis in one set of geographical and economic circumstances may be limited. Second, "mixed" regression techniques (in which some regression coefficients are constrained to remain constant across the study area while others are alowed to vary) may allow researchers to obtain more precise estimates of the impact of hedonic characteristics by increasing the degrees of freedom in the regression. As mentioned previously, future work may also seek to re-estimate traffic noise models over time to better account for changes in traffic flows associated with macroeconomic conditions. Lastly, researchers may want to take advantage of the findings of Carruthers and Clark (2010) and use the spatial variation in regression coefficients to help estimate the second-stage hedonic regressions to identify consumer demand curves for these characteristics.

References

The Influence of Night-time Noise on Sleep and Health. Technical report, Health Council of the Netherlands, 2004.

World Urbanization Prospects: The 2011 Revision. Technical report, United Nations Department of Economic and Social Affairs, 2012.

- Summary of Noise Barriers Constructed by December 31, 2010. Technical report, US Department of Transportation Federal Highway Administration, 2012. URL http://www.fhwa.dot.gov/environment/noise/noise_barriers/inventory/summary/index.cfm.
- William Alonso. Location and land use: toward a general theory of land rent. 1964. ISBN 0674537009.
- Henrik Andersson, Lina Jonsson, and Mikael Ögren. Property Prices and Exposure to Multiple Noise Sources: Hedonic Regression with Road and Railway Noise. *Environmental and Resource Economics*, 45(1):73–89, 2010. ISSN 09246460. doi: 10.1007/s10640-009-9306-4. URL http://dx.doi.org/10.1007/s10640-009-9306-4.
- David Arditi, Dong-Eun Lee, and Gul Polat. Fatal accidents in nighttime vs. daytime highway construction work zones. *Journal of Safety Research*, 38(4): 399–405, 2007. URL http://www.ncbi.nlm.nih.gov/pubmed/17884426.
- Wolfgang Babisch, Bernd Beule, Marianne Schust, Norbert Kersten, and Hartmut Ising. Traffic Noise and Risk of Myocardial Infarction. *Epidemiology*, 16: 33–40, 2005. ISSN 10443983. doi: 10.1097/01.ede.0000147104.84424.24.
- Andrea Baranzini, Caroline Schaerer, and Philippe Thalmann. Using measured instead of perceived noise in hedonic models. *Transportation Research Part D: Transport and Environment*, 15(8):473–482, December 2010. ISSN 13619209. doi: 10.1016/j.trd.2010.06.002. URL http://linkinghub.elsevier.com/retrieve/pii/S1361920910000878.
- Jesse R Barber, Kevin R Crooks, and Kurt M Fristrup. The costs of chronic noise exposure for terrestrial organisms. *Trends in ecology & evolution*, 25(3): 180–9, March 2010. ISSN 0169-5347. doi: 10.1016/j.tree.2009.08.002. URL http://www.ncbi.nlm.nih.gov/pubmed/19762112.
- Lars Barregard, E Bonde, and E Ohrström. Risk of hypertension from exposure to road traffic noise in a population-based sample. *Occupational and Environmental Medicine*, 66:410–415, 2009.
- T. M. Barry and J. A. Regan. FHWA Highway Traffic Noise Prediction Model: Report No. FHWA-RD-77-108. Technical report, Federal Highway Administration, Washington, DC, 1978.
- Ian Bateman, Brett Day, Iain Lake, and Andrew Lovett. The Effect of Road Traffic on Residential Property Values: A Literature Review and Hedonic Pricing Study. Technical Report January, 2001.
- J C Blanco and I H Flindell. Property prices in urban areas affected by road traffic noise. *Applied Acoustics*, 72(4):133-141, 2011. URL http://eprints.soton.ac.uk/191013/.

- Theo Bodin, Maria Albin, Jonas Ardö, Emilie Stroh, Per-Olof Ostergren, and Jonas Björk. Road traffic noise and hypertension: results from a cross-sectional public health survey in southern Sweden. *Environmental Health*, 8:38, January 2009. ISSN 1476-069X. doi: 10.1186/1476-069X-8-38. URL http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=2753564\&tool=pmcentrez\&rendertype=abstract.
- Sebastian Brandt and Wolfgang Maennig. Road noise exposure and residential property prices: Evidence from Hamburg. *Transportation Research Part D: Transport and Environment*, 16(1):23–30, January 2011. ISSN 13619209. doi: 10.1016/j.trd.2010.07.008. URL http://linkinghub.elsevier.com/retrieve/pii/S1361920910001070.
- Chris Brunsdon, Stewart Fotheringham, and Martin Charlton. Geographically weighted regression-modelling spatial non-stationarity. *Journal of the Royal Statistical Society Series D The Statistician*, 47(3):431–443, 1998. ISSN 00390526. doi: 10.1111/1467-9884.00145. URL http://www.jstor.org/stable/2988625.
- John I. Carruthers and David E. Clark. Valuing Environmental Quality: a Space-Based Strategy. *Journal of Regional Science*, 50(4):801-832, April 2010. ISSN 00224146. doi: 10.1111/j.1467-9787.2010.00662.x. URL http://doi.wiley.com/10.1111/j.1467-9787.2010.00662.x.
- Emilio Casetti. Generating Models by the Expansion Method: Applications to Geographical Research. *Geographical Analysis*, 4(1):81–91, 1972.
- C. Cheng. Optimum Sampling for Traffic Volume Estimation. Ph.d., University of Minnesota, 1992.
- Hao Cheng. Using Micro Data to Assess Traffic Noise Impact on Residential Property Value: an Application of the Hedonic Model. Phd, University of Louisville, 2008.
- Ekaterina Chernobai, Michael Reibel, and Michael Carney. Nonlinear Spatial and Temporal Effects of Highway Construction on House Prices. *The Journal of Real Estate Finance and Economics*, 42(3):348–370, October 2009. ISSN 0895-5638. doi: 10.1007/s11146-009-9208-9. URL http://link.springer.com/10.1007/s11146-009-9208-9.
- Seong-Hoon Cho, Seung Gyu Kim, and Roland K. Roberts. Values of Environmental Landscape Amenities during the 2000 2006 Real Estate Boom and Subsequent 2008 Recession. *Journal of Environmental Planning and Management*, 54(1):71-91, January 2011. ISSN 0964-0568. doi: 10.1080/09640568.2010.502760. URL http://www.tandfonline.com/doi/abs/10.1080/09640568.2010.502760.
- William S Cleveland and Susan J Devlin. Locally Weighted Regression: An Approach to Regression Analysis by Local Fitting. *Journal of the American Statistical Association*, 83(403):596–610, 1988.

- Jeffrey P. Cohen and Cletus C. Coughlin. Spatial Hedonic Models of Airport Noise, Proximity, and Housing Prices. *Journal of Regional Science*, 48(5):859–878, December 2008. ISSN 00224146. doi: 10.1111/j.1467-9787.2008.00569.x. URL http://doi.wiley.com/10.1111/j.1467-9787.2008.00569.x.
- Jeffrey P. Cohen and Cletus C. Coughlin. Changing Noise Levels and Housing Prices Near the Atlanta Airport. *Growth and Change*, 40(2):287–313, 2009.
- Joyce Dargay, Dermot Gately, and Martin Sommer. Vehicle Ownership and Income Growth, Worldwide: 1960-2030. *The Energy Journal*, 28(4):143–170, 2007.
- Brett Day, Ian Bateman, and Iain Lake. Beyond implicit prices: recovering theoretically consistent and transferable values for noise avoidance from a hedonic property price model. *Environmental and Resource Economics*, 37 (1):211–232, 2007.
- Yvonne de Kluizenaar, Sabine a Janssen, Henk Vos, Erik M Salomons, Han Zhou, and Frits van den Berg. Road traffic noise and annoyance: a quantification of the effect of quiet side exposure at dwellings. International journal of environmental research and public health, 10(6): 2258-70, January 2013. ISSN 1660-4601. doi: 10.3390/ijerph10062258. URL http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=3717735\&tool=pmcentrez\&rendertype=abstract.
- Mark Delucchi and Shi-Ling Hsu. The External Damage Cost of Noise Emitted from Motor Vehicles. *Journal of Transportation and Statistics*, 1(3):1–24, 1998.
- Carlos Marmolejo Duarte and Carlos Gonzalez Tamez. Does Noise Have a Stationary Impact on Residential Values? *Journal of European Real Estate Research*, 2(3):259–279, 2009.
- Molly Espey and Hilary Lopez. The Impact of Airport Noise and Proximity on Residential Property Values. *Growth and Change*, 31(3):408–419, 2000.
- A. Stewart Fotheringham, Chris Brunsdon, and Martin Charlton. Geographically Weighted Regression: the analysis of spatially varying relationships. John Wiley & Sons, West Sussex, England, 2002.
- Jon D. Fricker and Sunil K. Saha. Traffic Volume Forecasting Methods for Rural State Highways: Publication FHWA/IN/JHRP-86/20. Technical report, Indiana Department of Transportation and Purdue University, West Lafayette, Indiana, 1986.
- Hays B. Gamble, Owen H. Sauerlender, and C. John Langley. Adverse and Beneficial Effects of Highways on Property Values. *Transportation Research Record*, (508):37–48, 1974.

- Lisa Goines and Louis Hagler. Noise Pollution: A Modern Plague. Southern Medical Journal, 100:287–294, 2007. ISSN 00384348. doi: 10.1097/SMJ. 0b013e3180318be5.
- Ju-Chin Huang and Raymond B Palmquist. Environmental Conditions, Reservation Prices, and Time on the Market for Housing. *Journal of Real Estate Finance and Economics*, 22(2-3):203–219, 2001.
- William T. Hughes Jr. and C.F. Sirmans. Traffic Externalities and Single-Family Housing Prices. *Journal of Regional Science*, 32(4):487–500, 1992.
- Lars Jarup, Wolfgang Babisch, Danny Houthuijs, Göran Pershagen, Klea Katsouyanni, Ennio Cadum, Marie-Louise Dudley, Pauline Savigny, Ingeburg Seiffert, Wim Swart, Oscar Breugelmans, Gösta Bluhm, Jenny Selander, Alexandros Haralabidis, Konstantina Dimakopoulou, Panayota Sourtzi, Manolis Velonakis, and Federica Vigna-Taglianti. Hypertension and Exposure to Noise Near Airports: the HYENA Study. Environmental Health Perspectives, 116(3):329–333, December 2008. ISSN 0091-6765. doi: 10.1289/ehp.10775. URL http://www.ehponline.org/ambra-doi-resolver/10.1289/ehp.10775.
- Kwang Sik Kim, Sung Joong Park, and Young-Jun Kweon. Highway traffic noise effects on land price in an urban area. *Transportation Research Part D: Transport and Environment*, 12(4):275–280, June 2007. ISSN 13619209. doi: 10.1016/j.trd.2007.03.002. URL http://www.elsevier.com/wps/find/journaldescription.cws_home/31153/description#descriptionhttp://linkinghub.elsevier.com/retrieve/pii/S1361920907000260.
- C. John Jr. Langley. Adverse Impacts of the Washington Beltway on Residential Property Values. *Land Economics*, 52(1):54–65, 1976.
- James E. Larsen. Surface street traffic volume and single-family house price. Transportation Research Part D: Transport and Environment, 17(4):317-320, June 2012. ISSN 13619209. doi: 10.1016/j.trd.2012.01.004. URL http://linkinghub.elsevier.com/retrieve/pii/S1361920912000053.
- Wei Li and Jean-Daniel Saphores. Assessing Impacts of Freeway Truck Traffic on Residential Property Values Southern California Case Study. *Transportation Research Record*, (2288):48–56, 2012. doi: 10.3141/2288-06.
- Clive Loader. Local Regression and Likelihood. Springer-Verlag, New York, NY, 1999.
- John W. Matthews and Geoffrey K. Turnbull. Neighborhood Street Layout and Property Value: The Interaction of Accessibility and Land Use Mix, volume 35. July 2007. ISBN 1114600790359. doi: 10.1007/s11146-007-9035-9. URL http://link.springer.com/10.1007/s11146-007-9035-9.

- Daniel P. McMillen. Airport expansions and property values: the case of Chicago O'Hare Airport. *Journal of Urban Economics*, 55(3):627-640, May 2004. ISSN 00941190. doi: 10.1016/j.jue.2004.01.001. URL http://linkinghub.elsevier.com/retrieve/pii/S0094119004000099.
- Daniel P. McMillen. Perspectives on Spatial Econometrics: Linear Smoothing With Structured Models. *Journal of Regional Science*, 52(2):192–209, May 2012. ISSN 00224146. doi: 10.1111/j.1467-9787.2011.00746.x. URL http://doi.wiley.com/10.1111/j.1467-9787.2011.00746.x.
- Daniel P. McMillen and Christian L. Redfearn. Estimation and Hypothesis Testing for Nonparametric Hedonic House Price Functions. *Journal of Regional Science*, 50(3):712–733, April 2010. ISSN 00224146. doi: 10.1111/j.1467-9787.2010.00664.x. URL http://doi.wiley.com/10.1111/j.1467-9787.2010.00664.x.
- Henk M E Miedema and Catharina G M Oudshoorn. Annoyance from Transportation Noise: Relationships with Exposure Metrics DNL and DENL and Their Confidence Intervals. *Environmental Health Perspectives*, 109(4):409–416, 2001.
- Edwin S. Mills. An Aggregative Model of Resource Allocation in a Metropolitan Area. American Economic Review, 57:197–210, 1967. ISSN 00028282.
- Richard F. Muth. Cities and Housing. University of Chicago Press, Chicago, 1969.
- Ingrid Nappi-Choulet and Tristan-Pierre Maury. A Spatial and Temporal Autoregressive Local Estimation for the Paris Housing Market. *Journal of Regional Science*, 51(4):732-750, October 2011. ISSN 00224146. doi: 10.1111/j.1467-9787.2011.00713.x. URL http://doi.wiley.com/10.1111/j.1467-9787.2011.00713.x.
- Stale Navrud. The State-Of-The-Art on Economic Valuation of Noise: Final Report to European Commission DG Environment. Technical report, 2002.
- Tsegaye Nega, Carl Smith, James Bethune, and Wei-Hsin Fu. An analysis of landscape penetration by road infrastructure and traffic noise. Computers, Environment and Urban Systems, 36(3):245-256, May 2012. ISSN 01989715. doi: 10.1016/j.compenvurbsys.2011.09.001. URL http://linkinghub.elsevier.com/retrieve/pii/S0198971511000895.
- Jon P. Nelson. Highway Noise and Property Values: A Survey of Recent Evidence. *Journal of Transport Economics and Policy*, 16(2):117–138, 1982.
- Jon P Nelson. Hedonic Property Value Studies of Transportation Noise: Aircraft and Road Traffic. In Andrea Baranzini, Jose Ramirez, Caroline Schaerer, and Philippe Thalmann, editors, *Hedonic Methods in Housing Market Economics*, number October 2007, chapter 3, pages 57–82. Springer, New York, NY, 2008.

- Evy Ohrstrom, Lars Barregard, Eva Andersson, Annbritt Skarberg, Helena Svensson, and Par Angerheim. Annoyance due to single and combined sound exposure from railway and road traffic. *The Journal of the Acoustical Society of America*, 122(5):2642–52, 2007.
- D Ouis. Annoyance From Road Traffic Noise: a Review. *Journal of Environmental Psychology*, 21:101–120, 2001. ISSN 02724944. doi: 10.1006/jevp. 2000.0187.
- Antonio Paez, Steven Farber, and David Wheeler. A simulation-based study of geographically weighted regression as a method for investigating spatially varying relationships. *Environment and Planning A*, 43(12):2992–3010, 2011.
- Heather A. Sander and Stephen Polasky. The value of views and open space: Estimates from a hedonic pricing model for Ramsey County, Minnesota, USA. Land Use Policy, 26(3):837–845, July 2009. ISSN 02648377. doi: 10.1016/j.landusepol.2008.10.009. URL http://linkinghub.elsevier.com/retrieve/pii/S0264837708001324.
- Daniel Shepherd, David Welch, Kim N Dirks, and David McBride. Do quiet areas afford greater health-related quality of life than noisy areas? International journal of environmental research and public health, 10(4): 1284-303, April 2013. ISSN 1660-4601. doi: 10.3390/ijerph10041284. URL http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=3709317\&tool=pmcentrez\&rendertype=abstract.
- M. Sorensen, M. Hvidberg, Z. J. Andersen, R. B. Nordsborg, K. G. Lillelund, J. Jakobsen, a. Tjonneland, K. Overvad, and O. Raaschou-Nielsen. Road traffic noise and stroke: a prospective cohort study. *European Heart Journal*, 32(6):737-744, January 2011. ISSN 0195-668X. doi: 10.1093/eurheartj/ehq466. URL http://eurheartj.oxfordjournals.org/cgi/doi/10.1093/eurheartj/ehq466.
- David L. Sunding and Aaron M. Swoboda. Hedonic analysis with locally weighted regression: An application to the shadow cost of housing regulation in Southern California. Regional Science and Urban Economics, 40(6):550-573, November 2010. ISSN 01660462. doi: 10. 1016/j.regsciurbeco.2010.07.002. URL http://linkinghub.elsevier.com/retrieve/pii/S0166046210000608.
- Marcel Theebe. Planes, Trains, and Automobiles: The Impact of Traffic Noise on House Prices. *Journal of Real Estate Finance and Economics*, 28(2/3): 209–234, 2004.
- Diana Weinhold. The Happiness-Reducing Costs of Noise Pollution. *Journal of Regional Science*, 53(2):292-303, May 2013. ISSN 00224146. doi: 10.1111/jors.12001. URL http://doi.wiley.com/10.1111/jors.12001.

Mats Wilhelmsson. The Impact of Traffic Noise on the Values of Single-Family Houses. *Journal of Environmental Planning and Management*, 43(6):799–815, 2000.