

Article Title

Your Name

December 10, 2021

Abstract

The purpose of this exploratory research was to investigate if differences exist among individuals on the Autism spectrum and those who don't have autism and if so, in what realms. Aware of research on how children with Autism develop and function differently than those who aren't on the spectrum, we test to see if common signs of autism like echolalia and the use of more common and frequently used words exist in adults, especially in a romantic setting. By comparing two dating reality shows on Netflix, *Love on the Spectrum* and *Love is Blind* and investigating their transcripts, we hypothesize that these signs of autism still exist in adults on the spectrum. We found that there is no evidence of echolalia nor the use of more basic and commonly used words in those with autism.

Contents

1	Introduction	1
1.1	Background	2
1.2	Hypothesis	2
2	Methods	2
2.1	Data source	3
2.2	Statistical approach	3
3	Results	3
4	Discussion	3
5	Conclusion	3
	References	3

1 Introduction

The purpose of this exploratory research is to investigate if common signs of Autism Spectrum Disorder like echolalia and the use of commonly used words exist in adults on the spectrum as they do in children.

We will investigate two Netflix series, *Love on the Spectrum* and *Love is Blind* and we are interested in looking at whether these common markers of Autism Spectrum Disorder in childhood exist in the conversations (and transcripts of these conversations) of the participants in *Love on the Spectrum*. We will compare their lexicons to see any indications of echolalia, the repetition of the speech of others (Sterponi and Shankey 2014) and the use of more common and basic words in those on the spectrum versus their neurotypical counterparts.

It is important to note that the two shows are not exactly the same. While *Love on the Spectrum* is more of a reality television show that follows the individuals around as they navigate dating and having romantic relationships and is a more natural progression, *Love is Blind* is structured more like a dating

game

show we see nowadays, where there is a reward for “winning” and this seems more forced compared to the natural progression of a relationship with Love on the Spectrum. Nevertheless, we point this out because we did our best to find comparable shows to Love on the Spectrum.

1.1 Background

As defined by Lord et al., Autism Spectrum Disorder is defined as “a constellation of early-appearing social communication deficits and repetitive sensory-motor behaviors.” (Lord et al. 2018). While we know Autism is a lifelong condition, most studies focus their research on children with autism and comparing them to their neurotypical counterparts. Most individuals on the spectrum are diagnosed as children, therefore the symptoms to diagnose are most seen in children. For example, individuals on the spectrum present deficits in having normal back-and-forth conversation and in developing and maintaining relationships, including romantic relationships. Another common symptom is repetitive speech. Moreover, previous research has shown that adults on the spectrum don’t use more than simple phrases and their IQs are in the range of intellectual disability

@lord2018

. It makes sense to believe that signs and symptoms of ASD that occur in childhood are still present and affect the everyday lives of individuals on the spectrum.

In this study, we will focus on two specific signs and symptoms that have been categorized as such of ASD: echolalia and the use of common and simple words/phrases, like stated above. Echolalia is defined as the repetition of the speech of others

@sterponi2014

. This symptom is common in children with Autism, and we will investigate whether this symptom persists into adulthood and how this affects the individual’s lexicon, and compare it to neurotypical individuals.

We also wish to investigate the use of simple, common words in those on the Spectrum. Previous research has shown that 50% of its 1,000 participants on the spectrum showed delays in language acquisition by adulthood, so we expect some differences in language use and vocabulary in those on the spectrum compared to neurotypical counterparts (Hus et al. 2007)

@lord2018

.

1.2 Hypothesis

We will take a look at two Netflix series, Love on the Spectrum and Love is Blind in order to investigate if these two signs of ASD exist in adults in a romantic setting. Previous research shows that those with ASD have a difficult time maintaining relationships, especially romantic relationships (Strunz et al. 2017). We know that dating shows exist, we found an interesting way to investigate lexical differences between the two groups of people: a dating show. *Love on the Spectrum* focuses on those on the spectrum and their navigation of dating and obtaining and maintaining romantic relationships and comparing their language and patterns surrounding their language and comparing it to the series *Love is Blind*.

We hypothesize that the transcripts of the episodes from *Love on the Spectrum* will show signs of echolalia as well as the use of simple and commonly used words, compared to the transcripts of the episodes from *Love is Blind*.

2 Methods

Data gathering, manipulation, and statistical analysis were conducted with the R Statistical Software (R Core Team 2016).

Table 1: Preview of the ‘cars’ dataset.

speed	dist
4	2
4	10
7	4
7	22
8	16
9	10

2.1 Data source

We obtained our transcripts from opensubtitles.org. Navigate to the `data/original/README.md` markdown item to view the precise steps in manually downloading the transcripts from *Love on the Spectrum* and *Love is Blind*.

2.2 Statistical approach

This research was exploratory, meaning that we had no set place we desired to end up. Instead, we investigate using different skills learning in the course to apply to our datasets and provide an analysis about what this could mean for this specific data. For this project, we did a Word Frequency Analysis, Type-Token Ratio, Relative Frequency, Topic and Sentiment Modeling to investigate the differences, if any, between individuals on the spectrum in a dating setting and those not on the spectrum in a similar setting.

3 Results

Here is example code for a table with a caption in Table 1.

Here is example code for a figure with a caption Figure 1.

4 Discussion

Response goes here. . .

5 Conclusion

References

- Hus, Vanessa, Andrew Pickles, Edwin H. Cook, Susan Risi, and Catherine Lord. 2007. “Using the Autism Diagnostic Interview—Revised to Increase Phenotypic Homogeneity in Genetic Studies of Autism.” *Biological Psychiatry* 61 (4): 438–48. <https://doi.org/10.1016/j.biopsych.2006.08.044>.
- Lord, Catherine, Mayada Elsabbagh, Gillian Baird, and Jeremy Veenstra-Vanderweele. 2018. “Autism Spectrum Disorder.” *The Lancet* 392 (10146): 508–20. [https://doi.org/10.1016/S0140-6736\(18\)31129-2](https://doi.org/10.1016/S0140-6736(18)31129-2).
- R Core Team. 2016. *R: A Language and Environment for Statistical Computing*. Vienna, Austria: R Foundation for Statistical Computing. <https://www.R-project.org/>.
- Sterponi, Laura, and Jennifer Shankey. 2014. “Rethinking Echolalia: Repetition as Interactional Resource in the Communication of a Child with Autism.” *Journal of Child Language* 41 (2): 275–304. <https://doi.org/10.1017/S0305000912000682>.
- Strunz, Sandra, Constanze Schermuck, Sarah Ballerstein, Christoph J. Ahlers, Isabel Dziobek, and Stefan Roepke. 2017. “Romantic Relationships and Relationship Satisfaction Among Adults With Asperger




Figure 1: Plot of the ‘cars’ dataset

Syndrome and High-Functioning Autism: Romantic Relationships Among Autistic Adults.” *Journal of Clinical Psychology* 73 (1): 113–25. <https://doi.org/10.1002/jclp.22319>.