
Inputs

Drug parameters	
doses	Vector of dose levels
doseu	Dose units
ii	Dosing interval (hours)
addl	Number of additional doses in DLT window
dltwindow	Length of DLT window (days)
dar	Drug-antibody ratio
mod	mrgsolve model object
pkm	PK metric for E-R DLT

Clinical trial parameters	
tdlt	Target DLT rate (default 0.25)
maxnc	Maximum subjects per cohort (default 12)
maxnt	Maximum subjects per trial (default 90)
detype	Dose escalation strategy (3+3, BOIN, or BLRM)
noprior	Use the E-R DLT prior (T/F) for BLRM

Simulation Workflow



Outputs

Subject Level data (pop)

ID	COH	DOSE	PK	DLT	...
1	1	0.3	...	0	...
2	1	0.3	...	0	...
3	1	0.3	...	1	...
...	...	...	...	...	...

Cohort summary (cohsum)

COH	DOSE	N	NDLT	RDLT	UNTOL	...
1	0.3	6	1	.167	FALSE	...
2	0.6	3	0	0	FALSE	...
3	1.2	6	3	.500	TRUE	...
...	...	...	...	...	...	...


Trial results	
n	Total subjects
ndlt	Total DLT events
ntox	Subjects above 'true' MTD
maxd	Highest tolerable administered dose
maxdl	MTD or MAD designation
tmtd	'true' MTD

Inputs

Drug parameters	
doses	Vector of dose levels
doseu	Dose units
ii	Dosing interval (hours)
addl	Number of additional doses in DLT window
dltwindow	Length of DLT window (days)
dar	Drug-antibody ratio
mod	mrgsolve model object
pkm	PK metric for exposure-DLT relationship

Clinical trial parameters	
tdlt	Target DLT rate (default 0.25)
maxnc	Maximum subjects per cohort (default 12)
maxnt	Maximum subjects per trial (default 90)
detype	Dose escalation strategy (3+3, BOIN, or BLRM)
noprior	Use the E-R DLT prior (T/F) for BLRM

Simulation Workflow



Outputs

Subject Level data (pop)

ID	COH	DOSE	PK	DLT	...
1	1	0.3	...	0	...
2	1	0.3	...	0	...
3	1	0.3	...	1	...
...	...	...	...	...	...

Cohort summary (cohsum)

COH	DOSE	N	NDLT	RDLT	UNTOL	...
1	0.3	6	1	.167	FALSE	...
2	0.6	3	0	0	FALSE	...
3	1.2	6	3	.500	TRUE	...
...	...	...	...	...	...	...


Trial results	
n	Total subjects
ndlt	Total DLT events
ntox	Subjects above 'true' MTD
maxd	Highest tolerable administered dose
maxdl	MTD or MAD designation
tmtd	'true' MTD

Inputs

Drug parameters	
doses	Vector of dose levels
doseu	Dose units
ii	Dosing interval (hours)
addl	Number of additional doses in DLT window
dltwindow	Length of DLT window (days)
dar	Drug-antibody ratio
mod	mrgsolve model object
pkm	PK metric for exposure-DLT relationship

Clinical trial parameters	
tdlt	Target DLT rate (default 0.25)
maxnc	Maximum subjects per cohort (default 12)
maxnt	Maximum subjects per trial (default 90)
detype	Dose escalation strategy (3+3, BOIN, or BLRM)
noprior	Use the E-R DLT prior (T/F) for BLRM

Simulation Workflow



Outputs

Subject Level data (pop)

ID	COH	DOSE	PK	DLT	...
1	1	0.3	...	0	...
2	1	0.3	...	0	...
3	1	0.3	...	1	...
...	...	...	...	...	...

Cohort summary (cohsum)

COH	DOSE	N	NDLT	RDLT	UNTOL	...
1	0.3	6	1	.167	FALSE	...
2	0.6	3	0	0	FALSE	...
3	1.2	6	3	.500	TRUE	...
...	...	...	...	...	...	...

Trial results	
n	Total subjects
ndlt	Total DLT events
ntox	Subjects above 'true' MTD
maxd	Highest tolerable administered dose
maxdl	MTD or MAD designation
tmtd	'true' MTD