Feature Negative Login

Execution Environment

Host name	SpaceBuzz - DESKTOP-FJO8S79
Local OS	Windows 10 64bit
Katalon version	8.6.0.208
Browser	null

Summary

ID	Test Suites/Feature Login/Negative/Feature Negative Login
Description	

Total	7		
Passed	7	Failed	0
Error	0	Incomplete	0
Skipped	0		
Start	2023-06-30 13:45:04	End	2023-06-30 13:58:04
Elapsed	12m - 59.628s		

#	ID	Description	Status
1	Test Cases/Step Definition/Login/Negative/65 - User wants to login with invalid email and invalid password		PASSED
2	Test Cases/Step Definition/Login/Negative/66 - User wants to login with invalid email and valid password		PASSED
3	Test Cases/Step Definition/Login/Negative/67 - User wants to login with valid email and invalid password		PASSED
4	Test Cases/Step Definition/Login/Negative/68 - User wants to login with empty email and empty password		PASSED
5	Test Cases/Step Definition/Login/Negative/69 - User wants to login with empty email		PASSED
6	Test Cases/Step Definition/Login/Negative/70 - User wants to login with empty password		PASSED
7	Test Cases/Step Definition/Login/Negative/70a - User wants to login with incorrect email		PASSED

65 - User wants to login with invalid email and invalid password

Information

ID	Test Cases/Step Definition/Login/Negative/65 - User wants to login with invalid email and invalid password
Description	
Tag	

Start	2023-06-30 13:46:30	End	2023-06-30 13:47:55
Elapsed	1m - 24.549s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase Starting app with application ID: 'id.binar.fp.secondhand'	19.752s	PASSED
2	callTestCase(findTestCase("Pages/Home Before Login/Tap Icon Akun"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Home Before Login/Tap Icon Akun' successfully	14.606s	PASSED
3	callTestCase(findTestCase("Pages/Akun Saya Before Login/Tap Button Masuk At Akun Saya Page"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Akun Saya Before Login/Tap Button Masuk At Akun Saya Page' successfully	4.888s	PASSED
4	callTestCase(findTestCase("Pages/Login/Input Email"), ["email":"invalidemail@gmail.com"], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Login/Input Email' successfully	7.536s	PASSED
5	callTestCase(findTestCase("Pages/Login/Input Password"), ["password":"invalidpass"], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Login/Input Password' successfully	6.716s	PASSED
6	callTestCase(findTestCase("Pages/Login/Tap Button Masuk"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Login/Tap Button Masuk' successfully	4.096s	PASSED

65 - User wants to login with invalid email and invalid password

#	Description	Elapsed	Status
7	callTestCase(findTestCase("Pages/Login/Popup Wrong Email or Password"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Login/Popup Wrong Email or Password' successfully	10.824s	PASSED
8	Start listener action : afterTestCase Close app successfully	2.993s	PASSED

66 - User wants to login with invalid email and valid password

Information

ID	Test Cases/Step Definition/Login/Negative/66 - User wants to login with invalid email and valid password		
Description			
Tag			
Start	2023-06-30 13:47:55	End	2023-06-30 13:49:58
Elapsed	2m - 2.973s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase Starting app with application ID: 'id.binar.fp.secondhand'	1m - 4.785s	PASSED
2	callTestCase(findTestCase("Pages/Home Before Login/Tap Icon Akun"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Home Before Login/Tap Icon Akun' successfully	5.217s	PASSED
3	callTestCase(findTestCase("Pages/Akun Saya Before Login/Tap Button Masuk At Akun Saya Page"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Akun Saya Before Login/Tap Button Masuk At Akun Saya Page' successfully	5.176s	PASSED
4	callTestCase(findTestCase("Pages/Login/Input Email"), ["email":"invalidemail@gmail.com"], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Login/Input Email' successfully	10.918s	PASSED
5	callTestCase(findTestCase("Pages/Login/Input Password"), ["password":"binar1234"], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Login/Input Password' successfully	7.932s	PASSED
6	callTestCase(findTestCase("Pages/Login/Tap Button Masuk"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Login/Tap Button Masuk' successfully	3.743s	PASSED

66 - User wants to login with invalid email and valid password

#	Description	Elapsed	Status
7	callTestCase(findTestCase("Pages/Login/Popup Wrong Email or Password"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Login/Popup Wrong Email or Password' successfully	4.703s	PASSED
8	Start listener action : afterTestCase Close app successfully	5.804s	PASSED

67 - User wants to login with valid email and invalid password

Information

ID	Test Cases/Step Definition/Login/Negative/67 - User wants to login with valid email and invalid password
Description	
Tag	

Start	2023-06-30 13:49:58	End	2023-06-30 13:51:28
Elapsed	1m - 30.008s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase Starting app with application ID: 'id.binar.fp.secondhand'	46.713s	PASSED
2	callTestCase(findTestCase("Pages/Home Before Login/Tap Icon Akun"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Home Before Login/Tap Icon Akun' successfully	3.263s	PASSED
3	callTestCase(findTestCase("Pages/Akun Saya Before Login/Tap Button Masuk At Akun Saya Page"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Akun Saya Before Login/Tap Button Masuk At Akun Saya Page' successfully	3.544s	PASSED
4	callTestCase(findTestCase("Pages/Login/Input Email"), ["email":"idrism@gmail.com"], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Login/Input Email' successfully	7.466s	PASSED
5	callTestCase(findTestCase("Pages/Login/Input Password"), ["password":"invalidpassword"], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Login/Input Password' successfully	5.830s	PASSED
6	callTestCase(findTestCase("Pages/Login/Tap Button Masuk"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Login/Tap Button Masuk' successfully	1.380s	PASSED

67 - User wants to login with valid email and invalid password

#	Description	Elapsed	Status
7	callTestCase(findTestCase("Pages/Login/Popup Wrong Email or Password"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Login/Popup Wrong Email or Password' successfully	3.786s	PASSED
8	Start listener action : afterTestCase Close app successfully	4.745s	PASSED

68 - User wants to login with empty email and empty password

Information

ID	Test Cases/Step Definition/Login/Negative/68 - User wants to login with empty email and empty password
Description	
Tag	

Start	2023-06-30 13:51:28	End	2023-06-30 13:52:59
Elapsed	1m - 30.618s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase Starting app with application ID: 'id.binar.fp.secondhand'	42.610s	PASSED
2	callTestCase(findTestCase("Pages/Home Before Login/Tap Icon Akun"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Home Before Login/Tap Icon Akun' successfully	2.955s	PASSED
3	callTestCase(findTestCase("Pages/Akun Saya Before Login/Tap Button Masuk At Akun Saya Page"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Akun Saya Before Login/Tap Button Masuk At Akun Saya Page' successfully	4.148s	PASSED
4	callTestCase(findTestCase("Pages/Login/Input Email"), ["email":""], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Login/Input Email' successfully	8.157s	PASSED
5	callTestCase(findTestCase("Pages/Login/Input Password"), ["password":""], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Login/Input Password' successfully	5.047s	PASSED
6	callTestCase(findTestCase("Pages/Login/Tap Button Masuk"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Login/Tap Button Masuk' successfully	1.568s	PASSED

68 - User wants to login with empty email and empty password

#	Description	Elapsed	Status
7	callTestCase(findTestCase("Pages/Login/Suggest Message Empty Email"), ["expected":"Email tidak boleh kosong", "emptyEmail":""], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Login/Suggest Message Empty Email' successfully	10.981s	PASSED
8	Start listener action : afterTestCase Close app successfully	2.779s	PASSED

69 - User wants to login with empty email

Information

ID	Test Cases/Step Definition/Login/Negative/69 - User wants to login with empty email
Description	
Tag	

Start	2023-06-30 13:52:59	End	2023-06-30 13:54:21
Elapsed	1m - 22.034s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase Starting app with application ID: 'id.binar.fp.secondhand'	40.591s	PASSED
2	callTestCase(findTestCase("Pages/Home Before Login/Tap Icon Akun"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Home Before Login/Tap Icon Akun' successfully	3.617s	PASSED
3	callTestCase(findTestCase("Pages/Akun Saya Before Login/Tap Button Masuk At Akun Saya Page"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Akun Saya Before Login/Tap Button Masuk At Akun Saya Page' successfully	3.039s	PASSED
4	callTestCase(findTestCase("Pages/Login/Input Email"), ["email":""], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Login/Input Email' successfully	6.291s	PASSED
5	callTestCase(findTestCase("Pages/Login/Input Password"), ["password":"binar1234"], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Login/Input Password' successfully	7.606s	PASSED
6	callTestCase(findTestCase("Pages/Login/Tap Button Masuk"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Login/Tap Button Masuk' successfully	1.450s	PASSED

#	Description	Elapsed	Status
7	callTestCase(findTestCase("Pages/Login/Suggest Message Empty Email"), ["expected":"Email tidak boleh kosong", "emptyEmail":""], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Login/Suggest Message Empty Email' successfully	5.091s	PASSED
8	Start listener action : afterTestCase Close app successfully	2.683s	PASSED

70 - User wants to login with empty password

Information

ID	Test Cases/Step Definition/Login/Negative/70 - User wants to login with empty password
Description	
Tag	

Start	2023-06-30 13:54:21	End	2023-06-30 13:55:43
Elapsed	1m - 21.512s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase Starting app with application ID: 'id.binar.fp.secondhand'	40.725s	PASSED
2	callTestCase(findTestCase("Pages/Home Before Login/Tap Icon Akun"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Home Before Login/Tap Icon Akun' successfully	2.980s	PASSED
3	callTestCase(findTestCase("Pages/Akun Saya Before Login/Tap Button Masuk At Akun Saya Page"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Akun Saya Before Login/Tap Button Masuk At Akun Saya Page' successfully	3.536s	PASSED
4	callTestCase(findTestCase("Pages/Login/Input Email"), ["email":"idrism@gmail.com"], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Login/Input Email' successfully	6.655s	PASSED
5	callTestCase(findTestCase("Pages/Login/Input Password"), ["password":""], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Login/Input Password' successfully	4.092s	PASSED
6	callTestCase(findTestCase("Pages/Login/Tap Button Masuk"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Login/Tap Button Masuk' successfully	1.275s	PASSED

#	Description	Elapsed	Status
7	callTestCase(findTestCase("Pages/Login/Suggest Message Empty Password"), ["expected":"Password tidak boleh kosong"], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Login/Suggest Message Empty Password' successfully	8.522s	PASSED
8	Start listener action : afterTestCase Close app successfully	1.930s	PASSED

70a - User wants to login with incorrect email

Information

ID	Test Cases/Step Definition/Login/Negative/70a - User wants to login with incorrect email		
Description			
Tag			
Start	2023-06-30 13:55:43	End	2023-06-30 13:57:04
Elapsed	1m - 20.982s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase Starting app with application ID: 'id.binar.fp.secondhand'	38.952s	PASSED
2	callTestCase(findTestCase("Pages/Home Before Login/Tap Icon Akun"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Home Before Login/Tap Icon Akun' successfully	4.438s	PASSED
3	callTestCase(findTestCase("Pages/Akun Saya Before Login/Tap Button Masuk At Akun Saya Page"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Akun Saya Before Login/Tap Button Masuk At Akun Saya Page' successfully	3.081s	PASSED
4	callTestCase(findTestCase("Pages/Login/Input Email"), ["email":"idrismadyasto"], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Login/Input Email' successfully	6.655s	PASSED
5	callTestCase(findTestCase("Pages/Login/Input Password"), ["password":"binar1234"], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Login/Input Password' successfully	4.347s	PASSED
6	callTestCase(findTestCase("Pages/Login/Tap Button Masuk"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Login/Tap Button Masuk' successfully	1.480s	PASSED

#	Description	Elapsed	Status
7	callTestCase(findTestCase("Pages/Login/Suggest Message Invalid Email"), ["expected":"Email tidak valid"], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Login/Suggest Message Invalid Email' successfully	9.100s	PASSED
8	Start listener action : afterTestCase Close app successfully	1.946s	PASSED