

Feature Negative Bid Product

Execution Environment

Host name	SpaceBuzz - DESKTOP-FJO8S79
Local OS	Windows 10 64bit
Katalon version	8.6.0.208
Browser	null

Summary

ID	Test Suites/Feature Bid Product/Negative/Feature Negative Bid Product		
Description			
Total	5		
Passed	3	Failed	2
Error	0	Incomplete	0
Skipped	0		
Start	2023-06-30 16:23:29	End	2023-06-30 16:37:27
Elapsed	13m - 57.407s		

#	ID	Description	Status
1	Test Cases/Step Definition/Bid Product/Negative/188 - User wants to bid a product use negative numeric character		FAILED
2	Test Cases/Step Definition/Bid Product/Negative/189 - User wants to bid a product use 0 price		FAILED
3	Test Cases/Step Definition/Bid Product/Negative/190 - User wants to bid a product use alphabet character		PASSED
4	Test Cases/Step Definition/Bid Product/Negative/191 - User wants to bid a product use special character		PASSED
5	Test Cases/Step Definition/Bid Product/Negative/192 - User wants to bid a product use empty character		PASSED

188 - User wants to bid a product use negative numeric character

Information

ID	Test Cases/Step Definition/Bid Product/Negative/188 - User wants to bid a product use negative numeric character		
Description			
Tag			
Start	2023-06-30 16:25:09	End	2023-06-30 16:28:12
Elapsed	3m - 3.167s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase Starting app with application ID: 'id.binar.fp.secondhand'	23.918s	PASSED
2	callTestCase(findTestCase("Step Definition/Login/Positive/64 - User wants to login with correct credential"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Step Definition/Login/Positive/64 - User wants to login with correct credential' successfully	1m - 4.388s	PASSED
3	callTestCase(findTestCase("Pages/Akun Saya After Login/Tap Icon Beranda"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Akun Saya After Login/Tap Icon Beranda' successfully	4.897s	PASSED
4	callTestCase(findTestCase("Pages/Home After Login/Tap Product"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Home After Login/Tap Product' successfully	5.706s	PASSED
5	callTestCase(findTestCase("Pages/Product/Tap Button Saya Tertarik dan Ingin Nego"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Product/Tap Button Saya Tertarik dan Ingin Nego' successfully	6.446s	PASSED

188 - User wants to bid a product use negative numeric character

#	Description	Elapsed	Status
6	callTestCase(findTestCase("Pages/Product/Input Product Price"), [{"productPrice":"-25000"}], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Product/Input Product Price' successfully	9.099s	PASSED
7	callTestCase(findTestCase("Pages/Product/Tap Button Kirim"), [], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Product/Tap Button Kirim' successfully	5.235s	PASSED


188 - User wants to bid a product use negative numeric character

#	Description	Elapsed	Status
8	<p>callTestCase(findTestCase("Pages/Product/Verify Button Saya Tertarik dan Ingin Nego"), [:], STOP_ON_FAILURE)</p> <p>Unable to call Test Case 'Test Cases/Pages/Product/Verify Button Saya Tertarik dan Ingin Nego' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Pages/Product/Verify Button Saya Tertarik dan Ingin Nego' failed at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at 188 - User wants to bid a product use negative numeric character.run(188 - User wants to bid a product use negative numeric character:33) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 187) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1688116964962.run(TempTestSuite1688116964962.groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Element 'Object Repository/Page_Product/button_Saya.Tertarik.dan.Ingin.Nego' not found at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain. groovy:51) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed (MobileKeywordMain.groovy:40) at com.kms.katalon.core.mobile.keyword.builtin. VerifyElementVisibleKeyword\$_verifyElementVisible_closure1.doCall (VerifyElementVisibleKeyword.groovy:82) at com.kms.katalon.core.mobile.keyword.builtin. VerifyElementVisibleKeyword\$_verifyElementVisible_closure1.call</p>	42.718s	FAILED

188 - User wants to bid a product use negative numeric character

#	Description	Elapsed	Status
	<pre>(VerifyElementVisibleKeyword.groovy) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:21) at com.kms.katalon.core.mobile.keyword.builtin.VerifyElementVisibleKeyword. verifyElementVisible(VerifyElementVisibleKeyword.groovy:85) at com.kms.katalon.core.mobile.keyword.builtin.VerifyElementVisibleKeyword. execute(VerifyElementVisibleKeyword.groovy:64) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords. verifyElementVisible(MobileBuiltInKeywords.groovy:2031) at com.kms.katalon.core.mobile.keyword. MobileBuiltInKeywords\$verifyElementVisible\$3.call(Unknown Source) at Verify Button Saya Tertarik dan Ingin Nego.run(Verify Button Saya Tertarik dan Ingin Nego:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 144) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 20 more)</pre>		

#	Description	Elapsed	Status
---	-------------	---------	--------



188 - User wants to bid a product use negative numeric character

#	Description	Elapsed	Status
9	Start listener action : afterTestCase Close app successfully	4.325s	PASSED

189 - User wants to bid a product use 0 price

Information

ID	Test Cases/Step Definition/Bid Product/Negative/189 - User wants to bid a product use 0 price		
Description			
Tag			
Start	2023-06-30 16:28:12	End	2023-06-30 16:30:44
Elapsed	2m - 31.925s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase Starting app with application ID: 'id.binar.fp.secondhand'	49.268s	PASSED
2	callTestCase(findTestCase("Step Definition/Login/Positive/64 - User wants to login with correct credential"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Step Definition/Login/Positive/64 - User wants to login with correct credential' successfully	29.499s	PASSED
3	callTestCase(findTestCase("Pages/Akun Saya After Login/Tap Icon Beranda"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Akun Saya After Login/Tap Icon Beranda' successfully	0.938s	PASSED
4	callTestCase(findTestCase("Pages/Home After Login/Tap Product"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Home After Login/Tap Product' successfully	2.805s	PASSED
5	callTestCase(findTestCase("Pages/Product/Tap Button Saya Tertarik dan Ingin Nego"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Product/Tap Button Saya Tertarik dan Ingin Nego' successfully	3.332s	PASSED
6	callTestCase(findTestCase("Pages/Product/Input Product Price"), ["productPrice":"0"], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Product/Input Product Price' successfully	5.168s	PASSED

189 - User wants to bid a product use 0 price

#	Description	Elapsed	Status
7	callTestCase(findTestCase("Pages/Product/Tap Button Kirim"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Product/Tap Button Kirim' successfully	2.376s	PASSED

189 - User wants to bid a product use 0 price

#	Description	Elapsed	Status
8	<p>callTestCase(findTestCase("Pages/Product/Suggest Message Bid Price Cannot Be Empty"), ["expected":"Harga tawar tidak boleh kosong"], STOP_ON_FAILURE)</p> <p>Unable to call Test Case 'Test Cases/Pages/Product/Suggest Message Bid Price Cannot Be Empty' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Pages/Product/Suggest Message Bid Price Cannot Be Empty' failed at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at 189 - User wants to bid a product use 0 price.run(189 - User wants to bid a product use 0 price:33) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 187) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1688116964962.run(TempTestSuite1688116964962.groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Element 'Object Repository/Page_Product/text_suggest_Harga.tawar.tidak.boleh.kosong' not found at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain. groovy:51) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed (MobileKeywordMain.groovy:40) at com.kms.katalon.core.mobile.keyword.builtin. VerifyElementVisibleKeyword\$_verifyElementVisible_closure1.doCall (VerifyElementVisibleKeyword.groovy:82) at com.kms.katalon.core.mobile.keyword.builtin. VerifyElementVisibleKeyword\$_verifyElementVisible_closure1.call (VerifyElementVisibleKeyword.groovy)</p>	39.786s	FAILED

189 - User wants to bid a product use 0 price

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:21) at com.kms.katalon.core.mobile.keyword.builtin.VerifyElementVisibleKeyword. verifyElementVisible(VerifyElementVisibleKeyword.groovy:85) at com.kms.katalon.core.mobile.keyword.builtin.VerifyElementVisibleKeyword. execute(VerifyElementVisibleKeyword.groovy:64) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords. verifyElementVisible(MobileBuiltInKeywords.groovy:2031) at com.kms.katalon.core.mobile.keyword. MobileBuiltInKeywords\$verifyElementVisible\$3.call(Unknown Source) at Suggest Message Bid Price Cannot Be Empty.run(Suggest Message Bid Price Cannot Be Empty:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 144) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 20 more)</pre>		

189 - User wants to bid a product use 0 price

#	Description	Elapsed	Status
	<div><div><div><div><div>16:31</div><div></div></div></div><div><div><div></div><div><input type="text" value="Cari di Second Chance"/></div></div></div><div></div><div><div><div>test</div><div>Rp100,000</div></div></div><div><div><div></div><div>test binar</div></div></div><div><div><div><div>Detail Produk</div><div>Kategori</div><div>testtest</div></div><div><div>Elektronik</div></div></div></div><div><div>Menunggu respon penjual</div></div></div></div>		

189 - User wants to bid a product use 0 price

#	Description	Elapsed	Status
9	Start listener action : afterTestCase Close app successfully	2.301s	PASSED

190 - User wants to bid a product use alphabet character

Information

ID	Test Cases/Step Definition/Bid Product/Negative/190 - User wants to bid a product use alphabet character		
Description			
Tag			
Start	2023-06-30 16:30:44	End	2023-06-30 16:32:34
Elapsed	1m - 49.785s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase Starting app with application ID: 'id.binar.fp.secondhand'	44.792s	PASSED
2	callTestCase(findTestCase("Step Definition/Login/Positive/64 - User wants to login with correct credential"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Step Definition/Login/Positive/64 - User wants to login with correct credential' successfully	28.572s	PASSED
3	callTestCase(findTestCase("Pages/Akun Saya After Login/Tap Icon Beranda"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Akun Saya After Login/Tap Icon Beranda' successfully	0.959s	PASSED
4	callTestCase(findTestCase("Pages/Home After Login/Tap Product"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Home After Login/Tap Product' successfully	3.557s	PASSED
5	callTestCase(findTestCase("Pages/Product/Tap Button Saya Tertarik dan Ingin Nego"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Product/Tap Button Saya Tertarik dan Ingin Nego' successfully	4.345s	PASSED
6	callTestCase(findTestCase("Pages/Product/Input Product Price"), ["productPrice":"Seratus ribu"], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Product/Input Product Price' successfully	5.268s	PASSED

190 - User wants to bid a product use alphabet character

#	Description	Elapsed	Status
7	callTestCase(findTestCase("Pages/Product/Tap Button Kirim"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Product/Tap Button Kirim' successfully	1.637s	PASSED
8	callTestCase(findTestCase("Pages/Product/Verify Button Saya Tertarik dan Ingin Nego"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Product/Verify Button Saya Tertarik dan Ingin Nego' successfully	2.784s	PASSED
9	Start listener action : afterTestCase Close app successfully	3.059s	PASSED

191 - User wants to bid a product use special character

Information

ID	Test Cases/Step Definition/Bid Product/Negative/191 - User wants to bid a product use special character		
Description			
Tag			
Start	2023-06-30 16:32:34	End	2023-06-30 16:34:27
Elapsed	1m - 53.185s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase Starting app with application ID: 'id.binar.fp.secondhand'	45.492s	PASSED
2	callTestCase(findTestCase("Step Definition/Login/Positive/64 - User wants to login with correct credential"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Step Definition/Login/Positive/64 - User wants to login with correct credential' successfully	28.694s	PASSED
3	callTestCase(findTestCase("Pages/Akun Saya After Login/Tap Icon Beranda"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Akun Saya After Login/Tap Icon Beranda' successfully	1.000s	PASSED
4	callTestCase(findTestCase("Pages/Home After Login/Tap Product"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Home After Login/Tap Product' successfully	4.550s	PASSED
5	callTestCase(findTestCase("Pages/Product/Tap Button Saya Tertarik dan Ingin Nego"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Product/Tap Button Saya Tertarik dan Ingin Nego' successfully	4.448s	PASSED
6	callTestCase(findTestCase("Pages/Product/Input Product Price"), ["productPrice":"!~@#\$\$%^&*()_+={[]:;<.>??<,"], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Product/Input Product Price' successfully	5.495s	PASSED

191 - User wants to bid a product use special character

#	Description	Elapsed	Status
7	callTestCase(findTestCase("Pages/Product/Tap Button Kirim"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Product/Tap Button Kirim' successfully	1.815s	PASSED
8	callTestCase(findTestCase("Pages/Product/Verify Button Saya Tertarik dan Ingin Nego"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Product/Verify Button Saya Tertarik dan Ingin Nego' successfully	3.487s	PASSED
9	Start listener action : afterTestCase Close app successfully	2.318s	PASSED

192 - User wants to bid a product use empty character

Information

ID	Test Cases/Step Definition/Bid Product/Negative/192 - User wants to bid a product use empty character		
Description			
Tag			
Start	2023-06-30 16:34:27	End	2023-06-30 16:36:25
Elapsed	1m - 57.349s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase Starting app with application ID: 'id.binar.fp.secondhand'	45.778s	PASSED
2	callTestCase(findTestCase("Step Definition/Login/Positive/64 - User wants to login with correct credential"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Step Definition/Login/Positive/64 - User wants to login with correct credential' successfully	29.515s	PASSED
3	callTestCase(findTestCase("Pages/Akun Saya After Login/Tap Icon Beranda"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Akun Saya After Login/Tap Icon Beranda' successfully	0.954s	PASSED
4	callTestCase(findTestCase("Pages/Home After Login/Tap Product"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Home After Login/Tap Product' successfully	5.406s	PASSED
5	callTestCase(findTestCase("Pages/Product/Tap Button Saya Tertarik dan Ingin Nego"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Product/Tap Button Saya Tertarik dan Ingin Nego' successfully	3.449s	PASSED
6	callTestCase(findTestCase("Pages/Product/Input Product Price"), ["productPrice":""], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Product/Input Product Price' successfully	5.170s	PASSED

192 - User wants to bid a product use empty character

#	Description	Elapsed	Status
7	callTestCase(findTestCase("Pages/Product/Tap Button Kirim"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Product/Tap Button Kirim' successfully	1.089s	PASSED
8	callTestCase(findTestCase("Pages/Product/Suggest Message Bid Price Cannot Be Empty"), ["expected":"Harga tawar tidak boleh kosong"], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Product/Suggest Message Bid Price Cannot Be Empty' successfully	6.809s	PASSED
9	Start listener action : afterTestCase Close app successfully	4.382s	PASSED