

Negative Create Acc

Execution Environment

Host name	rezafarandi - warp-svc
Local OS	Mac OS X 64bit
Katalon version	8.6.0.208
Browser	null

Summary

ID	Test Suites/Feature Create Acc/Negative/Negative Create Acc		
Description			
Total	14		
Passed	10	Failed	4
Error	0	Incomplete	0
Skipped	0		
Start	2023-06-30 18:12:42	End	2023-06-30 18:28:40
Elapsed	15m - 57.793s		

#	ID	Description	Status
1	Test Cases/Step Definition/Create Akun/Negative/Create37 -	User want to create acc with all empty fields	PASSED
2	Test Cases/Step Definition/Create Akun/Negative/Create38 -	User want to create acc with empty nama	PASSED
3	Test Cases/Step Definition/Create Akun/Negative/Create39 -	User want to create acc with empty email	PASSED
4	Test Cases/Step Definition/Create Akun/Negative/Create40 -	User want to create acc with empty pass	PASSED
5	Test Cases/Step Definition/Create Akun/Negative/Create41 -	User want to create acc with empty numb	PASSED
6	Test Cases/Step Definition/Create Akun/Negative/Create42 -	User want to create acc with empty kota	PASSED
7	Test Cases/Step Definition/Create Akun/Negative/Create43 -	User want to create acc with empty alamat	PASSED
8	Test Cases/Step Definition/Create Akun/Negative/Create44 -	User want to create acc with invalid email	PASSED
9	Test Cases/Step Definition/Create Akun/Negative/Create45 -	User want to create acc with registered email	PASSED
10	Test Cases/Step Definition/Create Akun/Negative/Create46 -	User want to createacc with pass less than 6char	PASSED
11	Test Cases/Step Definition/Create Akun/Negative/Create47 -	User want to createacc with pass more than 12char	FAILED
12	Test Cases/Step Definition/Create Akun/Negative/Create48 -	Createacc with numb less than 10	FAILED
13	Test Cases/Step Definition/Create Akun/Negative/Create49 -	Createacc with numb more than 13	FAILED

Negative Create Acc

#	ID	Description	Status
14	Test Cases/Step Definition/Create Akun/Negative/Create50 - Createacc with numb use symbol		FAILED

Create37 - User want to create acc with all empty fields

Information

ID	Test Cases/Step Definition/Create Akun/Negative/Create37 - User want to create acc with all empty fields		
Description			
Tag			
Start	2023-06-30 18:13:15	End	2023-06-30 18:14:23
Elapsed	1m - 8.607s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase Starting app with application ID: 'id.binar.fp.secondhand'	31.380s	PASSED
2	callTestCase(findTestCase("Pages/Create Akun/Tap Icon Akun"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Tap Icon Akun' successfully	7.707s	PASSED
3	callTestCase(findTestCase("Pages/Create Akun/Tap Button Masuk Akun Saya"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Tap Button Masuk Akun Saya' successfully	3.002s	PASSED
4	callTestCase(findTestCase("Pages/Create Akun/Tap Daftar Text View"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Tap Daftar Text View' successfully	2.825s	PASSED
5	callTestCase(findTestCase("Pages/Create Akun/Input Nama"), ["nama_user":""], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Input Nama' successfully	2.547s	PASSED
6	callTestCase(findTestCase("Pages/Create Akun/Input Email Neg TC"), ["email_user":""], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Input Email Neg TC' successfully	2.050s	PASSED

Create37 - User want to create acc with all empty fields

#	Description	Elapsed	Status
7	callTestCase(findTestCase("Pages/Create Akun/Input Password"), ["password":""], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Input Password' successfully	2.102s	PASSED
8	callTestCase(findTestCase("Pages/Create Akun/Input Nomor Hp"), ["nomor_hp":""], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Input Nomor Hp' successfully	1.761s	PASSED
9	callTestCase(findTestCase("Pages/Create Akun/Input Kota"), ["kota":""], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Input Kota' successfully	1.895s	PASSED
10	callTestCase(findTestCase("Pages/Create Akun/Input Alamat"), ["alamat":""], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Input Alamat' successfully	2.122s	PASSED
11	scrollToText("Sudah punya akun?", STOP_ON_FAILURE) Scrolling to text 'Sudah punya akun?' successfully	5.210s	PASSED
12	callTestCase(findTestCase("Pages/Create Akun/Tap Button Daftar"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Tap Button Daftar' successfully	1.124s	PASSED
13	callTestCase(findTestCase("Pages/Create Akun/Verify nama empty"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Verify nama empty' successfully	1.313s	PASSED
14	delay(0, STOP_ON_FAILURE) Delayed 0 second(s)	0.018s	PASSED
15	Start listener action : afterTestCase Close app successfully	1.548s	PASSED

Create38 - User want to create acc with empty nama

Information

ID	Test Cases/Step Definition/Create Akun/Negative/Create38 - User want to create acc with empty nama		
Description			
Tag			
Start	2023-06-30 18:14:23	End	2023-06-30 18:15:21
Elapsed	57.340s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase Starting app with application ID: 'id.binar.fp.secondhand'	26.505s	PASSED
2	callTestCase(findTestCase("Pages/Create Akun/Tap Icon Akun"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Tap Icon Akun' successfully	5.191s	PASSED
3	callTestCase(findTestCase("Pages/Create Akun/Tap Button Masuk Akun Saya"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Tap Button Masuk Akun Saya' successfully	3.027s	PASSED
4	callTestCase(findTestCase("Pages/Create Akun/Tap Daftar Text View"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Tap Daftar Text View' successfully	2.723s	PASSED
5	callTestCase(findTestCase("Pages/Create Akun/Input Nama"), ["nama_user":""], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Input Nama' successfully	1.752s	PASSED
6	callTestCase(findTestCase("Pages/Create Akun/Input Email Neg TC"), ["email_user":"jenolee@yopmail.com"], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Input Email Neg TC' successfully	1.830s	PASSED

Create38 - User want to create acc with empty nama

#	Description	Elapsed	Status
7	callTestCase(findTestCase("Pages/Create Akun/Input Password"), ["password":"jeno1234"], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Input Password' successfully	1.671s	PASSED
8	callTestCase(findTestCase("Pages/Create Akun/Input Nomor Hp"), ["nomor_hp":"089823042304"], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Input Nomor Hp' successfully	1.328s	PASSED
9	callTestCase(findTestCase("Pages/Create Akun/Input Kota"), ["kota":"Semarang"], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Input Kota' successfully	1.351s	PASSED
10	callTestCase(findTestCase("Pages/Create Akun/Input Alamat"), ["alamat":"Banyumanik"], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Input Alamat' successfully	1.856s	PASSED
11	scrollToText("Sudah punya akun?", STOP_ON_FAILURE) Scrolling to text 'Sudah punya akun?' successfully	5.146s	PASSED
12	callTestCase(findTestCase("Pages/Create Akun/Tap Button Daftar"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Tap Button Daftar' successfully	0.767s	PASSED
13	callTestCase(findTestCase("Pages/Create Akun/Verify nama empty"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Verify nama empty' successfully	1.256s	PASSED
14	delay(0, STOP_ON_FAILURE) Delayed 0 second(s)	0.014s	PASSED
15	Start listener action : afterTestCase Close app successfully	1.775s	PASSED

Create39 - User want to create acc with empty email

Information

ID	Test Cases/Step Definition/Create Akun/Negative/Create39 - User want to create acc with empty email		
Description			
Tag			
Start	2023-06-30 18:15:21	End	2023-06-30 18:16:17
Elapsed	56.226s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase Starting app with application ID: 'id.binar.fp.secondhand'	24.151s	PASSED
2	callTestCase(findTestCase("Pages/Create Akun/Tap Icon Akun"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Tap Icon Akun' successfully	4.903s	PASSED
3	callTestCase(findTestCase("Pages/Create Akun/Tap Button Masuk Akun Saya"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Tap Button Masuk Akun Saya' successfully	3.271s	PASSED
4	callTestCase(findTestCase("Pages/Create Akun/Tap Daftar Text View"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Tap Daftar Text View' successfully	1.987s	PASSED
5	callTestCase(findTestCase("Pages/Create Akun/Input Nama"), ["nama_user":"Jeno"], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Input Nama' successfully	1.660s	PASSED
6	callTestCase(findTestCase("Pages/Create Akun/Input Email Neg TC"), ["email_user":""], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Input Email Neg TC' successfully	2.490s	PASSED

Create39 - User want to create acc with empty email

#	Description	Elapsed	Status
7	callTestCase(findTestCase("Pages/Create Akun/Input Password"), [{"password":"jeno1234"}, STOP_ON_FAILURE]) Call Test Case 'Test Cases/Pages/Create Akun/Input Password' successfully	1.752s	PASSED
8	callTestCase(findTestCase("Pages/Create Akun/Input Nomor Hp"), [{"nomor_hp":"089823042304"}, STOP_ON_FAILURE]) Call Test Case 'Test Cases/Pages/Create Akun/Input Nomor Hp' successfully	1.734s	PASSED
9	callTestCase(findTestCase("Pages/Create Akun/Input Kota"), [{"kota":"Semarang"}, STOP_ON_FAILURE]) Call Test Case 'Test Cases/Pages/Create Akun/Input Kota' successfully	1.766s	PASSED
10	callTestCase(findTestCase("Pages/Create Akun/Input Alamat"), [{"alamat":"Banyumanik"}, STOP_ON_FAILURE]) Call Test Case 'Test Cases/Pages/Create Akun/Input Alamat' successfully	1.686s	PASSED
11	scrollToText("Sudah punya akun?", STOP_ON_FAILURE) Scrolling to text 'Sudah punya akun?' successfully	4.912s	PASSED
12	callTestCase(findTestCase("Pages/Create Akun/Tap Button Daftar"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Tap Button Daftar' successfully	1.009s	PASSED
13	callTestCase(findTestCase("Pages/Create Akun/Verify email empty"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Verify email empty' successfully	1.168s	PASSED
14	delay(0, STOP_ON_FAILURE) Delayed 0 second(s)	0.004s	PASSED
15	Start listener action : afterTestCase Close app successfully	1.492s	PASSED

Create40 - User want to create acc with empty pass

Information

ID	Test Cases/Step Definition/Create Akun/Negative/Create40 - User want to create acc with empty pass		
Description			
Tag			
Start	2023-06-30 18:16:17	End	2023-06-30 18:17:09
Elapsed	51.908s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase Starting app with application ID: 'id.binar.fp.secondhand'	23.158s	PASSED
2	callTestCase(findTestCase("Pages/Create Akun/Tap Icon Akun"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Tap Icon Akun' successfully	4.573s	PASSED
3	callTestCase(findTestCase("Pages/Create Akun/Tap Button Masuk Akun Saya"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Tap Button Masuk Akun Saya' successfully	2.379s	PASSED
4	callTestCase(findTestCase("Pages/Create Akun/Tap Daftar Text View"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Tap Daftar Text View' successfully	1.834s	PASSED
5	callTestCase(findTestCase("Pages/Create Akun/Input Nama"), ["nama_user":"Jeno"], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Input Nama' successfully	1.615s	PASSED
6	callTestCase(findTestCase("Pages/Create Akun/Input Email Neg TC"), ["email_user":"jenolee@yopmail.com"], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Input Email Neg TC' successfully	1.848s	PASSED

Create40 - User want to create acc with empty pass

#	Description	Elapsed	Status
7	callTestCase(findTestCase("Pages/Create Akun/Input Password"), [{"password":""}, STOP_ON_FAILURE]) Call Test Case 'Test Cases/Pages/Create Akun/Input Password' successfully	1.713s	PASSED
8	callTestCase(findTestCase("Pages/Create Akun/Input Nomor Hp"), [{"nomor_hp":"089823042304"}, STOP_ON_FAILURE]) Call Test Case 'Test Cases/Pages/Create Akun/Input Nomor Hp' successfully	1.654s	PASSED
9	callTestCase(findTestCase("Pages/Create Akun/Input Kota"), [{"kota":"Semarang"}, STOP_ON_FAILURE]) Call Test Case 'Test Cases/Pages/Create Akun/Input Kota' successfully	1.219s	PASSED
10	callTestCase(findTestCase("Pages/Create Akun/Input Alamat"), [{"alamat":"Banyumanik"}, STOP_ON_FAILURE]) Call Test Case 'Test Cases/Pages/Create Akun/Input Alamat' successfully	1.718s	PASSED
11	scrollToText("Sudah punya akun?", STOP_ON_FAILURE) Scrolling to text 'Sudah punya akun?' successfully	5.192s	PASSED
12	callTestCase(findTestCase("Pages/Create Akun/Tap Button Daftar"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Tap Button Daftar' successfully	0.774s	PASSED
13	callTestCase(findTestCase("Pages/Create Akun/Verify pass empty"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Verify pass empty' successfully	1.088s	PASSED
14	delay(0, STOP_ON_FAILURE) Delayed 0 second(s)	0.004s	PASSED
15	Start listener action : afterTestCase Close app successfully	1.508s	PASSED

Create41 - User want to create acc with empty numb

Information

ID	Test Cases/Step Definition/Create Akun/Negative/Create41 - User want to create acc with empty numb		
Description			
Tag			
Start	2023-06-30 18:17:09	End	2023-06-30 18:18:01
Elapsed	52.484s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase Starting app with application ID: 'id.binar.fp.secondhand'	24.318s	PASSED
2	callTestCase(findTestCase("Pages/Create Akun/Tap Icon Akun"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Tap Icon Akun' successfully	5.139s	PASSED
3	callTestCase(findTestCase("Pages/Create Akun/Tap Button Masuk Akun Saya"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Tap Button Masuk Akun Saya' successfully	2.687s	PASSED
4	callTestCase(findTestCase("Pages/Create Akun/Tap Daftar Text View"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Tap Daftar Text View' successfully	1.993s	PASSED
5	callTestCase(findTestCase("Pages/Create Akun/Input Nama"), ["nama_user":"Jeno"], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Input Nama' successfully	1.761s	PASSED
6	callTestCase(findTestCase("Pages/Create Akun/Input Email Neg TC"), ["email_user":"jenolee@yopmail.com"], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Input Email Neg TC' successfully	1.513s	PASSED

Create41 - User want to create acc with empty numb

#	Description	Elapsed	Status
7	callTestCase(findTestCase("Pages/Create Akun/Input Password"), ["password":"jeno1234"], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Input Password' successfully	1.314s	PASSED
8	callTestCase(findTestCase("Pages/Create Akun/Input Nomor Hp"), ["nomor_hp":""], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Input Nomor Hp' successfully	1.194s	PASSED
9	callTestCase(findTestCase("Pages/Create Akun/Input Kota"), ["kota":"Semarang"], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Input Kota' successfully	1.885s	PASSED
10	callTestCase(findTestCase("Pages/Create Akun/Input Alamat"), ["alamat":"Banyumanik"], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Input Alamat' successfully	1.325s	PASSED
11	scrollToText("Sudah punya akun?", STOP_ON_FAILURE) Scrolling to text 'Sudah punya akun?' successfully	5.210s	PASSED
12	callTestCase(findTestCase("Pages/Create Akun/Tap Button Daftar"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Tap Button Daftar' successfully	0.667s	PASSED
13	callTestCase(findTestCase("Pages/Create Akun/Verify no hp empty"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Verify no hp empty' successfully	1.123s	PASSED
14	delay(0, STOP_ON_FAILURE) Delayed 0 second(s)	0.007s	PASSED
15	Start listener action : afterTestCase Close app successfully	1.452s	PASSED

Create42 - User want to create acc with empty kota

Information

ID	Test Cases/Step Definition/Create Akun/Negative/Create42 - User want to create acc with empty kota		
Description			
Tag			
Start	2023-06-30 18:18:01	End	2023-06-30 18:18:57
Elapsed	55.214s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase Starting app with application ID: 'id.binar.fp.secondhand'	25.103s	PASSED
2	callTestCase(findTestCase("Pages/Create Akun/Tap Icon Akun"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Tap Icon Akun' successfully	4.326s	PASSED
3	callTestCase(findTestCase("Pages/Create Akun/Tap Button Masuk Akun Saya"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Tap Button Masuk Akun Saya' successfully	2.733s	PASSED
4	callTestCase(findTestCase("Pages/Create Akun/Tap Daftar Text View"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Tap Daftar Text View' successfully	2.282s	PASSED
5	callTestCase(findTestCase("Pages/Create Akun/Input Nama"), ["nama_user":"Jeno"], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Input Nama' successfully	2.319s	PASSED
6	callTestCase(findTestCase("Pages/Create Akun/Input Email Neg TC"), ["email_user":"jenolee@yopmail.com"], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Input Email Neg TC' successfully	1.920s	PASSED

Create42 - User want to create acc with empty kota

#	Description	Elapsed	Status
7	callTestCase(findTestCase("Pages/Create Akun/Input Password"), [{"password":"jeno1234"}, STOP_ON_FAILURE]) Call Test Case 'Test Cases/Pages/Create Akun/Input Password' successfully	1.185s	PASSED
8	callTestCase(findTestCase("Pages/Create Akun/Input Nomor Hp"), [{"nomor_hp":"089823042304"}, STOP_ON_FAILURE]) Call Test Case 'Test Cases/Pages/Create Akun/Input Nomor Hp' successfully	1.740s	PASSED
9	callTestCase(findTestCase("Pages/Create Akun/Input Kota"), [{"kota":""}, STOP_ON_FAILURE]) Call Test Case 'Test Cases/Pages/Create Akun/Input Kota' successfully	1.259s	PASSED
10	callTestCase(findTestCase("Pages/Create Akun/Input Alamat"), [{"alamat":"Banyumanik"}, STOP_ON_FAILURE]) Call Test Case 'Test Cases/Pages/Create Akun/Input Alamat' successfully	1.435s	PASSED
11	scrollToText("Sudah punya akun?", STOP_ON_FAILURE) Scrolling to text 'Sudah punya akun?' successfully	5.355s	PASSED
12	callTestCase(findTestCase("Pages/Create Akun/Tap Button Daftar"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Tap Button Daftar' successfully	0.915s	PASSED
13	callTestCase(findTestCase("Pages/Create Akun/Verify kota empty"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Verify kota empty' successfully	1.239s	PASSED
14	delay(0, STOP_ON_FAILURE) Delayed 0 second(s)	0.013s	PASSED
15	Start listener action : afterTestCase Close app successfully	1.671s	PASSED

Create43 - User want to create acc with empty alamat

Information

ID	Test Cases/Step Definition/Create Akun/Negative/Create43 - User want to create acc with empty alamat		
Description			
Tag			
Start	2023-06-30 18:18:57	End	2023-06-30 18:19:49
Elapsed	52.060s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase Starting app with application ID: 'id.binar.fp.secondhand'	22.447s	PASSED
2	callTestCase(findTestCase("Pages/Create Akun/Tap Icon Akun"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Tap Icon Akun' successfully	4.573s	PASSED
3	callTestCase(findTestCase("Pages/Create Akun/Tap Button Masuk Akun Saya"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Tap Button Masuk Akun Saya' successfully	2.978s	PASSED
4	callTestCase(findTestCase("Pages/Create Akun/Tap Daftar Text View"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Tap Daftar Text View' successfully	2.158s	PASSED
5	callTestCase(findTestCase("Pages/Create Akun/Input Nama"), ["nama_user":"Jeno"], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Input Nama' successfully	2.329s	PASSED
6	callTestCase(findTestCase("Pages/Create Akun/Input Email Neg TC"), ["email_user":"jenolee@yopmail.com"], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Input Email Neg TC' successfully	1.882s	PASSED

Create43 - User want to create acc with empty alamat

#	Description	Elapsed	Status
7	callTestCase(findTestCase("Pages/Create Akun/Input Password"), [{"password":"jeno1234"}], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Input Password' successfully	1.225s	PASSED
8	callTestCase(findTestCase("Pages/Create Akun/Input Nomor Hp"), [{"nomor_hp":"089823042304"}], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Input Nomor Hp' successfully	1.888s	PASSED
9	callTestCase(findTestCase("Pages/Create Akun/Input Kota"), [{"kota":"Semarang"}], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Input Kota' successfully	1.712s	PASSED
10	callTestCase(findTestCase("Pages/Create Akun/Input Alamat"), [{"alamat":""}], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Input Alamat' successfully	1.719s	PASSED
11	scrollToText("Sudah punya akun?", STOP_ON_FAILURE) Scrolling to text 'Sudah punya akun?' successfully	4.650s	PASSED
12	callTestCase(findTestCase("Pages/Create Akun/Tap Button Daftar"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Tap Button Daftar' successfully	0.642s	PASSED
13	callTestCase(findTestCase("Pages/Create Akun/Verify alamat empty"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Verify alamat empty' successfully	1.271s	PASSED
14	delay(0, STOP_ON_FAILURE) Delayed 0 second(s)	0.005s	PASSED
15	Start listener action : afterTestCase Close app successfully	1.478s	PASSED

Create44 - User want to create acc with invalid email

Information

ID	Test Cases/Step Definition/Create Akun/Negative/Create44 - User want to create acc with invalid email		
Description			
Tag			
Start	2023-06-30 18:19:49	End	2023-06-30 18:20:43
Elapsed	54.405s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase Starting app with application ID: 'id.binar.fp.secondhand'	23.168s	PASSED
2	callTestCase(findTestCase("Pages/Create Akun/Tap Icon Akun"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Tap Icon Akun' successfully	6.103s	PASSED
3	callTestCase(findTestCase("Pages/Create Akun/Tap Button Masuk Akun Saya"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Tap Button Masuk Akun Saya' successfully	2.649s	PASSED
4	callTestCase(findTestCase("Pages/Create Akun/Tap Daftar Text View"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Tap Daftar Text View' successfully	1.965s	PASSED
5	callTestCase(findTestCase("Pages/Create Akun/Input Nama"), ["nama_user":"Jeno"], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Input Nama' successfully	1.895s	PASSED
6	callTestCase(findTestCase("Pages/Create Akun/Input Email Neg TC"), ["email_user":"jenolee"], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Input Email Neg TC' successfully	1.525s	PASSED

Create44 - User want to create acc with invalid email

#	Description	Elapsed	Status
7	callTestCase(findTestCase("Pages/Create Akun/Input Password"), ["password":"jeno1234"], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Input Password' successfully	1.276s	PASSED
8	callTestCase(findTestCase("Pages/Create Akun/Input Nomor Hp"), ["nomor_hp":"089823042304"], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Input Nomor Hp' successfully	1.663s	PASSED
9	callTestCase(findTestCase("Pages/Create Akun/Input Kota"), ["kota":"Semarang"], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Input Kota' successfully	1.707s	PASSED
10	callTestCase(findTestCase("Pages/Create Akun/Input Alamat"), ["alamat":"Banyumanik"], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Input Alamat' successfully	1.748s	PASSED
11	scrollToText("Sudah punya akun?", STOP_ON_FAILURE) Scrolling to text 'Sudah punya akun?' successfully	5.081s	PASSED
12	callTestCase(findTestCase("Pages/Create Akun/Tap Button Daftar"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Tap Button Daftar' successfully	0.734s	PASSED
13	callTestCase(findTestCase("Pages/Create Akun/Verify email invalid"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Verify email invalid' successfully	1.371s	PASSED
14	delay(0, STOP_ON_FAILURE) Delayed 0 second(s)	0.004s	PASSED
15	Start listener action : afterTestCase Close app successfully	1.979s	PASSED

Create45 - User want to create acc with registered email

Information

ID	Test Cases/Step Definition/Create Akun/Negative/Create45 - User want to create acc with registered email		
Description			
Tag			
Start	2023-06-30 18:20:43	End	2023-06-30 18:21:37
Elapsed	53.385s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase Starting app with application ID: 'id.binar.fp.secondhand'	22.756s	PASSED
2	callTestCase(findTestCase("Pages/Create Akun/Tap Icon Akun"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Tap Icon Akun' successfully	5.033s	PASSED
3	callTestCase(findTestCase("Pages/Create Akun/Tap Button Masuk Akun Saya"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Tap Button Masuk Akun Saya' successfully	2.731s	PASSED
4	callTestCase(findTestCase("Pages/Create Akun/Tap Daftar Text View"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Tap Daftar Text View' successfully	2.287s	PASSED
5	callTestCase(findTestCase("Pages/Create Akun/Input Nama"), ["nama_user":"Jeno"], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Input Nama' successfully	1.922s	PASSED
6	callTestCase(findTestCase("Pages/Create Akun/Input Email Neg TC"), ["email_user":"jeno111@yopmail.com"], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Input Email Neg TC' successfully	1.918s	PASSED

Create45 - User want to create acc with registered email

#	Description	Elapsed	Status
7	callTestCase(findTestCase("Pages/Create Akun/Input Password"), [{"password":"jeno1234"}], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Input Password' successfully	1.747s	PASSED
8	callTestCase(findTestCase("Pages/Create Akun/Input Nomor Hp"), [{"nomor_hp":"089823042304"}], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Input Nomor Hp' successfully	1.220s	PASSED
9	callTestCase(findTestCase("Pages/Create Akun/Input Kota"), [{"kota":"Semarang"}], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Input Kota' successfully	1.293s	PASSED
10	callTestCase(findTestCase("Pages/Create Akun/Input Alamat"), [{"alamat":"Banyumanik"}], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Input Alamat' successfully	1.220s	PASSED
11	scrollToText("Sudah punya akun?", STOP_ON_FAILURE) Scrolling to text 'Sudah punya akun?' successfully	5.134s	PASSED
12	callTestCase(findTestCase("Pages/Create Akun/Tap Button Daftar"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Tap Button Daftar' successfully	0.703s	PASSED
13	callTestCase(findTestCase("Pages/Create Akun/Verify Content Neg"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Verify Content Neg' successfully	1.670s	PASSED
14	delay(0, STOP_ON_FAILURE) Delayed 0 second(s)	0.002s	PASSED
15	Start listener action : afterTestCase Close app successfully	1.954s	PASSED

Create46 - User want to createacc with pass less than 6char

Information

ID	Test Cases/Step Definition/Create Akun/Negative/Create46 - User want to createacc with pass less than 6char		
Description			
Tag			
Start	2023-06-30 18:21:37	End	2023-06-30 18:22:36
Elapsed	59.854s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase Starting app with application ID: 'id.binar.fp.secondhand'	26.136s	PASSED
2	callTestCase(findTestCase("Pages/Create Akun/Tap Icon Akun"), [:, STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Tap Icon Akun' successfully	4.009s	PASSED
3	callTestCase(findTestCase("Pages/Create Akun/Tap Button Masuk Akun Saya"), [:, STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Tap Button Masuk Akun Saya' successfully	2.914s	PASSED
4	callTestCase(findTestCase("Pages/Create Akun/Tap Daftar Text View"), [:, STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Tap Daftar Text View' successfully	2.774s	PASSED
5	callTestCase(findTestCase("Pages/Create Akun/Input Nama"), ["nama_user":"Jeno"], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Input Nama' successfully	2.339s	PASSED
6	callTestCase(findTestCase("Pages/Create Akun/Input Email"), [:, STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Input Email' successfully	2.523s	PASSED

Create46 - User want to createacc with pass less than 6char

#	Description	Elapsed	Status
7	callTestCase(findTestCase("Pages/Create Akun/Input Password"), [{"password":"jn23"}, STOP_ON_FAILURE]) Call Test Case 'Test Cases/Pages/Create Akun/Input Password' successfully	1.234s	PASSED
8	callTestCase(findTestCase("Pages/Create Akun/Input Nomor Hp"), [{"nomor_hp":"089823042304"}, STOP_ON_FAILURE]) Call Test Case 'Test Cases/Pages/Create Akun/Input Nomor Hp' successfully	1.714s	PASSED
9	callTestCase(findTestCase("Pages/Create Akun/Input Kota"), [{"kota":"Semarang"}, STOP_ON_FAILURE]) Call Test Case 'Test Cases/Pages/Create Akun/Input Kota' successfully	1.234s	PASSED
10	callTestCase(findTestCase("Pages/Create Akun/Input Alamat"), [{"alamat":"Banyumanik"}, STOP_ON_FAILURE]) Call Test Case 'Test Cases/Pages/Create Akun/Input Alamat' successfully	1.750s	PASSED
11	scrollToText("Sudah punya akun?", STOP_ON_FAILURE) Scrolling to text 'Sudah punya akun?' successfully	5.562s	PASSED
12	callTestCase(findTestCase("Pages/Create Akun/Tap Button Daftar"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Tap Button Daftar' successfully	3.246s	PASSED
13	callTestCase(findTestCase("Pages/Create Akun/Verify Content Neg"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Verify Content Neg' successfully	1.354s	PASSED
14	delay(0, STOP_ON_FAILURE) Delayed 0 second(s)	0.010s	PASSED
15	Start listener action : afterTestCase Close app successfully	1.916s	PASSED

Create47 - User want to createacc with pass more than 12char

Information

ID	Test Cases/Step Definition/Create Akun/Negative/Create47 - User want to createacc with pass more than 12char		
Description			
Tag			
Start	2023-06-30 18:22:36	End	2023-06-30 18:24:08
Elapsed	1m - 31.060s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase Starting app with application ID: 'id.binar.fp.secondhand'	25.690s	PASSED
2	callTestCase(findTestCase("Pages/Create Akun/Tap Icon Akun"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Tap Icon Akun' successfully	3.709s	PASSED
3	callTestCase(findTestCase("Pages/Create Akun/Tap Button Masuk Akun Saya"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Tap Button Masuk Akun Saya' successfully	2.540s	PASSED
4	callTestCase(findTestCase("Pages/Create Akun/Tap Daftar Text View"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Tap Daftar Text View' successfully	2.023s	PASSED
5	callTestCase(findTestCase("Pages/Create Akun/Input Nama"), ["nama_user":"Jeno"], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Input Nama' successfully	2.276s	PASSED
6	callTestCase(findTestCase("Pages/Create Akun/Input Email"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Input Email' successfully	1.467s	PASSED

Create47 - User want to createacc with pass more than 12char

#	Description	Elapsed	Status
7	callTestCase(findTestCase("Pages/Create Akun/Input Password"), ["password":"abcd1234efgh5678"], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Input Password' successfully	1.773s	PASSED
8	callTestCase(findTestCase("Pages/Create Akun/Input Nomor Hp"), ["nomor_hp":"089823042304"], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Input Nomor Hp' successfully	1.798s	PASSED
9	callTestCase(findTestCase("Pages/Create Akun/Input Kota"), ["kota":"Semarang"], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Input Kota' successfully	1.817s	PASSED
10	callTestCase(findTestCase("Pages/Create Akun/Input Alamat"), ["alamat":"Banyumanik"], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Input Alamat' successfully	1.869s	PASSED
11	scrollToText("Sudah punya akun?", STOP_ON_FAILURE) Scrolling to text 'Sudah punya akun?' successfully	5.448s	PASSED
12	callTestCase(findTestCase("Pages/Create Akun/Tap Button Daftar"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Tap Button Daftar' successfully	1.058s	PASSED

Create47 - User want to createacc with pass more than 12char

#	Description	Elapsed	Status
13	<p>callTestCase(findTestCase("Pages/Create Akun/Verify Content Neg"), [:], STOP_ON_FAILURE)</p> <p>Unable to call Test Case 'Test Cases/Pages/Create Akun/Verify Content Neg' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Pages/Create Akun/Verify Content Neg' failed at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword. callTestCase(CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase (BuiltinKeywords.groovy:334) at Create47 - User want to createacc with pass more than 12char.run (Create47 - User want to createacc with pass more than 12char:42) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor. accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor. accessTestSuiteMainPhase(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. java:187) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call (Unknown Source) at TempTestSuite1688123544859.run(TempTestSuite1688123544859. groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Element 'Object Repository/Page_Regis/android.widget.Button - Daftar' not found at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed (KeywordMain.groovy:51) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. stepFailed(MobileKeywordMain.groovy:40) at com.kms.katalon.core.mobile.keyword.builtin. VerifyElementVisibleKeyword\$_verifyElementVisible_closure1.doCall (VerifyElementVisibleKeyword.groovy:82) at com.kms.katalon.core.mobile.keyword.builtin. VerifyElementVisibleKeyword\$_verifyElementVisible_closure1.call (VerifyElementVisibleKeyword.groovy) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:21)</p>	35.601s	FAILED

Create47 - User want to createacc with pass more than 12char

#	Description	Elapsed	Status
	at com.kms.katalon.core.mobile.keyword.builtin. VerifyElementVisibleKeyword.verifyElementVisible(VerifyElementVisibleKeyword. groovy:85) at com.kms.katalon.core.mobile.keyword.builtin. VerifyElementVisibleKeyword.execute(VerifyElementVisibleKeyword.groovy:64) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords. verifyElementVisible(MobileBuiltInKeywords.groovy:2031) at com.kms.katalon.core.mobile.keyword. MobileBuiltInKeywords\$verifyElementVisible\$3.call(Unknown Source) at Verify Content Neg.run(Verify Content Neg:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain. java:144) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy: 59) ... 20 more)		

Create47 - User want to createacc with pass more than 12char

#	Description	Elapsed	Status
---	-------------	---------	--------

6:24  



Akun Saya



Jeno

089823042304

jeno110@yopmail.com



Daftar Jual Saya




Pesanan Saya



Keluar

Version 1.0.0



Create47 - User want to createacc with pass more than 12char

#	Description	Elapsed	Status
14	Start listener action : afterTestCase Close app successfully	2.162s	PASSED

Create48 - Createacc with numb less than 10

Information

ID	Test Cases/Step Definition/Create Akun/Negative/Create48 - Createacc with numb less than 10		
Description			
Tag			
Start	2023-06-30 18:24:08	End	2023-06-30 18:25:36
Elapsed	1m - 28.804s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase Starting app with application ID: 'id.binar.fp.secondhand'	23.706s	PASSED
2	callTestCase(findTestCase("Pages/Create Akun/Tap Icon Akun"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Tap Icon Akun' successfully	5.527s	PASSED
3	callTestCase(findTestCase("Pages/Create Akun/Tap Button Masuk Akun Saya"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Tap Button Masuk Akun Saya' successfully	2.264s	PASSED
4	callTestCase(findTestCase("Pages/Create Akun/Tap Daftar Text View"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Tap Daftar Text View' successfully	2.015s	PASSED
5	callTestCase(findTestCase("Pages/Create Akun/Input Nama"), ["nama_user":"Jeno"], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Input Nama' successfully	2.588s	PASSED
6	callTestCase(findTestCase("Pages/Create Akun/Input Email"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Input Email' successfully	1.315s	PASSED

Create48 - Createacc with numb less than 10

#	Description	Elapsed	Status
7	callTestCase(findTestCase("Pages/Create Akun/Input Password"), [{"password":"jeno1234"}, STOP_ON_FAILURE]) Call Test Case 'Test Cases/Pages/Create Akun/Input Password' successfully	1.847s	PASSED
8	callTestCase(findTestCase("Pages/Create Akun/Input Nomor Hp"), [{"nomor_hp":"0898"}, STOP_ON_FAILURE]) Call Test Case 'Test Cases/Pages/Create Akun/Input Nomor Hp' successfully	1.749s	PASSED
9	callTestCase(findTestCase("Pages/Create Akun/Input Kota"), [{"kota":"Semarang"}, STOP_ON_FAILURE]) Call Test Case 'Test Cases/Pages/Create Akun/Input Kota' successfully	1.810s	PASSED
10	callTestCase(findTestCase("Pages/Create Akun/Input Alamat"), [{"alamat":"Banyumanik"}, STOP_ON_FAILURE]) Call Test Case 'Test Cases/Pages/Create Akun/Input Alamat' successfully	1.726s	PASSED
11	scrollToText("Sudah punya akun?", STOP_ON_FAILURE) Scrolling to text 'Sudah punya akun?' successfully	5.414s	PASSED
12	callTestCase(findTestCase("Pages/Create Akun/Tap Button Daftar"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Tap Button Daftar' successfully	0.802s	PASSED

Create48 - Createacc with numb less than 10

#	Description	Elapsed	Status
13	<p>callTestCase(findTestCase("Pages/Create Akun/Verify Content Neg"), [:], STOP_ON_FAILURE)</p> <p>Unable to call Test Case 'Test Cases/Pages/Create Akun/Verify Content Neg' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Pages/Create Akun/Verify Content Neg' failed at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword. callTestCase(CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase (BuiltinKeywords.groovy:334) at Create48 - Createacc with numb less than 10.run(Create48 - Createacc with numb less than 10:42) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor. accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor. accessTestSuiteMainPhase(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. java:187) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call (Unknown Source) at TempTestSuite1688123544859.run(TempTestSuite1688123544859. groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Element 'Object Repository/Page_Regis/android.widget.Button - Daftar' not found at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed (KeywordMain.groovy:51) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. stepFailed(MobileKeywordMain.groovy:40) at com.kms.katalon.core.mobile.keyword.builtin. VerifyElementVisibleKeyword\$_verifyElementVisible_closure1.doCall (VerifyElementVisibleKeyword.groovy:82) at com.kms.katalon.core.mobile.keyword.builtin. VerifyElementVisibleKeyword\$_verifyElementVisible_closure1.call (VerifyElementVisibleKeyword.groovy) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:21)</p>	33.936s	FAILED

Create48 - Createacc with numb less than 10

#	Description	Elapsed	Status
	at com.kms.katalon.core.mobile.keyword.builtin. VerifyElementVisibleKeyword.verifyElementVisible(VerifyElementVisibleKeyword. groovy:85) at com.kms.katalon.core.mobile.keyword.builtin. VerifyElementVisibleKeyword.execute(VerifyElementVisibleKeyword.groovy:64) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords. verifyElementVisible(MobileBuiltInKeywords.groovy:2031) at com.kms.katalon.core.mobile.keyword. MobileBuiltInKeywords\$verifyElementVisible\$3.call(Unknown Source) at Verify Content Neg.run(Verify Content Neg:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain. java:144) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy: 59) ... 20 more)		

Create48 - Createacc with numb less than 10

#	Description	Elapsed	Status
---	-------------	---------	--------

6:25  



Akun Saya



Jeno

0898

jeno134@yopmail.com



Daftar Jual Saya




Pesanan Saya



Keluar

Version 1.0.0



Create48 - Createacc with numb less than 10

#	Description	Elapsed	Status
14	Start listener action : afterTestCase Close app successfully	2.212s	PASSED

Create49 - Createacc with numb more than 13

Information

ID	Test Cases/Step Definition/Create Akun/Negative/Create49 - Createacc with numb more than 13		
Description			
Tag			
Start	2023-06-30 18:25:36	End	2023-06-30 18:27:09
Elapsed	1m - 32.742s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase Starting app with application ID: 'id.binar.fp.secondhand'	27.250s	PASSED
2	callTestCase(findTestCase("Pages/Create Akun/Tap Icon Akun"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Tap Icon Akun' successfully	5.848s	PASSED
3	callTestCase(findTestCase("Pages/Create Akun/Tap Button Masuk Akun Saya"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Tap Button Masuk Akun Saya' successfully	2.775s	PASSED
4	callTestCase(findTestCase("Pages/Create Akun/Tap Daftar Text View"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Tap Daftar Text View' successfully	2.052s	PASSED
5	callTestCase(findTestCase("Pages/Create Akun/Input Nama"), ["nama_user":"Jeno"], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Input Nama' successfully	2.861s	PASSED
6	callTestCase(findTestCase("Pages/Create Akun/Input Email"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Input Email' successfully	1.245s	PASSED

Create49 - Createacc with numb more than 13

#	Description	Elapsed	Status
7	callTestCase(findTestCase("Pages/Create Akun/Input Password"), [{"password":"jeno1234"}, STOP_ON_FAILURE]) Call Test Case 'Test Cases/Pages/Create Akun/Input Password' successfully	1.699s	PASSED
8	callTestCase(findTestCase("Pages/Create Akun/Input Nomor Hp"), [{"nomor_hp":"08981234042310"}, STOP_ON_FAILURE]) Call Test Case 'Test Cases/Pages/Create Akun/Input Nomor Hp' successfully	1.761s	PASSED
9	callTestCase(findTestCase("Pages/Create Akun/Input Kota"), [{"kota":"Semarang"}, STOP_ON_FAILURE]) Call Test Case 'Test Cases/Pages/Create Akun/Input Kota' successfully	1.299s	PASSED
10	callTestCase(findTestCase("Pages/Create Akun/Input Alamat"), [{"alamat":"Banyumanik"}, STOP_ON_FAILURE]) Call Test Case 'Test Cases/Pages/Create Akun/Input Alamat' successfully	1.811s	PASSED
11	scrollToText("Sudah punya akun?", STOP_ON_FAILURE) Scrolling to text 'Sudah punya akun?' successfully	5.699s	PASSED
12	callTestCase(findTestCase("Pages/Create Akun/Tap Button Daftar"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Tap Button Daftar' successfully	0.899s	PASSED

Create49 - Createacc with numb more than 13

#	Description	Elapsed	Status
13	<p>callTestCase(findTestCase("Pages/Create Akun/Verify Content Neg"), [:], STOP_ON_FAILURE)</p> <p>Unable to call Test Case 'Test Cases/Pages/Create Akun/Verify Content Neg' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Pages/Create Akun/Verify Content Neg' failed at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword. callTestCase(CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase (BuiltinKeywords.groovy:334) at Create49 - Createacc with numb more than 13.run(Create49 - Createacc with numb more than 13:42) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor. accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor. accessTestSuiteMainPhase(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. java:187) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call (Unknown Source) at TempTestSuite1688123544859.run(TempTestSuite1688123544859. groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Element 'Object Repository/Page_Regis/android.widget.Button - Daftar' not found at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed (KeywordMain.groovy:51) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. stepFailed(MobileKeywordMain.groovy:40) at com.kms.katalon.core.mobile.keyword.builtin. VerifyElementVisibleKeyword\$_verifyElementVisible_closure1.doCall (VerifyElementVisibleKeyword.groovy:82) at com.kms.katalon.core.mobile.keyword.builtin. VerifyElementVisibleKeyword\$_verifyElementVisible_closure1.call (VerifyElementVisibleKeyword.groovy) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:21)</p>	33.219s	FAILED

Create49 - Createacc with numb more than 13

#	Description	Elapsed	Status
	at com.kms.katalon.core.mobile.keyword.builtin. VerifyElementVisibleKeyword.verifyElementVisible(VerifyElementVisibleKeyword. groovy:85) at com.kms.katalon.core.mobile.keyword.builtin. VerifyElementVisibleKeyword.execute(VerifyElementVisibleKeyword.groovy:64) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords. verifyElementVisible(MobileBuiltInKeywords.groovy:2031) at com.kms.katalon.core.mobile.keyword. MobileBuiltInKeywords\$verifyElementVisible\$3.call(Unknown Source) at Verify Content Neg.run(Verify Content Neg:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain. java:144) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy: 59) ... 20 more)		

Create49 - Createacc with numb more than 13

#	Description	Elapsed	Status
---	-------------	---------	--------

6:27  



Akun Saya



Jeno

08981234042310

jeno778@yopmail.com



Daftar Jual Saya




Pesanan Saya



Keluar

Version 1.0.0



Create49 - Createacc with numb more than 13

#	Description	Elapsed	Status
14	Start listener action : afterTestCase Close app successfully	2.189s	PASSED

Create50 - Createacc with numb use symbol

Information

ID	Test Cases/Step Definition/Create Akun/Negative/Create50 - Createacc with numb use symbol		
Description			
Tag			
Start	2023-06-30 18:27:09	End	2023-06-30 18:28:38
Elapsed	1m - 28.535s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase Starting app with application ID: 'id.binar.fp.secondhand'	22.915s	PASSED
2	callTestCase(findTestCase("Pages/Create Akun/Tap Icon Akun"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Tap Icon Akun' successfully	5.131s	PASSED
3	callTestCase(findTestCase("Pages/Create Akun/Tap Button Masuk Akun Saya"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Tap Button Masuk Akun Saya' successfully	3.286s	PASSED
4	callTestCase(findTestCase("Pages/Create Akun/Tap Daftar Text View"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Tap Daftar Text View' successfully	2.455s	PASSED
5	callTestCase(findTestCase("Pages/Create Akun/Input Nama"), ["nama_user":"Jeno"], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Input Nama' successfully	1.876s	PASSED
6	callTestCase(findTestCase("Pages/Create Akun/Input Email"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Input Email' successfully	1.799s	PASSED

Create50 - Createacc with numb use symbol

#	Description	Elapsed	Status
7	callTestCase(findTestCase("Pages/Create Akun/Input Password"), [{"password":"jeno1234"}, STOP_ON_FAILURE]) Call Test Case 'Test Cases/Pages/Create Akun/Input Password' successfully	1.204s	PASSED
8	callTestCase(findTestCase("Pages/Create Akun/Input Nomor Hp"), [{"nomor_hp":".....####"}, STOP_ON_FAILURE]) Call Test Case 'Test Cases/Pages/Create Akun/Input Nomor Hp' successfully	1.701s	PASSED
9	callTestCase(findTestCase("Pages/Create Akun/Input Kota"), [{"kota":"Semarang"}, STOP_ON_FAILURE]) Call Test Case 'Test Cases/Pages/Create Akun/Input Kota' successfully	1.718s	PASSED
10	callTestCase(findTestCase("Pages/Create Akun/Input Alamat"), [{"alamat":"Banyumanik"}, STOP_ON_FAILURE]) Call Test Case 'Test Cases/Pages/Create Akun/Input Alamat' successfully	1.698s	PASSED
11	scrollToText("Sudah punya akun?", STOP_ON_FAILURE) Scrolling to text 'Sudah punya akun?' successfully	4.797s	PASSED
12	callTestCase(findTestCase("Pages/Create Akun/Tap Button Daftar"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Create Akun/Tap Button Daftar' successfully	0.716s	PASSED

Create50 - Createacc with numb use symbol

#	Description	Elapsed	Status
13	<p>callTestCase(findTestCase("Pages/Create Akun/Verify Content Neg"), [:], STOP_ON_FAILURE)</p> <p>Unable to call Test Case 'Test Cases/Pages/Create Akun/Verify Content Neg' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Pages/Create Akun/Verify Content Neg' failed at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword. callTestCase(CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase (BuiltinKeywords.groovy:334) at Create50 - Createacc with numb use symbol.run(Create50 - Createacc with numb use symbol:42) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor. accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor. accessTestSuiteMainPhase(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. java:187) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call (Unknown Source) at TempTestSuite1688123544859.run(TempTestSuite1688123544859. groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Element 'Object Repository/Page_Regis/android.widget.Button - Daftar' not found at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed (KeywordMain.groovy:51) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. stepFailed(MobileKeywordMain.groovy:40) at com.kms.katalon.core.mobile.keyword.builtin. VerifyElementVisibleKeyword\$_verifyElementVisible_closure1.doCall (VerifyElementVisibleKeyword.groovy:82) at com.kms.katalon.core.mobile.keyword.builtin. VerifyElementVisibleKeyword\$_verifyElementVisible_closure1.call (VerifyElementVisibleKeyword.groovy) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:21)</p>	34.458s	FAILED

Create50 - Createacc with numb use symbol

#	Description	Elapsed	Status
	at com.kms.katalon.core.mobile.keyword.builtin. VerifyElementVisibleKeyword.verifyElementVisible(VerifyElementVisibleKeyword. groovy:85) at com.kms.katalon.core.mobile.keyword.builtin. VerifyElementVisibleKeyword.execute(VerifyElementVisibleKeyword.groovy:64) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords. verifyElementVisible(MobileBuiltInKeywords.groovy:2031) at com.kms.katalon.core.mobile.keyword. MobileBuiltInKeywords\$verifyElementVisible\$3.call(Unknown Source) at Verify Content Neg.run(Verify Content Neg:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain. java:144) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy: 59) ... 20 more)		

Create50 - Createacc with numb use symbol

#	Description	Elapsed	Status
---	-------------	---------	--------

6:28  



Akun Saya



Jeno

.....####

jeno921@yopmail.com



Daftar Jual Saya




Pesanan Saya



Keluar

Version 1.0.0



Create50 - Createacc with numb use symbol

#	Description	Elapsed	Status
14	Start listener action : afterTestCase Close app successfully	3.016s	PASSED