Negative Update Profil TC

Execution Environment

Host name rezafarandi - 192.168.0.100

Local OSMac OS X 64bitKatalon version8.6.0.208Browsernull

Summary

ID Test Suites/Feature Update Profil/Negative/Negative Update Profil TC

Description

Total 3

Passed 1 Failed 2
Error 0 Incomplete 0

Skipped 0

Start 2023-07-02 00:56:04 End 2023-07-02 01:01:51

Elapsed 5m - 46.286s

#	ID	Description	Status
1	Test Cases/Step Definition/Update Profil/Negative/Profil83 - User want to update pass w incorrect confirmationpass		PASSED
2	Test Cases/Step Definition/Update Profil/Negative/Profil87 - User want to update no hp with less than 10char		FAILED
3	Test Cases/Step Definition/Update Profil/Negative/Profil88 - User want to update no hp w morethan 13char		FAILED

Profil83 - User want to update pass w incorrect confirmationpass

Information

Test Cases/Step Definition/Update Profil/Negative/Profil83 - User want to update pass w incorrect

confirmationpass

Description

Tag

ID

Start 2023-07-02 00:56:41 End 2023-07-02 00:58:13

Elapsed 1m - 32.480s

Status PASSED

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase Starting app with application ID: 'id.binar.fp.secondhand'	33.369s	PASSED
2	callTestCase(findTestCase("Pages/Update Profil/Tap Icon Akun"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Update Profil/Tap Icon Akun' successfully	8.440s	PASSED
3	callTestCase(findTestCase("Pages/Update Profil/Tap Button Masuk Akun Saya"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Update Profil/Tap Button Masuk Akun Saya' successfully	4.822s	PASSED
4	callTestCase(findTestCase("Pages/Update Profil/Input Email"), ["email":"jeno111@yopmail.com"], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Update Profil/Input Email' successfully	5.192s	PASSED
5	callTestCase(findTestCase("Pages/Login/Input Password"), ["password":"jeno1234"], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Login/Input Password' successfully	2.653s	PASSED
6	callTestCase(findTestCase("Pages/Login/Tap Button Masuk"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Login/Tap Button Masuk' successfully	1.119s	PASSED

Profil83 - User want to update pass w incorrect confirmationpass

#	Description	Elapsed	Status
7	callTestCase(findTestCase("Pages/Update Profil/Tap Icon Edit"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Update Profil/Tap Icon Edit' successfully	4.662s	PASSED
8	callTestCase(findTestCase("Pages/Update Profil/Tap Password"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Update Profil/Tap Password' successfully	4.365s	PASSED
9	callTestCase(findTestCase("Pages/Update Profil/Input Pass Lama"), ["pass_lama":"jeno1234"], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Update Profil/Input Pass Lama' successfully	7.087s	PASSED
10	callTestCase(findTestCase("Pages/Update Profil/Input Pass Baru"), ["pass_baru":"jeno0423"], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Update Profil/Input Pass Baru' successfully	4.720s	PASSED
11	callTestCase(findTestCase("Pages/Update Profil/Input Konfirm Pass"), ["pass_konfirm":"jaemin0813"], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Update Profil/Input Konfirm Pass' successfully	4.399s	PASSED
12	callTestCase(findTestCase("Pages/Update Profil/Tap Button Simpan"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Update Profil/Tap Button Simpan' successfully	2.854s	PASSED
13	verifyElementVisible(findTestObject("Page_UpdateProfil/android.widget.TextView - Kata sandi tidak sesuai"), 0) Element 'Object Repository/Page_UpdateProfil/android.widget.TextView - Kata sandi tidak sesuai' is visible	4.316s	PASSED
14	Start listener action : afterTestCase Close app successfully	2.977s	PASSED

Information

Test Cases/Step Definition/Update Profil/Negative/Profil87 - User want to update no hp with less than 10char

Description

Tag

Start 2023-07-02 00:58:13 End 2023-07-02 01:00:06

Elapsed 1m - 53.019s

Status FAILED

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase Starting app with application ID: 'id.binar.fp.secondhand'	30.634s	PASSED
2	callTestCase(findTestCase("Pages/Update Profil/Tap Icon Akun"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Update Profil/Tap Icon Akun' successfully	8.171s	PASSED
3	callTestCase(findTestCase("Pages/Update Profil/Tap Button Masuk Akun Saya"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Update Profil/Tap Button Masuk Akun Saya' successfully	3.639s	PASSED
4	callTestCase(findTestCase("Pages/Update Profil/Input Email"), ["email":"jeno111@yopmail.com"], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Update Profil/Input Email' successfully	6.019s	PASSED
5	callTestCase(findTestCase("Pages/Login/Input Password"), ["password":"jeno1234"], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Login/Input Password' successfully	2.779s	PASSED
6	callTestCase(findTestCase("Pages/Login/Tap Button Masuk"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Login/Tap Button Masuk' successfully	0.917s	PASSED

#	Description	Elapsed	Status
7	callTestCase(findTestCase("Pages/Update Profil/Tap Icon Edit"), [:], STOP_ON_FAILURE)	5.674s	PASSED
	Call Test Case 'Test Cases/Pages/Update Profil/Tap Icon Edit' successfully		
8	callTestCase(findTestCase("Pages/Update Profil/Tap No HP"), [:], STOP_ON_FAILURE)	4.543s	PASSED
	Call Test Case 'Test Cases/Pages/Update Profil/Tap No HP' successfully		
9	callTestCase(findTestCase("Pages/Update Profil/Update No HP"), ["nomor_hp":"0898"], STOP_ON_FAILURE)	7.878s	PASSED
	Call Test Case 'Test Cases/Pages/Update Profil/Update No HP' successfully		
10	callTestCase(findTestCase("Pages/Update Profil/Tap Button Simpan"), [:], STOP_ON_FAILURE)	3.260s	PASSED
	Call Test Case 'Test Cases/Pages/Update Profil/Tap Button Simpan' successfully		

Description	Elapsed	Status
callTestCase(findTestCase("Pages/Update Profil/Verify Negative"), ["content":"Ubah Nomor HP"], STOP_ON_FAILURE)	35.504s	FAILED
Unable to call Test Case 'Test Cases/Pages/Update Profil/Verify Negative' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test		
Cases/Pages/Update Profil/Verify Negative' failed		
at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovg63)	y:	
at com.kms.katalon.core.keyword.builtin.		
CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
(KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword. callTestCase(CallTestCaseKeyword.groovy:81)		
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute		
(CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase		
(BuiltinKeywords.groovy:334) at Profil87 - User want to update no hp with less than 10char.run(Profil87		
- User want to update no hp with less than 10char:38) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript		
(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute		
(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:410)		
at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:285)		
at com.kms.katalon.core.common.CommonExecutor. accessTestCaseMainPhase(CommonExecutor.java:65)		
at com.kms.katalon.core.main.TestSuiteExecutor. accessTestSuiteMainPhase(TestSuiteExecutor.java:148)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:106)		
$at\ com. kms. katalon. core. main. Test Case Main. start Test Suite (Test Suite (T$	n.	
java:187) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call		
(Unknown Source) at TempTestSuite1688234147456.run(TempTestSuite1688234147456.		
groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Element 'Object		
Repository/Page_UpdateProfil/TextView - Ubah Nama' not found at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed		
(KeywordMain.groovy:51)		
at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed(MobileKeywordMain.groovy:40)		
at com.kms.katalon.core.mobile.keyword.builtin. VerifyElementTextKeyword\$_verifyElementText_closure1.doCall		
(VerifyElementTextKeyword.groovy:49) at com.kms.katalon.core.mobile.keyword.builtin.		
VerifyElementTextKeyword\$_verifyElementText_closure1.call		
(VerifyElementTextKeyword.groovy) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.		
runKeyword(MobileKeywordMain.groovy:21)		

10char


Elapsed

Status

Profil87 - User want to update no hp with less than

```
Description
                       at com.kms.katalon.core.mobile.keyword.builtin.
Verify Element Text Keyword. verify Element Text (Verify Element Text Keyword. groovy: \\
                       at com.kms.katalon.core.mobile.keyword.builtin.
 VerifyElementTextKeyword.execute(VerifyElementTextKeyword.groovy:39)
                       at com.kms.katalon.core.keyword.internal.KeywordExecutor.
 executeKeywordForPlatform(KeywordExecutor.groovy:74)
                       at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.
 verifyElementText(MobileBuiltInKeywords.groovy:2901)
                       at com.kms.katalon.core.mobile.keyword.
MobileBuiltInKeywords$verifyElementText$6.call(Unknown Source)
                       at Verify Negative.run(Verify Negative:20)
                       at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
                       at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText
 (ScriptEngine.java:119)
                       at\ com.kms.katalon.core.main.Test Case Executor.run Script
 (TestCaseExecutor.java:448)
                       at com.kms.katalon.core.main.TestCaseExecutor.doExecute
 (TestCaseExecutor.java:439)
                      at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
 (TestCaseExecutor.java:418)
                       at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
 (TestCaseExecutor.java:410)
                       at com.kms.katalon.core.main.TestCaseExecutor.execute
 (TestCaseExecutor.java:285)
                       at\ com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.runTestCase(TestCaseMain.runTestCaseMain.runTestCase(TestCaseMain.runTestCaseMain.runTestCaseMain.runTestCaseMain.runTestCase(TestCaseMain.runTestCaseMain.runTestCaseMain.runTestCase(TestCaseMain.runTestCaseMain.runTestCase(TestCaseMain.runTestCase(TestCaseMain.runTestCase(TestCaseMain.runTestCase(TestCaseMain.runTestCase(TestCaseMain.runTestCase(TestCaseMain.runTestCase(TestCaseMain.runTestCase(TestCaseMain.runTestCase(TestCaseMain.runTestCase(TestCaseMain.runTestCase(TestCaseMain.runTestCase(TestCaseMain.runTestCase(TestCaseMain.runTestCase(TestCaseMain.runTestCase(TestCaseMain.runTestCase(TestCaseMain.runTestCase(TestCase(TestCaseMain.runTestCase(TestCaseMain.runTestCase(TestCaseMain.runTestCase(TestCaseMain.runTestCase(TestCaseMain.runTestCase(TestCaseMain.runTestCase(TestCaseMain.runTestCase(TestCaseMain.runTestCase(TestCaseMain.runTestCase(TestCaseMain.runTestCase(TestCase(TestCaseMain.runTestCase(TestCase(TestCaseMain.runTestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase
java:144)
                       at com.kms.katalon.core.keyword.builtin.
 CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:
 59)
                       ... 20 more
```

Profil87 - User want to update no hp with less than 10char



#	Description	Elapsed	Status
12	Start listener action : afterTestCase	2.925s	PASSED
	Close app successfully		

Information

ID Test Cases/Step Definition/Update Profil/Negative/Profil88 - User want to update no hp w morethan 13char

Description

Tag

Start 2023-07-02 01:00:06 End 2023-07-02 01:01:50

Elapsed 1m - 43.271s

Status FAILED

Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase Starting app with application ID: 'id.binar.fp.secondhand'	27.588s	PASSED
2	callTestCase(findTestCase("Pages/Update Profil/Tap Icon Akun"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Update Profil/Tap Icon Akun' successfully	3.980s	PASSED
3	callTestCase(findTestCase("Pages/Update Profil/Tap Button Masuk Akun Saya"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Update Profil/Tap Button Masuk Akun Saya' successfully	6.417s	PASSED
4	callTestCase(findTestCase("Pages/Update Profil/Input Email"), ["email":"jeno111@yopmail.com"], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Update Profil/Input Email' successfully	5.753s	PASSED
5	callTestCase(findTestCase("Pages/Login/Input Password"), ["password":"jeno1234"], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Login/Input Password' successfully	2.631s	PASSED
6	callTestCase(findTestCase("Pages/Login/Tap Button Masuk"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Pages/Login/Tap Button Masuk' successfully	0.833s	PASSED

#	Description	Elapsed	Status
7	callTestCase(findTestCase("Pages/Update Profil/Tap Icon Edit"), [:], STOP_ON_FAILURE)	4.014s	PASSED
	Call Test Case 'Test Cases/Pages/Update Profil/Tap Icon Edit' successfully		
8	callTestCase(findTestCase("Pages/Update Profil/Tap No HP"), [:], STOP_ON_FAILURE)	5.515s	PASSED
	Call Test Case 'Test Cases/Pages/Update Profil/Tap No HP' successfully		
9	callTestCase(findTestCase("Pages/Update Profil/Update No HP"), ["nomor_hp":"08980423042308"], STOP_ON_FAILURE)	4.557s	PASSED
	Call Test Case 'Test Cases/Pages/Update Profil/Update No HP' successfully		
10	callTestCase(findTestCase("Pages/Update Profil/Tap Button Simpan"), [:], STOP_ON_FAILURE)	3.912s	PASSED
	Call Test Case 'Test Cases/Pages/Update Profil/Tap Button Simpan' successfully		

#	Description	Elapsed	Status
11	callTestCase(findTestCase("Pages/Update Profil/Verify Negative"), ["content":"Ubah Nomor HP"], STOP_ON_FAILURE)	34.344s	FAILED
	Unable to call Test Case 'Test Cases/Pages/Update Profil/Verify Negative' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Pages/Update Profil/Verify Negative' failed		
	at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:		
	63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)		
	at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75)		
	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword. callTestCase(CallTestCaseKeyword.groovy:81)		
	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase		
	(BuiltinKeywords.groovy:334) at Profil88 - User want to update no hp w morethan 13char.run(Profil88 -		
	User want to update no hp w morethan 13char:38) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText		
	(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript		
	(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.		
	accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.		
	accessTestSuiteMainPhase(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute		
	(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:187)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call (Unknown Source)		
	at TempTestSuite1688234147456.run(TempTestSuite1688234147456. groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Element 'Object		
	Repository/Page_UpdateProfil/TextView - Ubah Nama' not found at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed		
	(KeywordMain.groovy:51) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.		
	stepFailed(MobileKeywordMain.groovy:40) at com.kms.katalon.core.mobile.keyword.builtin. VerifyElementTextKeyword\$_verifyElementText_closure1.doCall		
	(VerifyElementTextKeyword.groovy:49) at com.kms.katalon.core.mobile.keyword.builtin.		
	VerifyElementTextKeyword\$_verifyElementText_closure1.call (VerifyElementTextKeyword.groovy) at com kms katalon core mobile keyword internal MobileKeywordMain		


at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.

runKeyword(MobileKeywordMain.groovy:21)

Status

```
Description
                                                                                                                                                                                                                           Elapsed
                       at com.kms.katalon.core.mobile.keyword.builtin.
Verify Element Text Keyword. verify Element Text (Verify Element Text Keyword. groovy: \\
                       at com.kms.katalon.core.mobile.keyword.builtin.
 VerifyElementTextKeyword.execute(VerifyElementTextKeyword.groovy:39)
                       at com.kms.katalon.core.keyword.internal.KeywordExecutor.
 executeKeywordForPlatform(KeywordExecutor.groovy:74)
                       at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.
 verifyElementText(MobileBuiltInKeywords.groovy:2901)
                       at com.kms.katalon.core.mobile.keyword.
MobileBuiltInKeywords$verifyElementText$6.call(Unknown Source)
                       at Verify Negative.run(Verify Negative:20)
                       at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
                       at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText
 (ScriptEngine.java:119)
                       at\ com.kms.katalon.core.main.Test Case Executor.run Script
 (TestCaseExecutor.java:448)
                       at com.kms.katalon.core.main.TestCaseExecutor.doExecute
 (TestCaseExecutor.java:439)
                      at\ com.kms. katalon. core. main. Test Case Executor. process Execution Phase
 (TestCaseExecutor.java:418)
                       at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
 (TestCaseExecutor.java:410)
                       at com.kms.katalon.core.main.TestCaseExecutor.execute
 (TestCaseExecutor.java:285)
                       at\ com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.runTestCase(TestCaseMain.runTestCaseMain.runTestCase(TestCaseMain.runTestCaseMain.runTestCaseMain.runTestCaseMain.runTestCase(TestCaseMain.runTestCaseMain.runTestCaseMain.runTestCase(TestCaseMain.runTestCaseMain.runTestCase(TestCaseMain.runTestCase(TestCaseMain.runTestCase(TestCaseMain.runTestCase(TestCaseMain.runTestCase(TestCaseMain.runTestCase(TestCaseMain.runTestCase(TestCaseMain.runTestCase(TestCaseMain.runTestCase(TestCaseMain.runTestCase(TestCaseMain.runTestCase(TestCaseMain.runTestCase(TestCaseMain.runTestCase(TestCaseMain.runTestCase(TestCaseMain.runTestCase(TestCaseMain.runTestCase(TestCaseMain.runTestCase(TestCase(TestCaseMain.runTestCase(TestCaseMain.runTestCase(TestCaseMain.runTestCase(TestCaseMain.runTestCase(TestCaseMain.runTestCase(TestCaseMain.runTestCase(TestCaseMain.runTestCase(TestCaseMain.runTestCase(TestCaseMain.runTestCase(TestCaseMain.runTestCase(TestCase(TestCaseMain.runTestCase(TestCase(TestCaseMain.runTestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase(TestCase
java:144)
                       at com.kms.katalon.core.keyword.builtin.
 CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:
 59)
```

... 20 more



#	Description	Elapsed	Status
12	Start listener action : afterTestCase	2.439s	PASSED
	Close app successfully		