

# Feature Negative Login

## Execution Environment

Host name	SpaceBuzz - DESKTOP-FJO8S79
Local OS	Windows 10 64bit
Katalon version	8.6.0.208
Browser	Chrome 114.0.0.0

## Summary

ID	Test Suites/Feature/Login/Feature Negative Login		
Description			
Total	7		
Passed	7	Failed	0
Error	0	Incomplete	0
Skipped	0		
Start	2023-06-30 18:06:58	End	2023-06-30 18:13:21
Elapsed	6m - 22.585s		

#	ID	Description	Status
1	Test Cases/Step Definition/Feature Login/Positive/31 - User wants to login with correct credential		PASSED
2	Test Cases/Step Definition/Feature Login/Negative/32 - User wants to login with invalid email and invalid password		PASSED
3	Test Cases/Step Definition/Feature Login/Negative/33 - User wants to login with invalid email and valid password		PASSED
4	Test Cases/Step Definition/Feature Login/Negative/34 - User wants to login with valid email and invalid password		PASSED
5	Test Cases/Step Definition/Feature Login/Negative/35 - User wants to login with empty email and empty password		PASSED
6	Test Cases/Step Definition/Feature Login/Negative/36 - User wants to login with empty email		PASSED
7	Test Cases/Step Definition/Feature Login/Negative/37 - User wants to login with empty password		PASSED

## 31 - User wants to login with correct credential

### Information

ID	Test Cases/Step Definition/Feature Login/Positive/31 - User wants to login with correct credential		
Description			
Tag			
Start	2023-06-30 18:07:26	End	2023-06-30 18:08:36
Elapsed	1m - 10.458s		
Status	PASSED		

### Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase  <a href="https://secondhand.binaracademy.org/">Navigate to 'https://secondhand.binaracademy.org/' successfully</a>	10.840s	PASSED
2	callTestCase(findTestCase("Pages/Home Before Login/Click Login Home Page"), [:], STOP_ON_FAILURE)  <a href="#">Call Test Case 'Test Cases/Pages/Home Before Login/Click Login Home Page' successfully</a>	5.662s	PASSED
3	callTestCase(findTestCase("Pages/Login/Verify Content Login Page"), [:], STOP_ON_FAILURE)  <a href="#">Call Test Case 'Test Cases/Pages/Login/Verify Content Login Page' successfully</a>	13.534s	PASSED
4	callTestCase(findTestCase("Pages/Login/Input Email"), ["email":loginemail], STOP_ON_FAILURE)  <a href="#">Call Test Case 'Test Cases/Pages/Login/Input Email' successfully</a>	12.131s	PASSED
5	callTestCase(findTestCase("Pages/Login/Input Password"), ["password":loginpassword], STOP_ON_FAILURE)  <a href="#">Call Test Case 'Test Cases/Pages/Login/Input Password' successfully</a>	6.285s	PASSED
6	callTestCase(findTestCase("Pages/Login/Click Login"), [:], STOP_ON_FAILURE)  <a href="#">Call Test Case 'Test Cases/Pages/Login/Click Login' successfully</a>	6.872s	PASSED

## 31 - User wants to login with correct credential

---

#	Description	Elapsed	Status
7	callTestCase(findTestCase("Pages/Home After Login/Verify Content Home Page After Login"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Pages/Home After Login/Verify Content Home Page After Login' successfully	8.521s	PASSED
8	Start listener action : afterTestCase  Browser is closed	2.299s	PASSED

## 32 - User wants to login with invalid email and invalid password

### Information

ID	Test Cases/Step Definition/Feature Login/Negative/32 - User wants to login with invalid email and invalid password		
Description			
Tag			
Start	2023-06-30 18:08:36	End	2023-06-30 18:09:26
Elapsed	49.761s		
Status	PASSED		

### Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase  <a href="https://secondhand.binaracademy.org/">Navigate to 'https://secondhand.binaracademy.org/' successfully</a>	8.110s	PASSED
2	callTestCase(findTestCase("Pages/Home Before Login/Click Login Home Page"), [:], STOP_ON_FAILURE)  <a href="#">Call Test Case 'Test Cases/Pages/Home Before Login/Click Login Home Page' successfully</a>	2.069s	PASSED
3	callTestCase(findTestCase("Pages/Login/Verify Content Login Page"), [:], STOP_ON_FAILURE)  <a href="#">Call Test Case 'Test Cases/Pages/Login/Verify Content Login Page' successfully</a>	7.274s	PASSED
4	callTestCase(findTestCase("Pages/Login/Input Email"), ["email":invalidemail], STOP_ON_FAILURE)  <a href="#">Call Test Case 'Test Cases/Pages/Login/Input Email' successfully</a>	5.040s	PASSED
5	callTestCase(findTestCase("Pages/Login/Input Password"), ["password":invalidpassword], STOP_ON_FAILURE)  <a href="#">Call Test Case 'Test Cases/Pages/Login/Input Password' successfully</a>	6.912s	PASSED
6	callTestCase(findTestCase("Pages/Login/Click Login"), [:], STOP_ON_FAILURE)  <a href="#">Call Test Case 'Test Cases/Pages/Login/Click Login' successfully</a>	2.935s	PASSED

## 32 - User wants to login with invalid email and invalid password

---

#	Description	Elapsed	Status
7	callTestCase(findTestCase("Pages/Login/Error Message"), [{"errortext":"","expected":"Invalid Email or password."}], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Pages/Login/Error Message' successfully	9.024s	PASSED
8	Start listener action : afterTestCase  Browser is closed	3.349s	PASSED

# 33 - User wants to login with invalid email and valid password

## Information

ID	Test Cases/Step Definition/Feature Login/Negative/33 - User wants to login with invalid email and valid password		
Description			
Tag			
Start	2023-06-30 18:09:26	End	2023-06-30 18:10:06
Elapsed	40.419s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase  <a href="#">Navigate to 'https://secondhand.binaracademy.org/' successfully</a>	8.573s	PASSED
2	callTestCase(findTestCase("Pages/Home Before Login/Click Login Home Page"), [:], STOP_ON_FAILURE)  <a href="#">Call Test Case 'Test Cases/Pages/Home Before Login/Click Login Home Page' successfully</a>	1.582s	PASSED
3	callTestCase(findTestCase("Pages/Login/Verify Content Login Page"), [:], STOP_ON_FAILURE)  <a href="#">Call Test Case 'Test Cases/Pages/Login/Verify Content Login Page' successfully</a>	6.002s	PASSED
4	callTestCase(findTestCase("Pages/Login/Input Email"), ["email":invalidemail], STOP_ON_FAILURE)  <a href="#">Call Test Case 'Test Cases/Pages/Login/Input Email' successfully</a>	3.070s	PASSED
5	callTestCase(findTestCase("Pages/Login/Input Password"), ["password":loginpassword], STOP_ON_FAILURE)  <a href="#">Call Test Case 'Test Cases/Pages/Login/Input Password' successfully</a>	4.262s	PASSED
6	callTestCase(findTestCase("Pages/Login/Click Login"), [:], STOP_ON_FAILURE)  <a href="#">Call Test Case 'Test Cases/Pages/Login/Click Login' successfully</a>	2.977s	PASSED

### 33 - User wants to login with invalid email and valid password

---

#	Description	Elapsed	Status
7	callTestCase(findTestCase("Pages/Login/Error Message"), [{"errortext":"","expected":"Invalid Email or password."}], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Pages/Login/Error Message' successfully	5.786s	PASSED
8	Start listener action : afterTestCase  Browser is closed	4.230s	PASSED

# 34 - User wants to login with valid email and invalid password

## Information

ID	Test Cases/Step Definition/Feature Login/Negative/34 - User wants to login with valid email and invalid password		
Description			
Tag			
Start	2023-06-30 18:10:06	End	2023-06-30 18:10:47
Elapsed	40.657s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase  <a href="#">Navigate to 'https://secondhand.binaracademy.org/' successfully</a>	8.315s	PASSED
2	callTestCase(findTestCase("Pages/Home Before Login/Click Login Home Page"), [:], STOP_ON_FAILURE)  <a href="#">Call Test Case 'Test Cases/Pages/Home Before Login/Click Login Home Page' successfully</a>	1.391s	PASSED
3	callTestCase(findTestCase("Pages/Login/Verify Content Login Page"), [:], STOP_ON_FAILURE)  <a href="#">Call Test Case 'Test Cases/Pages/Login/Verify Content Login Page' successfully</a>	5.733s	PASSED
4	callTestCase(findTestCase("Pages/Login/Input Email"), ["email":loginemail], STOP_ON_FAILURE)  <a href="#">Call Test Case 'Test Cases/Pages/Login/Input Email' successfully</a>	2.466s	PASSED
5	callTestCase(findTestCase("Pages/Login/Input Password"), ["password":invalidpassword], STOP_ON_FAILURE)  <a href="#">Call Test Case 'Test Cases/Pages/Login/Input Password' successfully</a>	4.397s	PASSED
6	callTestCase(findTestCase("Pages/Login/Click Login"), [:], STOP_ON_FAILURE)  <a href="#">Call Test Case 'Test Cases/Pages/Login/Click Login' successfully</a>	2.517s	PASSED



# 34 - User wants to login with valid email and invalid password

---

#	Description	Elapsed	Status
7	callTestCase(findTestCase("Pages/Login/Error Message"), [{"errortext":"","expected":"Invalid Email or password."}], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Pages/Login/Error Message' successfully	5.271s	PASSED
8	Start listener action : afterTestCase  Browser is closed	6.850s	PASSED

## 35 - User wants to login with empty email and empty password

### Information

ID	Test Cases/Step Definition/Feature Login/Negative/35 - User wants to login with empty email and empty password		
Description			
Tag			
Start	2023-06-30 18:10:47	End	2023-06-30 18:11:20
Elapsed	32.679s		
Status	PASSED		

### Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase  <a href="https://secondhand.binaracademy.org/">Navigate to 'https://secondhand.binaracademy.org/'</a> successfully	8.024s	PASSED
2	callTestCase(findTestCase("Pages/Home Before Login/Click Login Home Page"), [:], STOP_ON_FAILURE)  <a href="#">Call Test Case 'Test Cases/Pages/Home Before Login/Click Login Home Page'</a> successfully	1.569s	PASSED
3	callTestCase(findTestCase("Pages/Login/Verify Content Login Page"), [:], STOP_ON_FAILURE)  <a href="#">Call Test Case 'Test Cases/Pages/Login/Verify Content Login Page'</a> successfully	5.903s	PASSED
4	callTestCase(findTestCase("Pages/Login/Click Login"), [:], STOP_ON_FAILURE)  <a href="#">Call Test Case 'Test Cases/Pages/Login/Click Login'</a> successfully	1.483s	PASSED
5	callTestCase(findTestCase("Pages/Login/Textfield Email Suggest Message"), [:], STOP_ON_FAILURE)  <a href="#">Call Test Case 'Test Cases/Pages/Login/Textfield Email Suggest Message'</a> successfully	7.834s	PASSED
6	Start listener action : afterTestCase  <a href="#">Browser is closed</a>	4.855s	PASSED

## 36 - User wants to login with empty email

### Information

ID	Test Cases/Step Definition/Feature Login/Negative/36 - User wants to login with empty email		
Description			
Tag			
Start	2023-06-30 18:11:20	End	2023-06-30 18:11:52
Elapsed	32.306s		
Status	PASSED		

### Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase  <a href="https://secondhand.binaracademy.org/">Navigate to 'https://secondhand.binaracademy.org/' successfully</a>	8.797s	PASSED
2	callTestCase(findTestCase("Pages/Home Before Login/Click Login Home Page"), [:], STOP_ON_FAILURE)  <a href="#">Call Test Case 'Test Cases/Pages/Home Before Login/Click Login Home Page' successfully</a>	1.528s	PASSED
3	callTestCase(findTestCase("Pages/Login/Verify Content Login Page"), [:], STOP_ON_FAILURE)  <a href="#">Call Test Case 'Test Cases/Pages/Login/Verify Content Login Page' successfully</a>	5.828s	PASSED
4	callTestCase(findTestCase("Pages/Login/Input Password"), [{"password":loginpassword}], STOP_ON_FAILURE)  <a href="#">Call Test Case 'Test Cases/Pages/Login/Input Password' successfully</a>	3.444s	PASSED
5	callTestCase(findTestCase("Pages/Login/Click Login"), [:], STOP_ON_FAILURE)  <a href="#">Call Test Case 'Test Cases/Pages/Login/Click Login' successfully</a>	1.923s	PASSED
6	callTestCase(findTestCase("Pages/Login/Textfield Email Suggest Message"), [:], STOP_ON_FAILURE)  <a href="#">Call Test Case 'Test Cases/Pages/Login/Textfield Email Suggest Message' successfully</a>	3.066s	PASSED

# 36 - User wants to login with empty email

---

#	Description	Elapsed	Status
7	Start listener action : afterTestCase	3.788s	PASSED
	Browser is closed		

## 37 - User wants to login with empty password

### Information

ID	Test Cases/Step Definition/Feature Login/Negative/37 - User wants to login with empty password		
Description			
Tag			
Start	2023-06-30 18:11:52	End	2023-06-30 18:12:32
Elapsed	39.390s		
Status	PASSED		

### Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase  <a href="https://secondhand.binaracademy.org/">Navigate to 'https://secondhand.binaracademy.org/' successfully</a>	9.281s	PASSED
2	callTestCase(findTestCase("Pages/Home Before Login/Click Login Home Page"), [:, STOP_ON_FAILURE)  <a href="#">Call Test Case 'Test Cases/Pages/Home Before Login/Click Login Home Page' successfully</a>	1.535s	PASSED
3	callTestCase(findTestCase("Pages/Login/Verify Content Login Page"), [:, STOP_ON_FAILURE)  <a href="#">Call Test Case 'Test Cases/Pages/Login/Verify Content Login Page' successfully</a>	5.708s	PASSED
4	callTestCase(findTestCase("Pages/Login/Input Email"), ["email":loginemail], STOP_ON_FAILURE)  <a href="#">Call Test Case 'Test Cases/Pages/Login/Input Email' successfully</a>	2.817s	PASSED
5	callTestCase(findTestCase("Pages/Login/Click Login"), [:, STOP_ON_FAILURE)  <a href="#">Call Test Case 'Test Cases/Pages/Login/Click Login' successfully</a>	2.000s	PASSED
6	callTestCase(findTestCase("Pages/Login/Textfield Password Suggest Message"), [:, STOP_ON_FAILURE)  <a href="#">Call Test Case 'Test Cases/Pages/Login/Textfield Password Suggest Message' successfully</a>	9.961s	PASSED

## 37 - User wants to login with empty password

---

#	Description	Elapsed	Status
7	Start listener action : afterTestCase  Browser is closed	4.612s	PASSED