

# Negative Bid Product

## Execution Environment

Host name	SpaceBuzz - DESKTOP-FJO8S79
Local OS	Windows 10 64bit
Katalon version	8.6.0.208
Browser	Chrome 114.0.0.0

## Summary

ID	Test Suites/Feature/Bid Product/Negative Bid Product		
Description			
Total	5		
Passed	2	Failed	3
Error	0	Incomplete	0
Skipped	0		
Start	2023-06-30 19:09:06	End	2023-06-30 19:19:10
Elapsed	10m - 4.479s		

#	ID	Description	Status
1	Test Cases/Step Definition/Feature Bid Product/Negative/142	- User wants to make a bid product use alphabet character	PASSED
2	Test Cases/Step Definition/Feature Bid Product/Negative/144	- User wants to make a bid product use negative numeric character	FAILED
3	Test Cases/Step Definition/Feature Bid Product/Negative/145	- User wants to make a bid product use special character	PASSED
4	Test Cases/Step Definition/Feature Bid Product/Negative/147	- User wants to bid a product use empty character	FAILED
5	Test Cases/Step Definition/Feature Bid Product/Negative/147a	- User wants to bid a product use 0 price	FAILED

# 142 - User wants to make a bid product use alphabet character

## Information

ID	Test Cases/Step Definition/Feature Bid Product/Negative/142 - User wants to make a bid product use alphabet character		
Description			
Tag			
Start	2023-06-30 19:09:45	End	2023-06-30 19:12:06
Elapsed	2m - 21.530s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase  <a href="https://secondhand.binaracademy.org/">Navigate to 'https://secondhand.binaracademy.org/' successfully</a>	26.750s	PASSED
2	callTestCase(findTestCase("Step Definition/Feature Login/Positive/31 - User wants to login with correct credential"), [:], STOP_ON_FAILURE)  <a href="#">Call Test Case 'Test Cases/Step Definition/Feature Login/Positive/31 - User wants to login with correct credential' successfully</a>	1m - 8.625s	PASSED
3	intindex = "2"	0.002s	PASSED
4	println("_____I am inside parameterize object index product : " + intindex) + "_____"	0.115s	PASSED
5	xpath = "//div[@id=products]/div[" + intindex + "]"	0.005s	PASSED
6	click(findTestObject("Page_Home After Login/card_Product_available", ["index":intindex]))  <a href="#">Object: 'Object Repository/Page_Home After Login/card_Product_available' is clicked on</a>	2.284s	PASSED

## 142 - User wants to make a bid product use alphabet character

---

#	Description	Elapsed	Status
7	callTestCase(findTestCase("Pages/Bid Product/Verify Content"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Pages/Bid Product/Verify Content' successfully	14.328s	PASSED
8	callTestCase(findTestCase("Pages/Bid Product/Click Bid Product"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Pages/Bid Product/Click Bid Product' successfully	3.931s	PASSED
9	callTestCase(findTestCase("Pages/Bid Product/Input Product Price"), ["productbidprice":"Sepuluh ribu"], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Pages/Bid Product/Input Product Price' successfully	4.573s	PASSED
10	callTestCase(findTestCase("Pages/Bid Product/Click Kirim"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Pages/Bid Product/Click Kirim' successfully	3.592s	PASSED
11	callTestCase(findTestCase("Pages/Bid Product/Verify Popup Input Bid Price"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Pages/Bid Product/Verify Popup Input Bid Price' successfully	9.634s	PASSED
12	Start listener action : afterTestCase  Browser is closed	2.973s	PASSED

# 144 - User wants to make a bid product use negative numeric character

## Information

ID	Test Cases/Step Definition/Feature Bid Product/Negative/144 - User wants to make a bid product use negative numeric character		
Description			
Tag			
Start	2023-06-30 19:12:06	End	2023-06-30 19:14:04
Elapsed	1m - 57.343s		
Status	FAILED		

## Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase  <a href="https://secondhand.binaracademy.org/">Navigate to 'https://secondhand.binaracademy.org/' successfully</a>	10.662s	PASSED
2	callTestCase(findTestCase("Step Definition/Feature Login/Positive/31 - User wants to login with correct credential"), [:], STOP_ON_FAILURE)  <a href="#">Call Test Case 'Test Cases/Step Definition/Feature Login/Positive/31 - User wants to login with correct credential' successfully</a>	59.101s	PASSED
3	intindex = "3"	0.001s	PASSED
4	println("_____I am inside parameterize object index product : " + intindex + "_____")	0.004s	PASSED
5	xpath = "//div[@id=products]/div[" + intindex + "]"	0.003s	PASSED
6	click(findTestObject("Page_Home After Login/card_Product_available", ["index":intindex]))  <a href="#">Object: 'Object Repository/Page_Home After Login/card_Product_available' is clicked on</a>	4.087s	PASSED

144 - User wants to make a bid product use negative numeric character

---

#	Description	Elapsed	Status
---	-------------	---------	--------


## 144 - User wants to make a bid product use negative numeric character

#	Description	Elapsed	Status
7	<p>callTestCase(findTestCase("Pages/Bid Product/Verify Content"), [:], STOP_ON_FAILURE)</p> <p>Unable to call Test Case 'Test Cases/Pages/Bid Product/Verify Content' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Pages/Bid Product/Verify Content' failed at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at 144 - User wants to make a bid product use negative numeric character.run (144 - User wants to make a bid product use negative numeric character:32) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 187) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1688126898957.run(TempTestSuite1688126898957.groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/Page_Bid Product/button_Bidproduct' is visible at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementVisibleKeyword. verifyElementVisible(VerifyElementVisibleKeyword.groovy:97) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementVisibleKeyword. execute(VerifyElementVisibleKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)</p>	36.567s	FAILED

## 144 - User wants to make a bid product use negative numeric character

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.verifyElementVisible(WebUiBuiltInKeywords.groovy:376) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$verifyElementVisible\$3.call(Unknown Source) at Verify Content.run(Verify Content:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:144) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 20 more Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/Page_Bid Product/button_Bidproduct' located by '//*[@class = 'btn btn-lg btn-primary fs-6 rounded-4 w-100 mb-3 py-3 fw-bold' and (text() = 'Saya tertarik dan ingin nego' or . = 'Saya tertarik dan ingin nego'))' not found at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementVisibleKeyword\$_verifyElementVisible_closure1.doCall(VerifyElementVisibleKeyword.groovy:89) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementVisibleKeyword\$_verifyElementVisible_closure1.call(VerifyElementVisibleKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:20) ... 35 more )</pre>		

144 - User wants to make a bid product use negative numeric character

#	Description	Elapsed	Status
			
8	Start listener action : afterTestCase  Browser is closed	3.968s	PASSED



# 145 - User wants to make a bid product use special character

## Information

ID	Test Cases/Step Definition/Feature Bid Product/Negative/145 - User wants to make a bid product use special character		
Description			
Tag			
Start	2023-06-30 19:14:04	End	2023-06-30 19:15:21
Elapsed	1m - 17.607s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase  <a href="https://secondhand.binaracademy.org/">Navigate to 'https://secondhand.binaracademy.org/' successfully</a>	8.010s	PASSED
2	callTestCase(findTestCase("Step Definition/Feature Login/Positive/31 - User wants to login with correct credential"), [:], STOP_ON_FAILURE)  <a href="#">Call Test Case 'Test Cases/Step Definition/Feature Login/Positive/31 - User wants to login with correct credential' successfully</a>	29.585s	PASSED
3	intindex = "4"	0.001s	PASSED
4	println("_____I am inside parameterize object index product : " + intindex + "_____")	0.003s	PASSED
5	xpath = "//div[@id=products]/div[" + intindex + "]"	0.001s	PASSED
6	click(findTestObject("Page_Home After Login/card_Product_available", ["index":intindex]))  <a href="#">Object: 'Object Repository/Page_Home After Login/card_Product_available' is clicked on</a>	2.782s	PASSED

## 145 - User wants to make a bid product use special character

---

#	Description	Elapsed	Status
7	callTestCase(findTestCase("Pages/Bid Product/Verify Content"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Pages/Bid Product/Verify Content' successfully	19.950s	PASSED
8	callTestCase(findTestCase("Pages/Bid Product/Click Bid Product"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Pages/Bid Product/Click Bid Product' successfully	1.822s	PASSED
9	callTestCase(findTestCase("Pages/Bid Product/Input Product Price"), ["productbidprice": "!-(*#(*\$@^\$(*^+_){"}], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Pages/Bid Product/Input Product Price' successfully	3.083s	PASSED
10	callTestCase(findTestCase("Pages/Bid Product/Click Kirim"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Pages/Bid Product/Click Kirim' successfully	1.778s	PASSED
11	callTestCase(findTestCase("Pages/Bid Product/Verify Popup Input Bid Price"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Pages/Bid Product/Verify Popup Input Bid Price' successfully	3.387s	PASSED
12	Start listener action : afterTestCase  Browser is closed	2.673s	PASSED

# 147 - User wants to bid a product use empty character

## Information

ID	Test Cases/Step Definition/Feature Bid Product/Negative/147 - User wants to bid a product use empty character		
Description			
Tag			
Start	2023-06-30 19:15:21	End	2023-06-30 19:16:44
Elapsed	1m - 22.714s		
Status	FAILED		

## Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase  <a href="https://secondhand.binaracademy.org/">Navigate to 'https://secondhand.binaracademy.org/' successfully</a>	10.372s	PASSED
2	callTestCase(findTestCase("Step Definition/Feature Login/Positive/31 - User wants to login with correct credential"), [:], STOP_ON_FAILURE)  <a href="#">Call Test Case 'Test Cases/Step Definition/Feature Login/Positive/31 - User wants to login with correct credential' successfully</a>	24.225s	PASSED
3	intindex = "5"	0.001s	PASSED
4	println("_____I am inside parameterize object index product : " + intindex + "_____")	0.005s	PASSED
5	xpath = "//div[@id=products]/div[" + intindex + "]"	0.003s	PASSED
6	click(findTestObject("Page_Home After Login/card_Product_available", ["index":intindex]))  <a href="#">Object: 'Object Repository/Page_Home After Login/card_Product_available' is clicked on</a>	7.558s	PASSED

147 - User wants to bid a product use empty character

---


#	Description	Elapsed	Status
---	-------------	---------	--------

## 147 - User wants to bid a product use empty character


#	Description	Elapsed	Status
7	<p>callTestCase(findTestCase("Pages/Bid Product/Verify Content"), [:], STOP_ON_FAILURE)</p> <p>Unable to call Test Case 'Test Cases/Pages/Bid Product/Verify Content' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Pages/Bid Product/Verify Content' failed at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at 147 - User wants to bid a product use empty character.run(147 - User wants to bid a product use empty character:32) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 187) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1688126898957.run(TempTestSuite1688126898957.groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/Page_Bid Product/button_Bidproduct' is visible at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementVisibleKeyword. verifyElementVisible(VerifyElementVisibleKeyword.groovy:97) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementVisibleKeyword. execute(VerifyElementVisibleKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.</p>	34.401s	FAILED

## 147 - User wants to bid a product use empty character

#	Description	Elapsed	Status
	<pre>verifyElementVisible(WebUiBuiltInKeywords.groovy:376)   at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords\$verifyElementVisible\$3.call(Unknown Source)   at Verify Content.run(Verify Content:20)   at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)   at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)   at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)   at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)   at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)   at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)   at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)   at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 144)   at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)   ... 20 more Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/Page_Bid Product/button_Bidproduct' located by '//*[@class = 'btn btn-lg btn-primary fs-6 rounded-4 w-100 mb-3 py-3 fw-bold' and (text() = 'Saya tertarik dan ingin nego' or . = 'Saya tertarik dan ingin nego')]' not found   at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)   at com.kms.katalon.core.webui.keyword.builtin. VerifyElementVisibleKeyword\$_verifyElementVisible_closure1.doCall (VerifyElementVisibleKeyword.groovy:89)   at com.kms.katalon.core.webui.keyword.builtin. VerifyElementVisibleKeyword\$_verifyElementVisible_closure1.call (VerifyElementVisibleKeyword.groovy)   at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)   ... 35 more )</pre>		



# 147 - User wants to bid a product use empty character

#	Description	Elapsed	Status
			
8	Start listener action : afterTestCase  Browser is closed	2.816s	PASSED

# 147a - User wants to bid a product use 0 price

## Information

ID	Test Cases/Step Definition/Feature Bid Product/Negative/147a - User wants to bid a product use 0 price		
Description			
Tag			
Start	2023-06-30 19:16:44	End	2023-06-30 19:18:00
Elapsed	1m - 16.090s		
Status	FAILED		

## Details

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase  <a href="https://secondhand.binaracademy.org/">Navigate to 'https://secondhand.binaracademy.org/' successfully</a>	10.429s	PASSED
2	callTestCase(findTestCase("Step Definition/Feature Login/Positive/31 - User wants to login with correct credential"), [:], STOP_ON_FAILURE)  <a href="#">Call Test Case 'Test Cases/Step Definition/Feature Login/Positive/31 - User wants to login with correct credential' successfully</a>	27.842s	PASSED
3	intindex = "6"	0.001s	PASSED
4	println("_____I am inside parameterize object index product : " + intindex + "_____")	0.002s	PASSED
5	xpath = "//div[@id=products]/div[" + intindex + "]"	0.002s	PASSED
6	click(findTestObject("Page_Home After Login/card_Product_available", ["index":intindex]))  <a href="#">Object: 'Object Repository/Page_Home After Login/card_Product_available' is clicked on</a>	2.047s	PASSED



## 147a - User wants to bid a product use 0 price

---


#	Description	Elapsed	Status
7	callTestCase(findTestCase("Pages/Bid Product/Verify Content"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Pages/Bid Product/Verify Content' successfully	16.949s	PASSED
8	callTestCase(findTestCase("Pages/Bid Product/Click Bid Product"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Pages/Bid Product/Click Bid Product' successfully	1.899s	PASSED
9	callTestCase(findTestCase("Pages/Bid Product/Input Product Price"), ["productbidprice":"0"], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Pages/Bid Product/Input Product Price' successfully	3.621s	PASSED
10	callTestCase(findTestCase("Pages/Bid Product/Click Kirim"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Pages/Bid Product/Click Kirim' successfully	2.960s	PASSED

## 147a - User wants to bid a product use 0 price


#	Description	Elapsed	Status
11	<p>callTestCase(findTestCase("Pages/Bid Product/Verify Popup Input Bid Price"), [:], STOP_ON_FAILURE)</p> <p>Unable to call Test Case 'Test Cases/Pages/Bid Product/Verify Popup Input Bid Price' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Pages/Bid Product/Verify Popup Input Bid Price' failed at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at 147a - User wants to bid a product use 0 price.run(147a - User wants to bid a product use 0 price:40) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 187) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1688126898957.run(TempTestSuite1688126898957.groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/Page_Bid Product/popup_Masukkan Harga Tawarmu' is visible at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementVisibleKeyword. verifyElementVisible(VerifyElementVisibleKeyword.groovy:97) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementVisibleKeyword. execute(VerifyElementVisibleKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)</p>	3.999s	FAILED

## 147a - User wants to bid a product use 0 price

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.verifyElementVisible(WebUiBuiltInKeywords.groovy:376) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$verifyElementVisible\$3.call(Unknown Source) at Verify Popup Input Bid Price.run(Verify Popup Input Bid Price:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:144) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 20 more Caused by: com.kms.katalon.core.exception.StepFailedException: Object 'Object Repository/Page_Bid Product/popup_Masukkan Harga Tawarmu' is NOT visible at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementVisibleKeyword\$_verifyElementVisible_closure1.doCall(VerifyElementVisibleKeyword.groovy:83) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementVisibleKeyword\$_verifyElementVisible_closure1.call(VerifyElementVisibleKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:20) ... 35 more )</pre>		



147a - User wants to bid a product use 0 price

#	Description	Elapsed	Status
	<div><div><div><div><div></div></div><div>Cari di sini ...</div><div></div></div><div><div></div><div></div><div></div></div></div><div><div><div><div></div><div><div>12345</div><div>Kendaraan</div><div>Rp 1.500</div><div>Menunggu respon penjual</div></div><div><div><div></div></div><div>afif</div><div>Solo</div></div></div></div></div></div>		
12	<div>Start listener action : afterTestCase</div> <div>Browser is closed</div>	2.627s	PASSED