

Gurovich Law Group Website - System Assessment

Document Version: 1.0

Assessment Date: January 29, 2026

Website URL: <https://www.gurovich.law> (also: shermanoakslawgroup.com)

Table of Contents

1. [Executive Summary](#)
 2. [Architecture Overview](#)
 3. [Technology Stack](#)
 4. [Sitemap & Page Hierarchy](#)
 5. [Database Schema](#)
 6. [API Endpoints](#)
 7. [File Storage Structure](#)
 8. [Authentication & Security](#)
 9. [File Structure](#)
 10. [Testing Coverage](#)
 11. [SEO Implementation](#)
 12. [Future Enhancements](#)
-

Executive Summary

The Gurovich Law Group website is a full-stack legal services platform built with modern web technologies. The system serves five practice areas (Personal Injury, Criminal Defense, Employment Law, Civil Litigation, and Tenant Rights) and includes a


comprehensive client intake system with document management, an admin dashboard for case management, and robust SEO optimization.

Key Metrics

Metric	Value
Total Pages	15+ public pages
Practice Areas	5
Issue Types Seeded	70+
Test Coverage	39 tests passing
Supported Languages	4 (English, Spanish, Russian, Ukrainian)

Architecture Overview

The application follows a **three-tier architecture** with clear separation between the presentation layer, business logic, and data storage.



Data Flow

1. **Client Request** → React frontend makes tRPC calls
2. **tRPC Router** → Express server processes request through appropriate router
3. **Business Logic** → Server validates, processes, and interacts with Supabase
4. **Data Storage** → Supabase handles PostgreSQL queries and file storage

5. **Response** → Data flows back through tRPC with type safety

Technology Stack

Frontend

Technology	Version	Purpose
React	19.2.1	UI Framework
TypeScript	5.9.3	Type Safety
Tailwind CSS	4.1.14	Styling
Wouter	3.3.5	Client-side Routing
React Query	5.90.2	Server State Management
tRPC Client	11.6.0	Type-safe API Calls
Framer Motion	12.23.22	Animations
Shadcn/UI	Latest	Component Library
Lucide React	0.453.0	Icons

Backend

Technology	Version	Purpose
Node.js	22.x	Runtime
Express	4.21.2	HTTP Server
tRPC Server	11.6.0	API Framework
Zod	4.1.12	Schema Validation
Superjson	1.13.3	Data Serialization
jsPDF	4.0.0	PDF Generation
nanoid	5.1.5	ID Generation

Database & Storage

Technology	Purpose
Supabase PostgreSQL	Primary Database
Supabase Storage	File Storage (Bucket: “Gurovich”)
Drizzle ORM	Database Migrations (MySQL/TiDB for auth)

Development Tools

Tool	Version	Purpose
Vite	7.1.7	Build Tool
Vitest	2.1.4	Testing Framework
pnpm	10.4.1	Package Manager
Prettier	3.6.2	Code Formatting
ESBuild	0.25.0	Production Bundling

Sitemap & Page Hierarchy

Public Pages (15 total)

```
https://www.gurovich.law/
├─ / (Home)
├─ /about (About Us)
├─ /practice-areas (Practice Areas Overview)
│   ├─ /practice-areas/personal-injury
│   │   └─ /practice-areas/personal-injury/{subpage}
│   ├─ /practice-areas/criminal-defense
│   │   └─ /practice-areas/criminal-defense/{subpage}
│   ├─ /practice-areas/employment-law
│   │   └─ /practice-areas/employment-law/{subpage}
│   ├─ /practice-areas/tenant-rights
│   │   └─ /practice-areas/tenant-rights/{subpage}
│   └─ /practice-areas/civil-litigation
│       └─ /practice-areas/civil-litigation/{subpage}
├─ /team (Our Team)
├─ /reviews (Client Reviews)
├─ /blog (Blog)
│   └─ /blog/{slug} (Blog Post)
├─ /contact (Contact)
├─ /onboarding (Client Intake Form)
│   └─ /onboarding/success (Submission Confirmation)
├─ /privacy (Privacy Policy)
├─ /terms (Terms of Service)
└─ /disclaimer (Legal Disclaimer)
```

Protected Pages

Route	Access	Description
/admin	Password Protected	Admin Dashboard

Sitemap Priority

Page	Priority	Change Frequency
Home	1.0	Weekly
Practice Areas	0.9	Monthly
Onboarding	0.9	Monthly
About, Contact, Practice Area Details	0.8	Monthly
Team, Reviews	0.7	Weekly
Blog	0.6	Weekly
Privacy, Disclaimer	0.3	Yearly

--

Database Schema

Supabase Tables

intakes (Main Intake Records)

Column	Type	Description
id	SERIAL	Primary key (UUID)
draft_token	VARCHAR(32)	Unique token for draft access
status	ENUM	draft, submitted, reviewed, contacted, converted, closed
first_name	VARCHAR	Client first name
last_name	VARCHAR	Client last name
phone	VARCHAR	Contact phone
email	VARCHAR	Contact email
city	VARCHAR	Client city
state	VARCHAR(2)	Client state
practice_area	ENUM	personal_injury, criminal_defense, employment_law, tenant_rights, civil_litigation
issue_type_id	INTEGER	FK to issue_types
urgency	ENUM	emergency, high, normal, unsure
summary	TEXT	Case summary
incident_date	DATE	Date of incident
incident_city	VARCHAR	Incident location
incident_state	VARCHAR(2)	Incident state

Column	Type	Description
agency_involved	BOOLEAN	Police/agency involved
agency_name	VARCHAR	Agency name
report_number	VARCHAR	Report/case number
has_documents	BOOLEAN	Has supporting documents
additional_notes	TEXT	Client notes
admin_notes	TEXT	Internal admin notes (legacy)
preferred_contact_method	ENUM	phone, email, text
preferred_language	ENUM	en, es, ru, uk
consent_no_attorney_relationship	BOOLEAN	Consent flag
consent_contact	BOOLEAN	Contact consent
created_at	TIMESTAMPTZ	Creation timestamp
updated_at	TIMESTAMPTZ	Last update

intake_notes (Internal Notes System)

Column	Type	Description
id	SERIAL	Primary key
intake_id	INTEGER	FK to intakes
author_name	VARCHAR	Note author
content	TEXT	Note content
created_at	TIMESTAMPTZ	Creation timestamp

intake_uploads (File Metadata)

Column	Type	Description
id	SERIAL	Primary key
intake_id	INTEGER	FK to intakes
storage_bucket	VARCHAR	Always “Gurovich”
storage_path	TEXT	Full path in bucket
file_path	TEXT	Alias (backwards compatibility)
file_name	VARCHAR	Display name
original_filename	VARCHAR	Original uploaded name
file_size	INTEGER	Size in bytes
mime_type	VARCHAR	MIME type
tag	ENUM	police_report, medical, contract, notice, photos, emails, other
created_at	TIMESTAMPTZ	Upload timestamp

intake_parties (Involved Parties)

Column	Type	Description
id	SERIAL	Primary key
intake_id	INTEGER	FK to intakes
party_type	ENUM	individual, business, government
party_role	ENUM	defendant, witness, other
name	VARCHAR	Party name
phone	VARCHAR	Contact phone
email	VARCHAR	Contact email

issue_types (70+ Seeded Issue Types)

Column	Type	Description
id	SERIAL	Primary key
practice_area	ENUM	Practice area category
name	VARCHAR	Issue type name
description	TEXT	Description

Practice-Specific Detail Tables

Table	Practice Area
intake_pi_details	Personal Injury
intake_criminal_details	Criminal Defense
intake_employment_details	Employment Law
intake_tenant_details	Tenant Rights
intake_civil_details	Civil Litigation

MySQL/TiDB Tables (Auth System)

users (Manus OAuth)

Column	Type	Description
id	INT	Auto-increment PK
openId	VARCHAR(64)	Manus OAuth ID
name	TEXT	User name
email	VARCHAR(320)	User email
loginMethod	VARCHAR(64)	OAuth method
role	ENUM	user, admin
createdAt	TIMESTAMP	Creation time
updatedAt	TIMESTAMP	Last update
lastSignedIn	TIMESTAMP	Last login

API Endpoints

tRPC Routes

All API calls are made through tRPC at `/api/trpc/*`.

Authentication (`auth.*`)

Procedure	Type	Description
<code>auth.me</code>	Query	Get current user
<code>auth.logout</code>	Mutation	Clear session

Onboarding (onboard.*)

Procedure	Type	Description
onboard.getIssueTypes	Query	Get issue types by practice area
onboard.createDraft	Mutation	Create new intake draft
onboard.getByToken	Query	Get intake by draft token
onboard.updateStep1	Mutation	Update contact info
onboard.updateStep2	Mutation	Update matter selection
onboard.updateStep3	Mutation	Update core facts
onboard.updateStep4	Mutation	Update practice-specific details
onboard.uploadFile	Mutation	Upload document to storage
onboard.deleteFile	Mutation	Delete uploaded document
onboard.updateNotes	Mutation	Update additional notes
onboard.submit	Mutation	Submit intake (finalize)

Admin (admin.*)

Procedure	Type	Description
admin.getIntakes	Query	List intakes with filters
admin.getIntake	Query	Get single intake details
admin.updateStatus	Mutation	Update intake status
admin.addNote	Mutation	Add internal note (legacy)
admin.exportCSV	Query	Export intakes to CSV
admin.getNotes	Query	Get intake notes
admin.createNote	Mutation	Create internal note
admin.deleteNote	Mutation	Delete internal note
admin.generatePDF	Query	Generate intake PDF

File Storage Structure

Supabase Storage Configuration

Property	Value
Bucket Name	Gurovich
Access Level	Public (with RLS)
Max File Size	10MB

Path Scheme

```
clients/{intake_id}/{upload_id}-{sanitized_filename}
```

Example Structure

```
Gurovich/
├── clients/
│   ├── 42/
│   │   ├── manifest.json
│   │   ├── xK7mN2pQ9rS4tU6v-medical_records.pdf
│   │   └── aB3cD4eF5gH6iJ7k-photo_evidence.jpg
│   └── 43/
│       ├── manifest.json
│       └── mN8oP9qR0sT1uV2w-contract.pdf
```

Supported File Types

Category	MIME Types	Max Size
Images	image/png , image/jpeg , image/gif	10MB
Documents	application/pdf	10MB
Word	application/msword , .docx	10MB

Authentication & Security

Admin Dashboard Access

Method	Details
Type	Static Password
Password	&&77GAbriel
Storage	sessionStorage
Persistence	Browser session only

Manus OAuth (User Authentication)

Component	Description
Provider	Manus OAuth
Session	JWT Cookie
Protected Routes	Admin procedures require <code>role: admin</code>

Security Measures

1. **Draft Token Validation** - All intake operations require valid draft token
 2. **File Type Validation** - Server-side MIME type checking
 3. **File Size Limits** - 10MB maximum per file
 4. **RLS Policies** - Supabase Row Level Security
 5. **Service Role Key** - Server-side only file operations
-

File Structure

```
gurovich-law-group-site/
├─ client/
│   ├─ index.html                # Entry HTML with SEO meta tags
│   ├─ public/
│   │   ├─ sitemap.xml          # SEO sitemap
│   │   ├─ robots.txt          # Crawler directives
│   │   └─ images/              # Static assets
│   └─ src/
│       ├─ App.tsx              # Main router
│       ├─ main.tsx             # Entry point with providers
│       ├─ index.css            # Global styles
│       ├─ components/
│       │   ├─ Header.tsx       # Navigation
│       │   ├─ Footer.tsx       # Footer with admin link
│       │   ├─ Layout.tsx       # Page wrapper
│       │   └─ onboarding/      # Intake form steps
│       │       ├─ Step0Consent.tsx
│       │       ├─ Step1Contact.tsx
│       │       ├─ Step2Matter.tsx
│       │       ├─ Step3Facts.tsx
│       │       ├─ Step4Details.tsx
│       │       └─ Step5Review.tsx
│       └─ ui/                  # Shadcn components
│   └─ pages/
│       ├─ Home.tsx
│       ├─ AboutUs.tsx
│       ├─ PracticeAreas.tsx
│       ├─ PracticeAreaDetail.tsx
│       ├─ Onboarding.tsx
│       ├─ AdminDashboard.tsx
│       └─ ...
│   └─ contexts/                # React contexts
│   └─ hooks/                   # Custom hooks
│   └─ data/                    # Static data
│   └─ i18n/                    # Translations
├─ server/
│   ├─ routers.ts               # Main tRPC router
│   ├─ onboard-router.ts        # Intake procedures
│   ├─ admin-router.ts          # Admin procedures
│   ├─ intake-storage.ts        # Supabase storage helpers
│   ├─ intake-pdf.ts            # PDF generation
│   └─ supabase.ts              # Supabase client
```

```

|   └─ db.ts                # Database helpers
|   └─ _core/               # Framework internals
└─ shared/
|   └─ const.ts             # Shared constants
|   └─ types.ts             # Shared types
|   └─ onboard-validation.ts # Zod schemas
└─ drizzle/
|   └─ schema.ts            # MySQL schema
|   └─ migrations/         # Migration files
└─ docs/
|   └─ STORAGE_LAYOUT.md    # Storage documentation
|   └─ SYSTEM_ASSESSMENT.md # This document
└─ package.json

```

Testing Coverage

Test Summary

Category	Tests	Status
Total	39	✓ Passing
Auth	1	✓
Onboarding	8	✓
Admin	14	✓
Storage	8	✓
PDF Generation	8	✓

Test Files

File	Description
server/auth.logout.test.ts	Authentication tests
server/onboard-router.test.ts	Intake procedure tests
server/admin-router.test.ts	Admin procedure tests
server/intake-storage.test.ts	Storage helper tests
server/intake-pdf.test.ts	PDF generation tests
server/supabase.test.ts	Supabase client tests

SEO Implementation

Meta Tags

Tag	Implementation
Title	“Gurovich Law Group Los Angeles Injury Lawyers” (47 chars)
Description	Comprehensive description of services
Keywords	5 focused keywords
Viewport	Responsive meta tag
Canonical	Self-referencing canonical URLs

Open Graph Tags

Tag	Value
og:type	website
og:site_name	Gurovich Law Group
og:title	Dynamic per page
og:description	Dynamic per page
og:image	Logo image
og:url	Page URL

Twitter Cards

Tag	Value
twitter:card	summary_large_image
twitter:title	Dynamic per page
twitter:description	Dynamic per page

Structured Data (JSON-LD)

Schema	Implementation
LegalService	Business info, contact, practice areas
Attorney	Attorney profile information
FAQPage	FAQ sections on practice area pages

Technical SEO

Item	Status
sitemap.xml	✔ 15 pages
robots.txt	✔ Admin excluded
Google Search Console	✔ Verification tag added
Semantic HTML	✔ Proper heading hierarchy
Alt Text	✔ All images

Future Enhancements

Planned Features

Feature	Priority	Description
Attorney Photos	High	Add photos to Our Team page
Custom OG Image	High	1200x630px social sharing image
Email Notifications	Medium	Intake status change alerts
Dashboard Analytics	Medium	Charts and metrics
Google Search Console Submission	High	Submit sitemap

Technical Improvements

Improvement	Priority
Enhanced RLS policies	Medium
Rate limiting	Low
Error monitoring (Sentry)	Low
Performance optimization	Low

Appendix

Environment Variables

Variable	Purpose
SUPABASE_URL	Supabase project URL
SUPABASE_SERVICE_ROLE_KEY	Server-side Supabase access
SUPABASE_ANON_KEY	Client-side Supabase access
JWT_SECRET	Session signing
VITE_APP_ID	Manus OAuth app ID
OAUTH_SERVER_URL	Manus OAuth backend
VITE_OAUTH_PORTAL_URL	Manus login portal

Quick Commands

```
# Development
pnpm dev

# Build
pnpm build

# Run tests
pnpm test

# Database push
pnpm db:push

# Format code
pnpm format
```