
We are adding some values for laboratory work 5.



Task 1. Add a CHECK constraint to passenger table to provide that passengers must be at least 10 years old.

Query Query History


```
1  ALTER TABLE Passengers
2  ADD CONSTRAINT chk_passenger_age
3  CHECK (date_of_birth <= CURRENT_DATE - INTERVAL '10 years');
```

Data Output Messages Notifications

```
ALTER TABLE

Query returned successfully in 144 msec.
```

Task 2. Add a CHECK constraint to accept values in booking price not more than 50000tg and less than 0tg.



Task 3. Add a CHECK constraint to accept the luggage weight between 1 and 23 kg.


```sql
ALTER TABLE Baggage
ADD CONSTRAINT chk_baggage_weight
CHECK (weight_in_kg BETWEEN 1 AND 23);
```

Data Output | Messages | Notifications

```
ALTER TABLE

Query returned successfully in 79 msec.
```

Task 4. Add a CHECK constraint to ensure that all values in airport_name must have at least 10 characters.



Task 5. Add UNIQUE constraint to some columns in each table in database.

Query Query History

```
1  -- Airline
2  ALTER TABLE Airline ADD CONSTRAINT uq_airline_code UNIQUE (airline_code);
3
4  -- Passengers
5  ALTER TABLE Passengers ADD CONSTRAINT uq_passport_number UNIQUE (passport_number);
6
7  -- Airport
8  ALTER TABLE Airport ADD CONSTRAINT uq_airport_name UNIQUE (airport_name);
```

Data Output | Messages | Notifications

```
ALTER TABLE

Query returned successfully in 162 msec.
```

Task 6. Add a CHECK constraint to ensure that male passengers must be at least 18 years old and female passengers must be 19 years old.

Query | Query History

```
1  ALTER TABLE Passengers
2  ADD CONSTRAINT chk_gender_age CHECK (
3      (gender = 'Male' AND date_of_birth <= CURRENT_DATE - INTERVAL '18 years') OR
4      (gender = 'Female' AND date_of_birth <= CURRENT_DATE - INTERVAL '19 years') OR
5      (gender NOT IN ('Male', 'Female'))
6  );
```


Data Output | Messages | Notifications

```
ALTER TABLE

Query returned successfully in 83 msec.
```

Task 7. Add a CHECK constraint to add rule as follow (use column country_of_citizenship):

- **Passengers from Kazakhstan must be at least 18 years old.**
- **Passengers from France must be at least 17 years old.**
- **Passengers from other countries must be at least 19 years old.**



Task 8.Add a ticket_discount column to table booking and a CHECK constraint to apply some discount based on ticket price and created time:

- **the constraint applies a 5% discount for tickets created after 2024-01-01,and 10% discount for tickets created before 2024-01-01.**

Query | Query History

```sql
-- Adding a column
ALTER TABLE Booking ADD COLUMN ticket_discount DECIMAL(5,2);

-- Add a CHECK constraint
ALTER TABLE Booking
ADD CONSTRAINT chk_ticket_discount CHECK (
    (created_at >= '2024-01-01' AND ticket_discount = ticket_price * 0.05) OR
    (created_at < '2024-01-01' AND ticket_discount = ticket_price * 0.10)
);


-- We fill in the data in accordance with the rule.
UPDATE Booking
SET ticket_discount = CASE
    WHEN created_at >= '2024-01-01' THEN ticket_price * 0.05
    ELSE ticket_price * 0.10
END;
```

Data Output | Messages | Notifications

```
UPDATE 5

Query returned successfully in 119 msec.
```

Task 9. Modify the booking table so that the booking status column has a default value of 'Confirmed'. Then insert a new booking without specifying booking status.



```sql
-- Set DEFAULT
ALTER TABLE Booking
ALTER COLUMN status SET DEFAULT 'Confirmed';

-- Insert a new record without specifying the status
INSERT INTO Booking (booking_id, flight_id, passenger_id, booking_platform, created_at, updated_at, ticket_price, ticket_discount)
VALUES (999, 101, 1, 'Mobile App', NOW(), NOW(), 20000.00, 1000.00)
RETURNING booking_id, status, ticket_price;
```

Data Output | Messages | Notifications

Showing rows: 1 to 1 | Page No: 1 of 1

	booking_id [PK] integer	status character varying (50)	ticket_price numeric (10,2)
1	999	Confirmed	20000.00

Task 10. Modify the appropriate date column in the database so that when a new record is inserted, the date is automatically set to the current date.

