

QUIZ - W2

Total points 27/32 ?

This will act as your attendance.

B03 - Monday

B04 - Tuesday

Submit before the **end of the day** of your class day.

Put the questions & answers in your GitHub :)

The respondent's email (**muhdasyrafkasyfi@gmail.com**) was recorded on submission of this form.

0 of 2 points

✗ Name *

.../1

MUHAMMAD ASYRAF KASYFI BIN JAFRI

✗

✗ Student ID *

.../1

52215124469

✗



Class *

- ☐ B03
- ☒ B04

Questions start

27 of 30 points

✓ Which IAM identity is normally used as a temporary identity? * 1/1

- ☐ IAM User
- ☒ IAM Role
- ☐ IAM Group
- ☐ Root User



✗ Which ARN component identifies the AWS account that owns the resource? *0/1

- ☒ Account ID
- ☐ Service
- ☐ Resource ID
- ☐ Region



Correct answer

- ☒ Resource ID



✓ Which tool creates a local Kubernetes cluster? *

1/1

- ☐ Docker Desktop
- ☒ kind
- ☐ Amazon EC2
- ☐ LocalStack



✓ Which characteristic allows cloud resources to automatically grow or shrink?

*1/1

- ☐ On-demand Self-Service
- ☐ Resource Pooling
- ☒ Rapid Elasticity
- ☐ Broad Network Access



✓ The smallest deployable unit in Kubernetes is: *

1/1

- ☐ Node
- ☐ Virtual Machine
- ☒ Pod
- ☐ Cluster



✓ Which endpoint is commonly used with LocalStack? *

1/1

- ☐ <http://localhost:22>
- ☒ <http://localhost:4566>
- ☐ <http://localhost:80>
- ☐ <http://localhost:3389>



✓ Which is NOT an essential characteristic of cloud computing? *

1/1

- ☐ Resource Pooling
- ☐ Rapid Elasticity
- ☒ Manual Provisioning
- ☐ Measured Service



✓ Access keys are mainly used for: *

1/1

- ☒ Programmatic access
- ☐ AWS Management Console login
- ☐ Docker login
- ☐ Kubernetes dashboard login



✓ Docker is mainly used to: *

1/1

- ☒ Run containers
- ☐ Create AWS accounts
- ☐ Create databases
- ☐ Manage IAM



✓ Which security principle gives users only the permissions required to perform their tasks?

*1/1

- ☐ Zero Trust
- ☒ Principle of Least Privilege
- ☐ Confidentiality
- ☐ Defense in Depth



✓ Which service model requires customers to manage the operating system?

*1/1

- ☐ PaaS
- ☐ FaaS
- ☒ IaaS
- ☐ SaaS



✓ What does ARN stand for? *

1/1

- ☐ AWS Resource Namespace
- ☐ Amazon Resource Number
- ☐ Amazon Registry Name
- ☒ Amazon Resource Name



✓ Which command lists Kubernetes nodes? *

1/1

- ☐ docker ps
- ☒ kubectl get nodes
- ☐ kubectl get buckets
- ☐ aws iam list-users



✓ Which AWS CLI command verifies the current identity? *

1/1

- ☒ aws sts get-caller-identity
- ☐ aws iam whoami
- ☐ aws identity
- ☐ aws login



✓ Which deployment model provides the MOST control? *

1/1

- ☐ Community Cloud
- ☐ Public Cloud
- ☒ Private Cloud
- ☐ Hybrid Cloud



✓ For easier permission management, policies should preferably be attached to:

*1/1

- ☐ Individual users
- ☒ IAM Groups
- ☐ Access keys
- ☐ The Root User



✓ Which IAM component contains permissions? *

1/1

- ☐ IAM Role
- ☐ IAM Group
- ☐ IAM User
- ☒ IAM Policy



✓ Which service model provides virtual machines? *

1/1

- ☒ IaaS
- ☐ PaaS
- ☐ DBaaS
- ☐ SaaS



✓ If an access key is compromised, what should be done first? *

1/1

- ☐ Ignore it
- ☐ Delete the IAM user immediately
- ☐ Restart Docker
- ☒ Deactivate or rotate the key



✓ Which AWS-managed policy provides full administrative access? *

1/1

- ☒ AdministratorAccess
- ☐ IAMReadOnlyAccess
- ☐ RootPolicy
- ☐ AmazonS3ReadOnlyAccess



✓ In the ARN `arn:aws:s3:::my-bucket`, which component represents the AWS service? *1/1

- ☐ arn
- ☒ s3
- ☐ my-bucket
- ☐ aws



✓ LocalStack is used because it: * 1/1

- ☐ Creates AWS accounts
- ☐ Replaces Docker
- ☒ Simulates AWS services locally
- ☐ Installs Kubernetes



✓ Google Docs is an example of: * 1/1

- ☐ PaaS
- ☒ SaaS
- ☐ IaaS
- ☐ Virtual Machine



✓ A collection of IAM users is called: *

1/1

- ☐ IAM Role
- ☐ IAM Policy
- ☒ IAM Group
- ☐ S3 Bucket



✓ Which account should never have access keys created for routine use? * 1/1

- ☐ Analyst User
- ☐ IAM Role
- ☒ Root User
- ☐ IAM User



✓ Which AWS identity has unlimited privileges? *

1/1

- ☐ IAM User
- ☒ Root User
- ☐ IAM Role
- ☐ IAM Group



✗ Cloud computing refers to: *

0/1

- ☒ Delivering computing resources over the Internet
- ☐ Running applications only on Windows
- ☐ Installing software locally
- ☐ Buying more physical servers

✗

Correct answer

- ☒ Buying more physical servers

✓ A node is: *

1/1

- ☐ A Docker image
- ☐ A storage bucket
- ☒ A worker machine
- ☐ A database

✓

✗ A Kubernetes cluster consists of: *

0/1

- ☒ Multiple policies
- ☐ Access keys
- ☐ Multiple nodes
- ☐ Containers only

✗

Correct answer

- ☒ Multiple nodes



✓ Which deployment model combines private and public cloud? *

1/1

- ☐ Multi-cloud
- ☐ Public Cloud
- ☐ Community Cloud
- ☒ Hybrid Cloud



DONE :)

0 of 0 points

Dont forget to submit your Github Link :)

https://1drv.ms/x/c/7a38c24f0604aa60/IQBG5_ybRu7JT50WvBpQ_rgoAZlmon3KdjWW13ULus2yQdY?e=BayPJ8

Thank You :)

This content is neither created nor endorsed by Google. - [Contact form owner](#) - [Terms of Service](#) - [Privacy Policy](#).

Does this form look suspicious? [Report](#)

Google Forms



