W02 Homework 209410140 陳至賢

第一題

- code



- localhost


iClass
1101-2N-wp1
React App
localhost:3000/1101-209410140-tododemo
應用程式
Google 翻譯
Google
YouTube
Facebook
Study
閱讀清單
My Todos
Learn React
Delete

第二題

- code


W3
Darkwood
Darkwood
檔案(F) 編輯(E) 選取項目(S) 檢視(V) 移至(G) 執行(R) ···
App_40.js - W02-demo - Visual Stu...
檔案總管
已開啟的編輯器
package.json
W02.md md_40 U
App_40.js src M
W02-DEMO
static
asset-manifest.json
favicon.ico
index.html
logo192.png
logo512.png
manifest.json
robots.txt
just.js
md_40
1.1.PNG U
1.PNG U
W02.md U
node_modules
public
src
components
Todo.js
App_40.js M
App.css
大綱
時間表
package.json
W02.md U
App_40.js M
src > App_40.js > ...
return (

<h1>My Todos</h1>
<Todo_40 text='Learn React'/>
<Todo_40 text='Learn English'/>
<Todo_40 text='Study Hard'/>

);
}
export default App_40;
問題 1
輸出
偵錯主控台
終端機
node
Line 10:7: Imported JSX component Todo_40 must be in PascalCase or SCREAMING_SNAKE_CASE react/jsx-pascal-case
src\index.js
Line 4:8: 'App' is defined but never used no-unused-vars
Line 10:5: Imported JSX component App_40 must be in PascalCase or SCREAMING_SNAKE_CASE react/jsx-pascal-case
Search for the keywords to learn more about each warning.
To ignore, add // eslint-disable-next-line to the line before.
main*
第 16 行，第 1 欄
空格: 2
UTF-8
LF
JavaScript
Go Live
1 Spell
Prettier
209410140
陳至賢
reactjs

- localhost



第三題

Github



- gh-pages分支



- Github pages

Github pages



第四題

MINGW64:/c/Users/asz18/OneDrive/桌面/react.js/W01/新增資料夾
asz18@LAPTOP-L2LN1PDG MINGW64 ~/OneDrive/桌面/react.js/W01/新增資料夾
$ git clone https://github.com/asz18369/1101-209410140-tododemo.git
Cloning into '1101-209410140-tododemo'...
remote: Enumerating objects: 100, done.
remote: Counting objects: 100% (100/100), done.
remote: Compressing objects: 100% (78/78), done.
Receiving objects: 77% (77remote: Total 100 (delta 36), reused 84 (delta 20), p
ack-reused 0
Receiving objects: 100% (100/100), 2.70 MiB | 2.02 MiB/s, done.
Resolving deltas: 100% (36/36), done.
asz18@LAPTOP-L2LN1PDG MINGW64 ~/OneDrive/桌面/react.js/W01/新增資料夾
$

第五題