



CARE Knowledge Base

Knowledge Engine for CARE, by CARE!

Search by Category

All categories

Search

Enter a search term, select a category and click **Search** or select an icon below.

[All Articles](#) [G2](#) [G3](#) [Car Park RMS](#) [RevPlan](#) [SmartSpace](#) [Casper](#) [Optix](#) [Assets](#)

CMA RESTART

Document Control

Document Information			
Name of Document	Process Document_CMA Restart_1.00	-	-
Version Number	1.00	-	-
Prepared By	Sr. Process Analyst	Name	Sneha Nirgude
Reviewed By	TPM- SPM	Name	Soibam Singh
Approved By	Process Team Lead	Name	Karl Lobo

Categories

Select Category

Recent Posts

- [HLTN/hiltonEnableSmallGroupProductsAndInventoryLimitForNewPropertyStep](#)
- [Service Recovery Procedure – IDeaSOperaAgent Service in “Stopping” State](#)
- [Processing Failures Due to Data Type Mismatch for MGM Resorts](#)
- [Dynamic Optimization](#)
- [HLTN/Handling Error for SAS Dataset Encoding Job](#)

1 Introduction

1.1 Purpose

The purpose of this document is to provide a standard process for restarting the CMA incase the CMA is not accessible or has slowed down.

1.2 Scope

This document will help in identifying the different steps involved in restarting in CMA.

1.3 Intended Audience

The target audience for this document is all the authorized users working on CMA tool.

2 Entry Criteria

- CMA not working as expected

3 Pre-Requisites & Assumptions

- It is assumed that the users have the access to the following tools & has the required knowledge to use the tools
- [Jenkins](#)
- CMA (Applicable for all products)

Note – If you do not have access to the required tools connect with the TechOps team, follow the necessary steps to get the access by keeping your manager in loop.

TechOps – opsrequest@ideasinc.atlassian.net

4 Activities Performed

Task 1 – Send an e-mail

- Task 1 is sending an e-mail to inform all the users or stakeholders regarding the “Restart of CMA”
- Subject – Name of CMA – Date of Restart & HH:MM
Content – Mention when you will restart the CMA and the appropriate reason for restart.
- Information should be passed at least 15-30 mins before restart (In case any user working on the CMA can complete their current tasks)

Task 2 – Restart Execution

- Login to Jenkins –>Go to Dashboard –>Click on the collapse button near dashboard –>Select G2

Recent Comments


Pranav Thakar on [Hilton/Processing Failure – non positive offset value for Product](#)

Ranjit on [Hilton/Processing Failure – non positive offset value for Product](#)


Ranjit on [Service Recovery Procedure – IDeaSOperaAgent Service in “Stopping” State](#)

Ranjit on [Processing Failures Due to Data Type Mismatch for MGM Resorts](#)

Ranjit on [Accor Client Handling Process Guide](#)



- Once you are on the G2 page -> Search for “G2Support-Service-Status” Click on this link



- On the G2Support-Service-Status page -> Click on G2-Production Tools Report -> Check the build of the report

Project G2Support-Service-Status

This build can be used to get the current status of services and restart them as needed on production for G2 environment. This include G2 applications, Support Work Bench(SWB), Configuration Manager(CMG) for G2 and G3, few services at Tencent data center.

[edit description](#)

[Disable Project](#)



- The Last Build Date & time should be latest else rebuild this report by following the below steps

- To re-build the report, click on “Build with parameters” –>Select the “G2_Tools_report” –>Click on “Build”
- You can also select all the 3 check boxes if needed

- The build status can be checked in

the “Build History” section

- Once the build is completed go to the Console Output & check the status if the build was successful or not.

- Now come back to the G2Support-Service-Status page -> Click on G2-Production Tools Report

Note – Check the build is latest for the selected report.

- In the Application Column search for the “Appropriate CMA”-> Click on the “Restart” button in the same row
- Select as mentioned below

For **G2 CMA** select **G2-CMA-GUI**

For **G3 CMA** select **CMA G3 Wildfly**

For **G2 Casper CMA** select **G2CASPER-CMA-GUI**

For **G2 Integration CMA** select **CMA Integration Wildfly**

- You will be redirected to next screen of Trigger

G2Support- Service- Control, wherein You must Click on “Build”

- The build status can be checked in the “Build History” section
- Once the build is completed go to the Console Output & check the status if the build was successful or not.

Note – If the build is not successful then re-start once again else co-ordinate with the TechOps team.

Task 3 – Send an e-mail

- Send a closing e-mail by responding to the same e-mail sent in Task 1 & inform all the users or stakeholders regarding the successful completion of the “Restart of CMA”
- Content – The restart of Name of CMA has been successfully completed.

5 Exit Criteria

- Restart of CMA successfully completed.
- Completion e-mail sent to all the users and the stakeholders.

 0

Tagged on: CMA CMA Restart Restart CMA Restart of CMA

 Sneha Nirgude

 12/10/2023

 Casper, G2 Procedures, G2 Processes, G2 Solutions, G3 Procedures, G3 Processes, G3 Solutions, Migrations, Procedures, Processes

 1 Comment

[← G3 HTNG to HTNG](#)

[OXI to Agent Migration →](#)

One thought on “CMA RESTART”

 idnsoi

 13/10/2023 at 09:15

 [Permalink](#)

Thank you Sneha! This is really helpful

 Reply

Leave a Reply

Your email address will not be published. Required fields are marked *

Comment *

Name *

Email *

Website

☐ Save my name, email, and website in this browser for the next time I comment.

Copyright © 2025 CARE Knowledge Base. All rights reserved. Theme Spacious by ThemeGrill. Powered by: WordPress.