



CARE Knowledge Base

Knowledge Engine for CARE, by CARE!

Search by Category

All categories

▼

Search

Enter a search term, select a category and click **Search** or select an icon below.

[All Articles](#) [G2](#) [G3](#) [Car Park RMS](#) [RevPlan](#) [SmartSpace](#) [Casper](#) [Optix](#) [Assets](#)

Core OHIP Installation Process



1. Pre-Requisites & Initial Checks

1.1 Validate Required Information

Before proceeding:

- Open the **questionnaire file** attached to the case.
- Ensure the following are present:
 - ☒ SSD URL
 - ☒ Tenant
 - ☒ Resort Code

! If any details are missing, tag the Case Owner (CPM) on Chatter and request the missing information.

2. How to Proceed with a Registered Tenant and Request Client Approval



Step-by-Step Instructions

2.1 Locate the SSD URL

- Open the questionnaire file attached to the case.
- Find the value labeled as **SSD URL**.
 - **Example:** `https://ha01-ssd-ohs.oracleindustry.com`

Categories

Select Category

Recent Posts

[HLTN/hiltonEnableSmallGroupProductsAndInventoryLimitForNewPropertyStep](#)

[Service Recovery Procedure – IDeaSOperaAgent Service in “Stopping” State](#)

[Processing Failures Due to Data Type Mismatch for MGM Resorts](#)

[Dynamic Optimization](#)

[HLTN/Handling Error for SAS Dataset Encoding Job](#)

2.2 Copy the Directory Path

Use the following static directory path:

```
/identity/faces/register?apiuser=y
```

2.3 Combine the SSD URL with the Path

- Append the directory path to the end of the SSD URL.
- Ensure there’s only **one** / between the domain and the path.

✓ The combined URL will look like:

```
https://ha01-ssd-ohs.oracleindustry.com/identity/faces/register?apiuser=y
```

3 🌐 Open the URL in a Browser

- Paste the combined URL into your web browser and press Enter.

✓ Expected Page Output

Once the page loads successfully, you will see the **User Registration** screen, which may appear as follows:



📌 Tenant Information

- In the **Tenant** field, refer to the **Tenant information** provided in the attached **questionnaire file**.
- Ensure the Tenant name/ID is entered exactly as provided to avoid errors.

📋 Remaining Required Information

Refer to the details below and enter the appropriate information in the corresponding fields:

Item	Value
Vendor	IDEAS
E-mail	ohipadmin@ideas.com
Question	What is the city of your birth?

Recent Comments

Pranav Thakar on [Hilton/Processing Failure – non positive offset value for Product](#)

Ranjit on [Hilton/Processing Failure – non positive offset value for Product](#)

Ranjit on [Service Recovery Procedure – IDeaSOperaAgent Service in “Stopping” State](#)

Ranjit on [Processing Failures Due to Data Type Mismatch for MGM Resorts](#)

Ranjit on [Accor Client Handling Process Guide](#)

Answer	Bloomington
Question	What is your favorite color?
Answer	Blue
Question	What is the name of your pet?
Answer	Peeve

Verification, Request ID Generation, and Registration

1. Once you enter all the details, **verify** that the information is correct.
2. After verification, the **Request ID** and **Password** will be generated and displayed on the screen.
 - **Important:** Make sure to **save** the **Request ID** and **Password** securely in file **OHIPCredentialsMaster** , as they will be required for future reference.
3. Once you’ve saved the **Request ID** and **Password**, click on ‘**Register**’ again to finalize the process.
4. After registration, the **Request ID** will appear on the screen once more.
 - **Important:** Ensure you have already copied and saved the **Request ID**.

Email Notification to Client

Send an email to the client using the official ID: **installation@ideas.com**
Use the format below when composing your message:

Email Template to Notify Client After Registration

To: [Client’s Email Address]
From: installation@ideas.com
CC: [Team Member’s Email Address], [Case Owner’s Email Address]
Subject: [Client Code] / [Hotel Name] – G3 OHIP Installation Activity

Body:

Dear [Client Name],

With reference to the G3 OHIP installation for the property – [Hotel Name].

We have registered an integration user request (Request Id XXXX), Can you please approve the user?

Once the user is approved, kindly reply to this email, and we will continue with the remaining configurations for the property.

Should you have any questions or require further assistance, please feel free to reach out installation@ideas.com.

Downloading and Filling Out the Word File

1. Download the Word file from the link below:

- **File:** [New OHIP Interface User](#) (Link to the actual file location)

2. Fill in the requested information in the document.

- Ensure all fields are completed accurately based on the details provided in the questionnaire.

3. Attach the completed file to the case to ensure the necessary information is shared.

Approval and User Verification Process

1. Verify 'Tenant-WSACCESS' User Creation

- Once you receive the **approval email** from the client, open the **SSD URL** in a browser.
- Log in using the **credentials** created during the tenant registration process.
- Go to the 'My Access' section.
- Ensure that the 'Tenant-WSACCESS' user is **listed, verified, and created**.

2. Request Oracle Developer Portal Access

- After confirming the user's creation, ask who has access to the **Oracle Developer Portal**.
- Request them to add the **Tenant** and **Property** into the environment.

Environment Setup Complete – Add Tenant & Resort via Swagger

Adding Tenant and Resort Using CURL in the Database

3. Navigate to **Swagger**

- Open **Swagger** and select "**Ohip_Credential**": If "Mass-Recovery" is selected by default, look for the option labeled "Ohip_Credential" in the dropdown. Click it to change the selection.
- Under the '**OhipCredentialControllerV1**' section, click on '**POST /ohipEnvironmentHierarchy**'.

4. Modify the CURL Request

- After selecting 'POST /ohipEnvironmentHierarchy', click on the 'Try it out' button to enable the interface for inputting data.
- Below is the **CURL request** template that you'll need to modify based on the tenant, property, and resort details you have:

CURL Template:

```
{
  "clientCode": "CAPITALGP",
  "envCode": "OCP",
  "region": "Sydney",
  "clientId": "ideas2020ohip_Client",
  "clientSecret": "",
  "hostURL": "",
  "appKey": "46b2b6ef-61ce-405b-b2b5-5292f7c6f329",
  "CNE": "true",
  "prod": true,
  "ohipTenant": {
    "clientCode": "CAPITALGP",
    "envCode": "OCP",
    "tenantCode": "TG",
    "username": "TG_IDEAS_OHIP",
    "password": "afsPjcFPne?Gyw#q$9UdV594",
    "ohipResort": {
      "vendorId": "OCP",
      "clientCode": "CAPITALGP",
      "propertyCode": "0001",
      "resortCode": "DECO",
      "envCode": "OCP",
      "tenantCode": "CHG"
    }
  }
}
```

- **Modify the following fields** based on your tenant, property, and resort details:
 - **tenantCode:** Replace "TG" with the correct tenant code.
 - **username:** Replace "TG_IDEAS_OHIP" with the appropriate username.
 - **password:** Replace with the correct password.
 - **resortCode:** Replace "DECO" with the correct resort code.
 - **propertyCode:** Replace "0001" with the correct property code.



Important Note

- Double-check all details (such as **propertyCode**, **resortCode**, **tenantCode**, etc.) for accuracy.

5. Execute the CURL Request

- Once the CURL request is updated with the necessary details, click on '**Execute**' to submit the request and add the tenant and resort to the environment.

 Image Reference:



✓ If the tenant is already added, please follow the steps below to add a resort:

Adding Resort Using CURL in Swagger

1. Go to **Swagger**

- Open **Swagger** and navigate to the API interface for '**OhipResortControllerV1**'.
- Under the '**OhipResortControllerV1**' section, find and click on '**ohipResort**' to access the resort addition functionality.
- Once you've selected the '**ohipResort**' endpoint, click on the '**Try it out**' button to enable the input fields.

2. Modify the CURL Request

- Below is the **CURL request template** you'll need to modify based on the specific **resort** details you have:

```
{
  "vendorId": "OCP",
  "clientCode": "TRAVELODGE",
  "propertyCode": "0729",
  "resortCode": "GB2107",
  "envCode": "OCP_5",
  "tenantCode": "TG",
  "primary": "true",
  "activeDeaS": "true"
}
```

- **Modify the following fields** based on your **resort** details:
 - **propertyCode**: Replace "0001" with the correct property code.

- **resortCode:** Replace "DECO" with the correct resort code.
- **tenantCode:** Ensure tenant code is correct.



Important Notes


- Ensure that the **tenant** has already been added in Data Base before attempting to add the resort. If the tenant is not added, the resort cannot be added successfully.

5. Execute the CURL Request

- After updating the **CURL request** with the correct resort details, click on 'Execute' to add the resort.



Image Reference for Resort:



Verifying Business Date After CURL Execution

Once the **CURL request** to add the resort has been successfully executed, you can retrieve the **Business Date** to confirm that the property is responding as expected.



Step 1: Use the Business Date API Endpoint

Access the following URL in your browser or use a tool like Postman to get the business date:

`https://ohip-internal.ideasrms.com/api/business-date/v1/CAPITALGP/0001`

- Replace:
 - CAPITALGP with the actual **Client Code**
 - 0001 with the actual **Property Code**



Step 2: Expected Output Format

You should receive a response similar to the one below:

```
{
  "hotels": [
    {
```

```
"hotelId": "DECO",

"businessDate": "2025-04-15"

}

],

"links": []

}
```

Important Notes

- This confirms that the **resort is active** and the **OHIP interface is responding correctly**.
- The `businessDate` indicates the current business date for the specified property (`hotelId`).

Triggering Manual Data Extraction

Once the **business date** has been successfully fetched, proceed to trigger the **manual data extraction** for the property.

Steps to Pull the Manual Extraction via Swagger

1. Open **Swagger**

Navigate the following path:

```
OhipService → IntegrationService →

/api/get-rms-
extract/v1/{clientId}/{propertyCode}/{pastDays}/{futureDays}/{f
iscalDate}
```

2. Click ‘Try it out’

Select the endpoint, click ‘Try it out’, and input the required parameters as follows:

Parameter Guidelines

Field	What to Enter
clientId	Enter the property’s Client Code (e.g., CAPITALGP)
propertyCode	Enter the Property Code (e.g., 0001)
pastDays	If Standard Build , enter 730 If LDB Build , enter 365
futureDays	Enter 365

Field	What to Enter
fiscalDate	This is the Business Date – 1 Day <i>e.g., if business date is 23-06-2025, enter 22-06-2025</i>
timeZone	Use the Property Time Zone as listed in G3
historicalDataLoad	Select as false

Important Reminders

- **Double-check the fiscal date** to ensure it's one day before the business date.
- Always confirm the **time zone** with the property details from G3.
- Ensure `historicalDataLoad` is set to **false**, unless performing a historical backfill.

Execute the Request

- Once all parameters are filled in, click '**Execute**' to trigger the manual extraction.
- A successful response will indicate that the data pull has begun.

Monitor Extract After Manual Trigger

Once the **manual extraction** has been triggered, you can **monitor the extract status** using the link below:

Monitoring URL:

`https://pmsinbound-internal.ideasrms.com/nucleusStatisticsCorrelations/criteria?search=clientId==CAPITALGP;propertyCode==0001&sort=lastModifiedDate,DESC`

Instructions:

- Replace the following values in the URL as needed:
 - `clientId=CAPITALGP` → Replace with your **Client Code**
 - `propertyCode=0001` → Replace with your **Property Code**
- This link opens a **real-time monitoring dashboard** showing the extract activity for the specified property.
- Look for the most recent entries at the top (sorted by `lastModifiedDate` in descending order).

Verify Extract Status and Confirm Installation

Once the extract has been successfully triggered and monitored:

1. Check Extraction Status

- In the **Monitoring URL**:

```
https://pmsinbound-internal.ideasrms.com/nucleusStatisticsCorrelations/criteria?search=clientCode==CAPITALGP;propertyCode==0001&sort=lastModifiedDate,DESC
```

- Locate the most recent extract record.
- If the status shows **SENT_FOR_PROCESSING**, this indicates that the **installation has been completed successfully**, and data is being processed.

2. Verify in G3

- Log in to the **G3** portal.
- Go to the **Property** related to the installation.
- Navigate to the **Data Load** section.
- Confirm that:
 - Data is being **received and processed**.
 - There are **no errors** or pending records.
 - Historical data (if applicable) has begun appearing as expected.

Final Confirmation

- If both the **extract status** and **G3 data load** verification are successful, the OHIP installation is considered **complete**.

Populate Property and Trigger Data Mapping Catchup

Once the **feed** has been successfully created, follow these steps to **Populate the property** and **trigger the data mapping catchup**.

1. Populate the Property

- Ensure that the property is populated with the required data as part of the installation process.

2. Trigger Data Mapping Catchup

- Set the following parameter to **TRUE**:

```
pacman.population.analyticalMarketSegmentMappingComplete = TRUE
```

- Once parameter true, navigate to the G3 portal, in the installation section input the property details and search.
- After searching for the property, a popup will appear with details about property.
- On the **right side of the property popup**, look for the **Action** button.

- Click on the **Action** button, and from the dropdown options, select the **second option** which is related to **data mapping**.

Once you have **triggered the data mapping catch-up**, follow these steps to **monitor the progress** and **verify the completion** of the data mapping job:

Monitor the Data Mapping Catch-up Job Progress

- Navigate to the **Monitoring Dashboard** where you can track the status of various jobs, including the **data mapping catch-up**.
- In the **filter** section of the dashboard, enter the **property details** (such as **Client Code**, **Property Code**, etc.) to help narrow down the results and view jobs related to a specific property.
- Once the job is complete, the status should change to **“Completed”** or **“Success”**.

Revert Parameters in G3 and Enable Processing

- Once the **data mapping catch-up job** completes successfully, perform the following steps to **reset the parameters** and **enable processing** for the OHIP property.
- After confirming that the data mapping job has completed successfully, **reset the following parameter to FALSE**:
`pacman.population.analyticalMarketSegmentMappingComplete = FALSE`

To Enable the Processing

- To **Enable processing** for the Core OHIP property, you need to set the following parameter in G3 to **FALSE**:

```
pacman.integration.suspendBdeAndCdp = FALSE
```

Post-Installation: Updating NGI Parameters

Once the installation is successfully completed, update the following parameters in **NGI** to ensure proper data processing:

Parameters to Update:

- **pastDays**: Set to 45
- **groupPastDays**: Set to 540

Final Steps: Data Extraction Verification & Task Closure

After completing all installation and configuration steps, follow the instructions below to verify data extraction and close the task properly.

1. Generate the Data Extraction Report from G3

- Go to the **G3 Portal**.
- Navigate to the **Reports** section and select the **Data Extraction Report**.

- Set the date range as follows, depending on the property type:
 - **STD Property:** Select a date range starting **2 years before** the current date and ending **1 year ahead**.
 - **LDB Property:** Select a date range starting **1 year before** the current date and ending **1 year ahead**.
- Generate the report.
- Confirm that **data has been received** in G3.
- **Mention the Occupancy Date** clearly in the task notes.
- Reference the **start date of data extraction** as seen in the report.
- Attach the **Data Extraction Report** to the case as supporting documentation.

Email Notification to Client: Installation Completion

Installation is complete and data has been successfully processed into G3.



Tagged on: Core OHIP Install

 Dheeraj Sonawane  14/04/2025  G3 Processes  No Comments

[← Outbound Configuration for MEWS API](#)

[Atlantis Bahamas Integration Landscape and guidance for support page →](#)

Leave a Reply

Your email address will not be published. Required fields are marked *

Comment *

Name *

Email *

Website

☐ Save my name, email, and website in this browser for the next time I comment.

Post Comment