



CARE Knowledge Base

Knowledge Engine for CARE, by CARE!

Search by Category

All categories

▼

Search

Enter a search term, select a category and click **Search** or select an icon below.

[All Articles](#) [G2](#) [G3](#) [Car Park RMS](#) [RevPlan](#) [SmartSpace](#) [Casper](#) [Optix](#) [Assets](#)

DU to OCP via Core OHIP for Opera Cloud Agent and NGI Agent property.

1 Introduction

1.1 Purpose

The purpose of this document is to provide a standard process for uploading decisions to Opera Cloud using OCP through Core OHIP while G3 property is on Opera Cloud Agent or on NGI Agent (OHIP Emulator)

1.2 Scope

This document will help in identifying the different steps involved in uploading the decisions to Opera Cloud using OCP

1.3 Intended Audience

The target audience for this document is the team members involved in decision upload

2 Entry Criteria

- Property will be moving to Decision Upload stage

3 Pre-Requisites & Assumptions

Categories

Select Category

Recent Posts

- [HLTN/hiltonEnableSmallGroupProductsAndInventoryLimitForNewPropertyStep](#)
- [Service Recovery Procedure – IDeaSOperaAgent Service in “Stopping” State](#)
- [Processing Failures Due to Data Type Mismatch for MGM Resorts](#)
- [Dynamic Optimization](#)
- [HLTN/Handling Error for SAS Dataset Encoding Job](#)

- Environment and Tenant set-up is already complete for that specific client. If not completed, then please follow the standard process which is mentioned in the “OHIP Interface User” document.

4 Activities Performed

Task 1 – Add Property to ohipResort collection

- Use below details to add the property into ohipResort collection:

```
{  
  "vendorId": "OCP",  
  "clientId": "ORASCOMEGYPT",  
  "propertyCode": "0004",  
  "resortCode": "EGGOCC",  
  "envCode": "OCP",  
  "tenantCode": "OHM"  
}
```

Note- Verify and update the yellow highlighted information wherever necessary.

Task 2 – Remove Credentials from NGI

- This step is only applicable to NGI Agent (OHIP Emulator) properties.
- You will need to remove credentials from NGI Integration Settings for OCP vendor

Group	Parameter name	Non-empty	Vendor	Client	Property	Calculated
inboundCredentials()	clientId				OWSMClientid	OWSMClientid
	sendKeypay				17482743-140F-4063-84a7-6a0d8f8c9f9c	17482743-140F-4063-84a7-6a0d8f8c9f9c
	authenticationToken					
	password		@*****	@*****	@*****	@*****
	clientSecret		@*****	@*****	@*****	@*****
	fullAccessMode					
	username				IDAS-HGBU	IDAS-HGBU

Recent Comments

Pranav Thakar on [Hilton/Processing Failure – non positive offset value for Product](#)

Ranjit on [Hilton/Processing Failure – non positive offset value for Product](#)

Ranjit on [Service Recovery Procedure – IDeaSOperaAgent Service in “Stopping” State](#)

Ranjit on [Processing Failures Due to Data Type Mismatch for MGM Resorts](#)

Ranjit on [Accor Client Handling Process Guide](#)

Task 3 – Add property to NGI Integration

- This step is only applicable to Opera Cloud Agent property.
- Add the property into NGI Integration Settings

OHIP X v

OCP

ORASCOMEGYPT

0014

✓ Add

Task 4 – Update property ID to NGI Integration

- Once added, update the externalPropertyId (i.e. Opera Cloud PMS Resort Code) into NGI Integration Settings

Integration settings for Integrations: OHIP Vendor OCP Client ORASCOMEGYPT Property: 0004 Settings/Id Credentials

Parameter name	Non empty	Vendor	Client	Property	Calculated
externalPropertyId	2	2	EG000C	EG000C	

Task 5 – Fetch Business Date

- Try to fetch the Business Date from Opera Cloud PMS using below URL:
- https://ohip-internal.ideasrms.com/api/business-date/v1/<client_code>/<property_code>

Task 6 – OCP Configuration

- Once above step is successful, it gives a confirmation that IDeaS can send decisions to Opera Cloud PMS using Core OHIP.
- If Opera Cloud Agent property, then remove Opera outbound from G3 and configure OCP outbound in G3
- If NGI Agent (OHIP Emulator) property, then OCP outbound should be already configured in G3

Task 7 – Toggle Settings

- Make sure below toggles in G3 are enabled or has values:
- feature.decisionDeliveryBaseUrl – https://decision-delivery-internal.ideasrms.com/
- feature.enableMultipleNGIConfigurations – True
- NGI toggle – isAgentThroughNgiEnabled to set is as blank (Only for NGI Agent property)
- G3 toggle – pacman.feature.skipLRVCurrencyConversion – True (Only for NGI Agent property)
- G3 toggle – pacman.integration.opera.useYieldCurrencyForDailyBar – true (Only for Opera Agent property)

Task 8 – Monitor

- Monitor the DU to OCP and take appropriate action further based on success/failure

5 Exit Criteria

- Decision Upload is successfully completed.



Tagged on: Decision Decisions to Opera Cloud using OCP through Core
OHIP OCP OHIP Opera Cloud

Sneha Nirgude 24/09/2024

G3 Procedures, G3 Processes, G3 Solutions, Migrations, Procedures, Processes, SmartSpace

No Comments

[← HLTN/How to trigger processing for a file-based property](#)

[Negative Room Sold Failure →](#)

Leave a Reply

Your email address will not be published. Required fields are marked *

Comment *

Name *

Email *

Website

☐ Save my name, email, and website in this browser for the next time I comment.

Post Comment

