



CARE Knowledge Base

Knowledge Engine for CARE, by CARE!

Search by Category

All categories

▼

Search

Enter a search term, select a category and click **Search** or select an icon below.

[All Articles](#) [G2](#) [G3](#) [Car Park RMS](#) [RevPlan](#) [SmartSpace](#) [Casper](#) [Optix](#) [Assets](#)

Data Extraction Scheduled reports – Updated process

Scheduled reports delivery ‘After BDE’ Processing:

Data Extraction Scheduled reports will now be delivered ‘After BDE’ Processing instead of the usual date and time selection by the user which gets delivered via Jasper.

Existing Flow:

The user schedules a report by selecting date and time and then this information is passed on to the Jasper. All scheduled reports can be viewed in Jasper database and in table QRTZ_TRIGGER.

New Flow:

Scheduled reports will now be delivered ‘After BDE’ Processing. First report identified for this is Data Extraction. Gradually, all scheduled reports will have this option.

All the existing Data Extraction scheduled reports, will now be delivered After the BDE Process if the toggle ‘pacman.PreProduction.DataExtractionScheduledReportsPostBDE’ is enabled. This can be enabled at Global / Client and property level

True = Scheduled Reports delivery will start after next BDE is completed

False = Scheduled Reports will be delivered as per Jasper flow (current mechanism)

Categories

Select Category

Recent Posts

[HLTN/hiltonEnableSmallGroupProductsAndInventoryLimitForNewPropertyStep](#)

[Service Recovery Procedure – IDeaSOperaAgent Service in “Stopping” State](#)

[Processing Failures Due to Data Type Mismatch for MGM Resorts](#)

[Dynamic Optimization](#)

[HLTN/Handling Error for SAS Dataset Encoding Job](#)

Each schedulable report will have a separate toggle created once it is added in the new flow.

Once the Toggle is Enabled All Existing Reports in QRTZ_TRIGGER table under Jasper will be marked as Completed. The Delivery will be taken care by G3 and not Jasper.

This functionality will be available for all the three flows:

- 1. Hilton has PCRS integration (Process CRS file)
- 2. OPERA – > Opera data Load (Opera data Load)
- 3. NGI -> NGI Integration (NGI deferred delivery Job)

In all these BDE jobs you will see additional step namely ‘StartScheduledReportPostProcessingJobStep’. If the above-mentioned toggle is enabled, then this step will get completed and trigger a new job namely ‘ScheduledReportJob’.

If the toggle is disabled, then the step ‘StartScheduledReportPostProcessingJobStep’ will be get skipped in the usual flow, ensuring ‘ScheduledReportJob’ is not triggered.

The new ‘ScheduledReport’ Job Contains Following Steps:

- 1. determineWorkContextFromPropertyIdStep
- 2. acquireRegulatorRequestStep
- 3. deleteLocalJasperReportsStep
- 4. dataExtractionScheduledReportStep
- 5. completeRegulatorRequestStep

Once new reports are added a new step for each report will get added to review and understand which reports are delivered and which haven’t been delivered or generated.

Any Failure in Report Generation or Report Delivery will Fail the Scheduled Report job with Failure Reason, it will not create Entry in the **ScheduledReport_Delivery_Audit** table. (tenant level table).

Successful Reports will be entered in the table and will be overwritten, when the same report is generated and delivered with change in date.

To review data under this table we have saved a query in CMA by name ‘**After BDE ScheduledReport_Delivery_Audit table data**’. Member using this query will have to give BDE Date as an input to fetch data. The date to be inserted would be the day for which one is reviewing if the reports were delivered or not.

Note that, only reports that were successfully delivered will have a record in this tenant audit table.

If the job fails due to issue in report generation or delivery, then accordingly it will show up the reason phrase on the ‘problem’ tab of the monitoring dashboard. In the, ‘report name step’ it will show the count of Processed and Completed Reports along with the chunk size.

The new job will have a throttle of 10 jobs to run at once.

Recent Comments

- Pranav Thakar on [Hilton/Processing Failure – non positive offset value for Product](#)
- Ranjit on [Hilton/Processing Failure – non positive offset value for Product](#)
- Ranjit on [Service Recovery Procedure – IDeaSOperaAgent Service in “Stopping” State](#)
- Ranjit on [Processing Failures Due to Data Type Mismatch for MGM Resorts](#)
- Ranjit on [Accor Client Handling Process Guide](#)

Support teams to follow the usual failure analysis and escalation flow depending on the nature of the failure.

PS: The API for Triggering this Job is available with SDQA team, in remote cases if required we can directly trigger this job to get the Reports generated and Delivered at their specified Locations. (For internal reference only).

Fall back mechanism

In case after enabling the toggle, we had to disable the toggle then the Reports that are created after toggle is enabled, the Start date as Current System date time + 15 minutes (when created). This will ensure we have data in Jasper and basis that date, and time reports will get generated via Jasper.

All reports that were earlier marked as ‘completed’ in jasper will be changed to ‘waiting’ state again.

Delivery:

The “After BDE” option is applicable for all three modes of Delivery (i.e. Email, FTP and SFTP).

The user can select the Frequency, as he was doing for earlier reports (i.e. daily, Weekly)

User can select the Language as English or German.

Support handover Discussion video

 0

 idnyos

 12/06/2020

 G3 Processes

 No Comments

← Rooms Forecasting

Agile Rates – Configuration and Analytics →

Leave a Reply

Your email address will not be published. Required fields are marked *

Comment *

Name *

Email *

Website

☐ Save my name, email, and website in this browser for the next time I comment.

Post Comment