



CARE Knowledge Base

Knowledge Engine for CARE, by CARE!

Search by Category

All categories ▼ Search

Enter a search term, select a category and click **Search** or select an icon below.

[All Articles](#) [G2](#) [G3](#) [Car Park RMS](#) [RevPlan](#) [SmartSpace](#) [Casper](#) [Optix](#) [Assets](#)

Enabling nSight in G3 IDEaS application


This Article is for the nSight parameters enablement for the properties that are rolling out nSight.

There are two aspects for the same

- 1) Report enablement
- 2) UI enablement

To undertake this – one must go to the relevant G3 prod application (for ESA &GA prod 2) .

Go to Support (1) > Go to the property tab (2) > select the correct client and the correct property. (3) in the screenshot below.



Once completed – hit the edit button.

Categories

Select Category

Recent Posts

[HLTN/hiltonEnableSmallGroupProductsAndInventoryLimitForNewPropertyStep](#)


[Service Recovery Procedure – IDEaSOperaAgent Service in “Stopping” State](#)

[Processing Failures Due to Data Type Mismatch for MGM Resorts](#)

[Dynamic Optimization](#)

[HLTN/Handling Error for SAS Dataset Encoding Job](#)

Then you must search a parameter by the name
'pacman.feature.nSightReportEnabled' in the search field on the right hand side like below :



1. For Report enablement we have to turn the below parameters to True
pacman.feature.nSightReportEnabled
pacman.feature.nSightReportUploadEnabled

Typically the Task for Report enablement is Task2 of the nSight enablement workflow

- 2.For UI enablement we have to turn the below parameter to True **pacman.feature.nSightUIEnabled.**

the Task for UI enablement is Task4 of the workflow of the nSight enablement workflow

Once you've set the parameters to True as below – you should save the changes

pacman.feature.nSightReportEnabled	true
pacman.feature.nSightReportUploadEnabled	true
pacman.feature.nSightUIEnabled	<u>false</u>

Note : in the screenshot – it shows as 'false' but this should be set to 'TRUE' for UI enablement.



Tagged on: G3 nSight nsight G3

idnnav 07/07/2017 G3 Procedures 1 Comment

[← G3 Rate Shopping Configuration and Extracts Catchup](#)

[G2 – Hilton Data Truncation Issue →](#)

Recent Comments

- Pranav Thakar on [Hilton/Processing Failure – non positive offset value for Product](#)
- Ranjit on [Hilton/Processing Failure – non positive offset value for Product](#)
- Ranjit on [Service Recovery Procedure – IDeaSOperaAgent Service in “Stopping” State](#)
- Ranjit on [Processing Failures Due to Data Type Mismatch for MGM Resorts](#)
- Ranjit on [Accor Client Handling Process Guide](#)

One thought on “Enabling nSight in G3 IDeaS application”



 Pranav Thakar

 07/07/2017 at 22:54

 [Permalink](#)

Thank you Ravi!

This helps a lot!

 Reply

Leave a Reply

Your email address will not be published. Required fields are marked *

Comment *

Name *

Email *

Website

☐ Save my name, email, and website in this browser for the next time I comment.

