



CARE Knowledge Base

Knowledge Engine for CARE, by CARE!

Search by Category

All categories

▼

Search

Enter a search term, select a category and click **Search** or select an icon below.

- All Articles
- G2
- G3
- Car Park RMS
- RevPlan
- SmartSpace
- Casper
- Optix
- Assets

Forecasting and Optimization exceptions and solutions

This document is all about calibration, create commit forecasting i.e. CCFG, Force sync, optimization group pricing and ‘what if’ failures. Here, we have taken most common failures encountered. CARE can use this as a reference document for investigating the failures and then can take the appropriate action.

[[1]]

=====

Error – rm_job failed to forecast : OK to proceed : failed on executing the forecast task UNQ_REFERENCE_PRICE_FCST : error occurred when check property tasks status

=====

The above failure is related to the Web rate information. The failure occurs if the web rate information is not sufficient (i.e. population issue) or due to the missing rate shopping configuration issue (i.e. consumption of web rate information). Team can check the generation date from the table – ‘pacman.webrate’ where the parameter is ‘min webrate_generationdate’. If the web rate information is of 2+ years old, then team can ask the client to disable the web rate configuration so that the processing will not be fail due to the unavailability of rate shopping data. Client can disable the

Categories

Select Category

Recent Posts

- [HLTN/hiltonEnableSmallGroupProductsAndInventoryLimitForNewPropertyStep](#)
- [Service Recovery Procedure – IDeaSOperaAgent Service in “Stopping” State](#)
- [Processing Failures Due to Data Type Mismatch for MGM Resorts](#)
- [Dynamic Optimization](#)
- [HLTN/Handling Error for SAS Dataset Encoding Job](#)

rate shopping data from the tab available under Configure->Rate Shopping Configuration screen in G3

Another scenario is that the appropriate rate shopping configuration is not completed by the client. If the client introduces a new vendor then its relevant Room Class mapping/configuration against Competitor Property Name should be completed to avoid these failures.

Team can check such a configuration under Configure->Rate Shopping Configuration screen in G3

Rate Shopping Configuration

Room Class Mapping

Channel Settings

Competitor Settings

Rate Shopping Schedule

Competitive Room Type	Display Name	Room Class	Created On	Action
Standard	Standard	STD	30-Sep-2010	
Standard 2	Standard 2	STD	30-Sep-2010	
Delux	Delux	DLX	30-Sep-2010	

Save

Cancel

Rate Shopping Configuration

Room Class Mapping

Channel Settings

Competitor Settings

Rate Shopping Schedule

Competitor Display and Configuration

Show competitor by: Median Price

Select a specific competitor:

Enable Competitive Market Position Constraints

Competitor Property Name	Display Name	Room Class	Use Rate Shopping Data	Created On	Action
Wyndham Grand Clearwater Beach	Wyndham Grand Clearwat		☒	12-Jul-2018	
		SUITE	☒		
		ROOMS	☒		
Hilton Clearwater Beach Resort & Spa	Hilton Clearwater Beach R		☒	12-Jul-2018	
Sandpearl Resort	Sandpearl Resort		☒	12-Jul-2018	
Hyatt Regency Clearwater Beach Resort &	Hyatt Regency Clearwater		☒	12-Jul-2018	
Opal Sands	Opal Sands		☒	12-Jul-2018	
The Don CeSar	The Don CeSar		☒	12-Jul-2018	
Clearwater Beach Marriott Suites on Sand	Clearwater Beach Marriott		☒	12-Jul-2018	
The Vinoy® Renaissance St. Petersburg Re	The Vinoy® Renaissance S		☒	12-Jul-2018	

NOTE: G3 always generates an alert on UI however if client ignores or does not take any action against these generated alerts then such failures observes during the processing cycle.

[[2]]

rm_job failed to forecast : OK to proceed : failed on executing the forecast task UNQ_BASE_DMD_FCST

The above failure is related to the Web rate information. Need to check the rate shopping configuration and its data availability. Team can check such a configuration under Configure->Rate Shopping Configuration screen in G3

Recent Comments

Pranav Thakar on Hilton/Processing Failure – non positive offset value for Product

Ranjit on Hilton/Processing Failure – non positive offset value for Product

Ranjit on Service Recovery Procedure – IDeaSOperaAgent Service in “Stopping” State

Ranjit on Processing Failures Due to Data Type Mismatch for MGM Resorts

Ranjit on Accor Client Handling Process Guide

=====

Error:No price point was found for RC=2, AD=23734, LOS=1. : Error:Error running optimization

=====


Nomenclature –

- 1. RC = Room Class (use query CARE validation to find the ‘Accom Class’)
- 2. AD = Accom Date
(use <https://www.sastipsbyhal.com/2014/12/datecalculator.html> to find the date)

This error indicates that the system does not have any open rate plans to recommend for the impacted room class (RC) on the impacted date (AD). Navigate to Configure > Decisions > Rate Plan Strategy > Room Class Strategy.

Here, check each Rate plan in that room class –

- You will either find a seasonal override for that date



- Or The Rate Plan will be marked as ‘User Override Only’, meaning the system won’t use it to recommend rates. This plan is reserved for users to override the system-generated plan. ^[OBJ]

As a result, the system has no plan to recommend rates.

We need to ask the client to keep at least one rate plan open for each day throughout the entire decision window so the system can recommend rates.

=====

ERROR: An exception has been encountered.

Please contact technical support and provide them with the following traceback information:

The SAS task name is [RMUNCON (7784)]

ERROR: Read Access Violation RMUNCON (7784)

=====

The above failure is related to access issue of one of SaS database. To resolve the issue, CARE needs to assign task to TechOps for re-indexing the database. However, these types of issues have come down post deployment.

[[5]]

=====

Error:cp_offset_at_row_callback: Default Season configuration for AT=6 has NULL values : Error:Error when reading from input table : Warning:log_file_name is C:\SAS\Logs\SAS_1666_0096_OP_4.log : Warning:Inhouse Demand Forecast Type: Currently only Qualified yieldable (default) and Qualified non-yieldable are supported. Reset to default.

=====

The above failure is related to missing room type configuration. However, these types of issues have come down post deployment.

[[6]]

=====

Error:Trying to override invalid accommodation class 8 : Warning:log_file_name is C:\SAS\Logs\SAS_CRHGROUP_BERG_OP_1473.log : Warning:Inhouse Demand Forecast Type: Currently only Qualified yieldable (default) and Qualified non-yieldable are supported. Reset to default. :

Warning:cp_decision_bar_output_row_callback: Floor and/or Ceiling overrides are not valid for a non-Base RT =5 : Warning:cp_decision_bar_output_row_callback: Floor and/or Ceiling overrides are not valid for a non-Base RT =5 :
Warning:cp_decision_bar_output_row_callback: Floor and/or Ceiling overrides are not valid for a non-Base RT =5 : Warning:cp_decision_bar_output_row_callback: Floor and/or Ceiling overrides are not valid for a non-Base RT =5 :
Warning:cp_decision_bar_output_row_callback: Floor and/or Ceiling overrides are not valid for a non-Base RT =5

=====

The above failure is related to invalid accommodation class. To resolve the issue, team should perform the steps mentioned below: –

- Login to CMA for getting the accommodation class name run the query “**accomClassRecords**” already available in CMT

- If you find the status of problematic accom class as '2' then its confirmed that the client has made configuration changes in the room class and made the room class as "inactive"
- Team can check the overrides from Forecasts-> Demand and Wash Management screen in G3 or can pull the override report.
- In this scenario, we should ask the client to clear the demand overrides available for future dates.

[[7]]

=====

rm_job failed to forecast : OK to proceed : failed on executing the forecast task
UNQ_ELASTICITY_FCST : error occurred when check property tasks status

=====

The above failure is related to the Web rate information. Need to check the rate shopping configuration and its data availability. Team can check such a configuration under Configure->Rate Shopping Configuration screen in G3

Update:

If all RSS configurations are in place, try running webrate, special event and accom sync for the property and re-process the failed job.

[[8]]

=====

Error:Rate forecast list not initialized properly for fg 8, ac 4, d 21739, los_id 0. :
Warning:log_file_name is C:\SAS\Logs\SAS_ACCORHG_1785_OP_1168.log :
Warning:Inhouse Demand Forecast Type: Currently only Qualified yieldable (default) and Qualified non-yieldable are supported. Reset to default. :
Warning:AT=7 has no capacity data on occupancy_dt_ind=0. : Warning:AT=7 has no capacity data on occupancy_dt_ind=1. : Warning:AT=7 has no capacity data on occupancy_dt_ind=2. : Warning:AT=7 has no capacity data on occupancy_dt_ind=3. : Warning:AT=7 has no capacity data on occupancy_dt_ind=4. : Warning:AT=7 has no capacity data on occupancy_dt_ind=5. : Warning:AT=7 has no capacity data on occupancy_dt_ind=6. : Warning:AT=7 has no capacity data on occupancy_dt_ind=7. : Warning:AT=7 has no capacity data on occupancy_dt_ind=8. : Warning:AT=7 has no capacity data on occupancy_dt_ind=9. : Warning:AT=7 has no capacity data on occupancy_dt_ind=10. : Warning:AT=7 has no capacity data on occupancy_dt_ind=11. : Warning:AT=7 has no capacity data on occupancy_dt_ind=12. : Warning:AT=7 has no capacity data on occupancy_dt_ind=13. : Warning:AT=7 has no capacity data on occupancy_dt_ind=14. : Warning:AT=7 has no capacity data on occupancy_dt_ind=15. : Warning:AT=7 has no capacity data on occupancy_dt_ind=16. : Warning:AT=7 has no capacity data on occupancy_dt_ind=17. : Warning:AT=7 has no capacity data on occupancy_dt_ind=18. : Warning:AT=7 has no capacity data on occupancy_dt_ind=19. : Warning:AT=7 has no capacity data on occupancy_dt_ind=20. : Warning:AT=7 has no capacity data on

occupancy_dt_ind=21. : Warning:AT=7 has no capacity data on
occupancy_dt_ind=22. : Warning:AT=7 has no capacity data on
occupancy_dt_ind=23. : Warning:AT=7 has no capacity data on
occupancy_dt_ind=24. : Warning:AT=7 has no capacity data on
occupancy_dt_ind=25. : Warning:AT=7 has no capacity data on
occupancy_dt_ind=26. : Warning:AT=7 has no capacity data on
occupancy_dt_ind=27. : Warning:AT=7 has no capacity

=====

The above failure is related to the Forecasting. If any change in the window – BAR, forecasting, Optimization and miss to run the sync service then we get such failures. To resolve such failures, one should run the force sync calibration service post the change.

[[9]]

=====

Error:rate_unq_id -1 is not found for rc=4, fg=11, arrival_dt=21188, los=1 :
Error:Error running optimization : Warning:log_file_name is
C:\SAS\Logs\SAS_ACCORHG_A594_OP_1184.log : Warning:A user bar override
was not considered for date:21205 los:7 rate_id:4 accom_class: 4 as the rate was
not present in the rate grid : Warning:A user bar override was not considered for
date:21273 los:7 rate_id:4 accom_class: 4 as the rate was not present in the rate
grid : Warning:A user bar override was not considered for date:21274 los:6
rate_id:4 accom_class: 4 as the rate was not present in the rate grid : Warning:A
user bar override was not considered for date:21271 los:2 rate_id:4 accom_class: 4
as the rate was not present in the rate grid : Warning:A user bar override was not
considered for date:21272 los:2 rate_id:4 accom_class: 4 as the rate was not
present in the rate grid : Warning:A user bar override was not considered for
date:21204 los:7 rate_id:4 accom_class: 4 as the rate was not present in the rate
grid : Warning:A user bar override was not considered for date:21267 los:4
rate_id:4 accom_class: 4 as the rate was not present in the rate grid : Warning:A
user bar override was not considered for date:21212 los:6 rate_id:4 accom_class: 4
as the rate was not present in the rate grid : Warning:A user bar override was not
considered for date:21206 los:7 rate_id:4 accom_class: 4 as the rate was not
present in the rate grid : Warning:A user bar override was not considered for
date:21276 los:2 rate_id:4 accom_class: 4 as the rate was not present in the rate
grid : Warning:A user bar override was not considered for date:21251 los:4
rate_id:4 accom_class: 4 as the rate was not present in the rate grid : Warning:A
user bar override was not considered for date:21283 los:6 rate_id:4 accom_class: 4
as the rate was not present in the rate grid : Warning:A user bar override was not
considered for date:21189 los:5 rate_id:4 accom_class: 4 as the rate was not
present in the

=====

The above failure is related to optimization. Need to check the Room class
configuration of the property.

[[10]]

=====

ERROR: Base demand not set for fg XX, ac YY, dt 21977, los_id 0, hg_id 0

=====

The above error indicates that the base demand is not calculated for the concerned date. This date happens to be the LAST day of optimization window(normally that is the case), it suggests that the current optimization is unable to find the base demand for the concerned date. Running sync helps in fixing the issue as Calibration and forecasting is run as part of this job.

[[11]]

=====

No price point was found for RC=XX, AD=YYYY

=====

The above error indicates the BAR Rate plans are having an issue and there are no rates available for optimization to choose for given RC.
Running sync helps in fixing the issue as Calibration and forecasting are run as part of this job.

[[12]]

=====

Error:The optimization end date specified (22452) occurs after the forecast end date (22087). : Warning:log_file_name is C:\SAS\Logs\SAS_sbeENT_0023_OP_4908.log : Warning:Inhouse Demand Forecast Type: Currently only Qualified yieldable (default) and Qualified non-yieldable are supported. Reset to default.

=====

The observed error would come prominently in below 2 scenarios:

1. When the Fcst/Optz windows are updated.
2. When for some reason the earlier processing is missed (extract not processed).

The team can follow below steps to action on the failure:-

1. Review/check forecast or Optimization window parameter for a failed property.
2. See if the 'force sync' job is being triggered by the team member post updating the window. The force sync job should be triggered if changes are carried out before CDP processing.
3. There is no need to trigger the 'force sync' job if changes are carried out before BDE processing however 'sync flags' should be "ON/True" for successful processing.

[[13]]

=====
=====
Error:Error: Unrecognized offset method (=-1) for RT=<any RT> : Error:Error
running optimization
=====

=====
Use the predefined CMA query – “care validation” to find out the RT information.

E.g –

=====
=====
Error:Error: Unrecognized offset method (=-1) for RT=26 : Error:Error running
optimization
=====

=====
After executing the query, we found the RT= 26
The RT=26 is Room Type J1BGV.

Post finding the RT, go to Configure>> Pricing Configuration >> Offset refer below
screenshot.

We could see that rates are not configured for Room Type J1BGV under Room Class
GOLFSUITE.

NOTE: For the Room Type which has zero capacity the offset configuration can be
done as per below:-

The Occupancy type “Single” cannot be null or blank it should have a value as 0.00
other than like occupancy type “Double”, Extra Adult”, Extra Child” that can be null
or blank.

Please send these details to the client asking them to complete the configuration.

=====
=====
[[14]]

If you see below error in optimization step for the jobs – Force Sync and Commit
Forecast Groups
=====

=
Error:For every record at Accom_Inventory for a component room or a part, we must have remaining capacity at CR_Accom_Activity.
Rmpo_Resource:23, Date:22299(01/19/2021), Accom_Inventory:0,
CR_Accom_Activity:1
=====

=
We get the above error because after completing (by client) the Component Rooms Configuration the Force Sync and Commit Forecast Groups are triggered before the population of next BDE.
System needs atleast 1 BDE to be populated in order to populated the SAS Accom_Inventory dataset.
Actioned needed as per the jobs
Force Sync – Abandon this and allow the next BDE to populate.
Commit Forecast Groups – Abandon this job and allow the next BDE to completed and then ask client to do CCFG again.
=====

=====
Please find the related training recordings below:-

<https://web.microsoftstream.com/video/9b6e0998-128a-4be9-be85-54d7d5341a2d>

<https://web.microsoftstream.com/video/a6982eb3-30d8-40d3-9e14-501fa7f27897>

=====
=====
[[15]]

If you see below error in optimization step for the Processing Jobs (Opera Data Load/NGI Deferred Delivery Job)

Error

=====
No rows in table:CR_Accom_Activity, so exiting out

SQL query: (null)
=====

Check if the parameter ((pacman.feature.ComponentRoomsEnabled) is enabled.

If yes, then please ask the Client to complete the Component Room Configuration.

Configure>> Component Rooms>> Map Component Rooms.

=====

[[16]]

If you see below error in Forecasting step for the Processing Jobs (Opera Data Load/NGI Deferred Delivery Job)

Errors

=====

rm_job failed to forecast : OK to proceed : error occurred when check property tasks status

Error : rm_job failed to forecast : OK to proceed : error occurred when check property tasks status

=====

If you see the jobs you can find the Create Forecast Group was completed but Commit Forecast Group was not triggered by client, refer the below screen shot.

Please ask client to complete the Commit Forecast Group.

In case if you see the Create and Commit Forecast job is completed recently or previously and even if the processing job is failed (error might be different in this case).

Then please follow the workaround of running the sync and reprocessing the job (which is a known process).



idnvia 07/09/2018 G3 Solutions, Solutions 1 Comment

[← Support Teams – Deployment Items Handover](#)

[OXI properties Maintenance Related →](#)

One thought on “Forecasting and Optimization exceptions and solutions”

Pranav Thakar
 03/02/2021 at 19:04
 [Permalink](#)

Good One. Thank you

Reply

Leave a Reply

Your email address will not be published. Required fields are marked *

Comment *

Name *

Email *

Website

☐ Save my name, email, and website in this browser for the next time I comment.

Post Comment