



CARE Knowledge Base

Knowledge Engine for CARE, by CARE!

Search by Category

All categories



Search

Enter a search term, select a category and click **Search** or select an icon below.

[All Articles](#) [G2](#) [G3](#) [Car Park RMS](#) [RevPlan](#) [SmartSpace](#) [Casper](#) [Optix](#) [Assets](#)

G3 Blank Room Types in Hotel Historical Data Extracts

Blank Room Types in Hotel Historical Data Extracts

Although Room Type (Accom_type) is a compulsory field in Opera and many other reservations systems, blank room types can occur in the hotels' data extracts under certain circumstances. Examples of where this **may** arise include:

- The use of Opera's Room Type Change utility to change room types from one code to another, where reservations remain past/future with deleted room type.
- Deletion of a Room Category ID where reservations remain in the past/future will result in blank room types.

The presence of either individual reservation or group block transaction with a blank Room Type in the hotel's data extracts will cause data population failures when catch up is run or is identified through the Opera Data Validation checks on the extracts in G3.

Solution

IDeaS has developed a solution to manage this data condition whereby a rule is assigned to apply a room type code to these blank reservation transactions.

IDeaS Process to Manage this Data Condition

Categories

Select Category

Recent Posts

[HLTN/hiltonEnableSmallGroupProductsAndInventoryLimitForNewPropertyStep](#)

[Service Recovery Procedure – IDeaSOperaAgent Service in “Stopping” State](#)

[Processing Failures Due to Data Type Mismatch for MGM Resorts](#)

[Dynamic Optimization](#)

[HLTN/Handling Error for SAS Dataset Encoding Job](#)

The IDeaS CPM or CRM will need to work with hotel if the data condition is identified through one of the two scenarios below:

Option 1: The Issue identified as potentially existing from responses in the Opera Agent Questionnaire

1. Hotel reports they have changed room type codes in past 2 years.
2. IDeaS CPM or CRM discusses with the property if they are aware of or can identify any transactions with a blank Room Type field using existing reporting tools.
3. If transactions with blank room types are identified: The CPM or CRM will need to discuss the reasons for this and options for handling the blank room types.
 1. ICS or SPM will follow the process as follows :
 1. Find the Reservation details using the CMA Query “**Find out Reservation in FULL with Blank Room Type or Blank MS of received transactions**”. Go to CMA > SQL>Fetch Query > Select the chain/property > Run SQL and analyse the result returned by CMA. You should be careful reading the outcome.

The screenshot shows the CONFIGURATION MANAGER SQL interface. At the top, there's a navigation bar with 'SQL', 'Reports', and 'File Explorer'. Below this, there's a 'Run SQL' section. The 'Selected Query' is 'Find out Reservation in FULL with Blank Room Type or Blank MS of received transactions'. The 'SFD Case' is empty. The 'Select Chains' dropdown is set to 'ACCOR HOTELS'. The 'Select Property' dropdown is set to '9176 - Mercure Istanbul Taksim'. The 'Selected Delimiter' is empty. The 'Query Description' states: 'This query will fetch erroneous reservations where RT or MS is blank. These reservations by experience are not repairable. Check with property and confirm.' The 'Query Set' contains a complex SQL query. At the bottom, there are buttons for 'Run SQL' and 'Schedule SQL'.

4. The Hotel will need to confirm what value they wish to use (either a currently existing physical Room Type (RT) or a pseudo RT) to fill in the blank room types in the transactions.
 1. The same Room Type code or Pseudo Room Type code must be applied to **all** transactions with a blank Room Type code (Room Types cannot be applied selectively based on criteria).
 2. Room Types cannot remain blank, otherwise population of the extract will fail.
5. CPM enters task on the case **G3-I8 Catch-Up** to CARE with details on how the client wishes to handle blank the room types identified.
6. CARE will apply the Hotels selection of how to handle blank room types to the transactions effected within the IDeaS database.
 1. Once this is returned by the client it should be updated . Identify the Reservation_Name_ID's and use the CMA query “Update Room Type columns for Reservations with Blank Room Types” to update the Room Types for these reservations.

Recent Comments

Pranav Thakar on [Hilton/Processing Failure – non positive offset value for Product](#)

Ranjit on [Hilton/Processing Failure – non positive offset value for Product](#)

Ranjit on [Service Recovery Procedure – IDeaSOperaAgent Service in “Stopping” State](#)

Ranjit on [Processing Failures Due to Data Type Mismatch for MGM Resorts](#)

Ranjit on [Accor Client Handling Process Guide](#)

CONFIGURATION MANAGER

SQL Reports File Explorer

Run SQL View Scheduled SQL Edit Scheduled SQL

Run SQL

Selected Query: **Update Room Type columns for Reservations with Blank Room Types** **Get**

SFDC Case: 1

This Query requires Manager's Signature

Select Chains: ACCOR HOTELS

Select Property: 9176 - Mercure Istanbul Taksim

Selected Delimiter: ;

Query Description: Update Room Type columns for Reservations with Blank Room Types

Query Set:

```
update Opera.History_Transaction SET Room_Type=@RTCode where Reservation_Name_ID = @ResID
update Opera.History_Transaction SET Booked_Room_Type=@RTCode where Reservation_Name_ID = @ResID
```

Query Parameters: RTCode(String) ResID(Integer)

Run SQL **Schedule SQL**

Option 2: Issue identified as a data condition when running catch-up (processing failed) or through Opera Data Validation checks.

- Where the issue is identified through catch up, population or the Opera Data Validation Checks of extracts, CARE will assign a task back to the CPM or CRM on the case **G3-I8 Catch-Up Case**.
 - The reservation transaction IDs or group blocks affected will be provided to the hotel for review within the task.
- The CPM or CRM will need to discuss the reasons for this and options for handling the blank room types.
- The Hotel will need to confirm what value they wish to use (either a currently existing physical Room Type (RT) or a pseudo RT) to fill in the blank room types in the transactions.
 - The same Room Type code or Pseudo Room Type code must be applied. to **all** transactions with a blank Room Type code (Room Types cannot be applied selectively based on criteria).
 - Room Types cannot remain blank, otherwise population of the extract will fail.
- IDeaS PM or CRM will then respond back to the task by assigning a new task back to CARE to apply the changes to the transactions with a blank Room Type field in the IDeaS database as per the client's direction.

Client Considerations When Correcting Past Data

- Where the client chooses to make changes and apply a Room Type value to the transactions with a blank Room Type field, there is a possibility that the Rooms Sold counts will then exceed the physical capacity for the stay dates of the reservation transaction(s) in question.

- Conversely – applying a pseudo RT code to the transactions may result in IDEaS G3 RMS seeing less demand represented in the history for the impacted dates.



Tagged on: [Blank Room Types](#) [Historical Data Extracts](#)

idnahn 31/03/2017 G3 Processes No Comments

[← G3 CP Configurations for New properties \(Based on Pricing Configuration Inclusive of Tax_QuickRefDoc\)](#)

[G2 Decision Monitoring through logs →](#)

Leave a Reply

Your email address will not be published. Required fields are marked *

Comment *

Name *

Email *

Website

☐ Save my name, email, and website in this browser for the next time I comment.

[Post Comment](#)

