



CARE Knowledge Base

Knowledge Engine for CARE, by CARE!

Search by Category

All categories

▼

Search

Enter a search term, select a category and click **Search** or select an icon below.

[All Articles](#) [G2](#) [G3](#) [Car Park RMS](#) [RevPlan](#) [SmartSpace](#) [Casper](#) [Optix](#) [Assets](#)

G3 Installation: Process to add a new property using HTNG

Owners: Azim, Hrishikesh, Ashwin

Overview

This process is part of the Installation and onboarding activity for a property using G3 RMS. The following falls under step three of the diagram below.

Categories

Select Category

Recent Posts

[HLTN/hiltonEnableSmallGroupProductsAndInventoryLimitForNewPropertyStep](#)


[Service Recovery Procedure – IdeaSOperaAgent Service in “Stopping” State](#)

[Processing Failures Due to Data Type Mismatch for MGM Resorts](#)

[Dynamic Optimization](#)

[HLTN/Handling Error for SAS Dataset Encoding Job](#)

Project Roadmap




The case reason used by the Client Project Manager is “G3 HTNG Data Capture and Deployment without Component Rooms”.

If the property is using Component Rooms feature in G3, the CPM must state the same.

“Add Property” is an important part of the configuration step of the IDeaS Process.

Data Flow



This is one of the initial steps in the IDeaS Process.

The next important step is to install HTNG. Refer to : [ICS – G3 – HTNG Installation Process \(Internal\) | CARE Knowledge Base \(sas.com\)](#)

Purpose

The purpose of this document is to enable a member to configure a property in G3 RMS based on the comments, application configuration and modules mentioned on the Salesforce case. Example case: [3137751](#). Follow the steps mentioned in this document in order to set up a system using G3 RMS.

Intended Audience

The Installation team or any member who is installing or adding a new property into the system.

Scope

The scope of this document is to provide guidance to the team member working on Adding a Property into G3 RMS using HTNG. This is part of the workflow in a “G3 HTNG Data Capture and Deployment without Component Rooms” case.

Pre-requisites

Entry criteria

Check that the following are in place before execution of the Add Property task.

Recent Comments

Pranav Thakar on [Hilton/Processing Failure – non positive offset value for Product](#)


Ranjit on [Hilton/Processing Failure – non positive offset value for Product](#)

Ranjit on [Service Recovery Procedure – IDeaSOperaAgent Service in “Stopping” State](#)

Ranjit on [Processing Failures Due to Data Type Mismatch for MGM Resorts](#)

Ranjit on [Accor Client Handling Process Guide](#)

1. A case is opened by the Client Project Manager (CPM) for CARE such as the one below for Data Capture /Installation for G3. The first step is "ADD A PROPERTY".



This case is for a property for G3 RMS using HTNG integration.

This case subject mentions that this property does not have Component Rooms. If the property is using Component Rooms feature in G3, the CPM must state the same.

There are two types of cases:

1. In which configuration details are provided on the case itself. These are Case modules. The check box for the respective modules should be ticked “☒”. You will also find BDE and IDP information as well as the data extraction window, What-if, Analytical Market Segments (AMS), etc. These are needed for configuration which is a major step in the installation of a new property.

Note: If a module is not selected or the checkbox for a particular module does not contain “ ” the module will not be set up in the G3 RMS.

Screenshot of the workflow content related to the case:

Refer to task “G2-HTNG-3A Add Property and Check Case for [details.](#)”

Look for the HTNG form in the Files section or Internal Attachments section of the case, which is the offline questionnaire if there is no mention of an Online integration questionnaire. (These are provided to the client by the CPM who then attaches the completed form in the Files or Internal Attachment section on the case).

- Download the HTNG Implementation form (also called questionnaire) onto your PC. Create a folder with the property name and the case number and save the downloaded file in that folder.

Note: If the form is not present or attached to the case, then inform the CPM that the form is missing which means that the next steps cannot be performed.

Screenshot of the form: Note that this is in a workbook format. Refer to the sheet “3.CARE (G3)”.

Refer to the “3.CARE (G3)” worksheet as per the screenshot below:

This contains all configuration details such as:

1. Client name
2. Client code
3. Integration
4. Chain code from SFDC (first four digits of the Client Account id)
5. Hotel name
6. Hotel code (last 4 digits of the Account id)
7. Whether the property is Limited Data Build
8. Currency
9. Time zone
10. BAR configuration

Note: If the information in the HTNG Implementation form shown above is not present, Add Property cannot be executed.

- Check if the property is LDB or Standard build, if “Standard Build” then check the date of the “History Extract”(Total Past days of 1st Extract) (Steps to check that)

Procedure

Input Validation

- When the case is received, after completing the checks above, see whether the property exists in G3 RMS UI in Prod 2 and Prod 3.

- To do that, pick up the client name from the Account section on the case. See Ultimate Parent Account.

- Check the G3 Client Code. If the property already exists in G3, this field will be empty.

- Check if any other property exists with the same account number on Prod 2 and 3.

To do that, copy the Account Number from the account section on the case in SFDC and paste it in the box titled 'SFDC Account #' in the 'Property' tab of the 'Installation' screen in G3 RMS UI. Click 'Search'. **Note: If a property exists with this Account number, reach out to the CPM and do not proceed with the next steps for the 'Add Property' task.**

- Once the Client name is found in either Prod 2 or 3, start the 'Add Property' steps in the respective prod.

For example: Ascott can be seen in Prod 2.

Process:

- Click 'Add Property' the window shown below will be displayed. Here the required details need to be entered. The fields marked with a * are mandatory.

Refer to the **HTNG Implementation form** to get the information needed:

1. You can copy or use the drop-down arrow to select the Client.
2. When entering the Account Name, ensure the name matches on both Case level and Account section in SFDC.
3. Enter the Account number from SFDC.
4. Enter the Property Code (This is generated by the Sales team) which is the last four digits of the Account Number. (Except for Landal, Raddison and ACCOR,

- the property code differs as they provide their own property code).
5. Enter the Property Time Zone (can also be seen in the Account screen in SFDC).
If there is a difference in the time zone on the Account screen vs the HTNG form, refer to the HTNG form for the time zone.
 6. Yield Currency
 7. Estimated capacity (total units)

External System. This parameter is set on Client level.

8. Select Sub System from the dropdown.
9. Whether or not the property is Limited Data Build (LDB). Sometimes a separate case and workflow exists for LDB but this information is also mentioned in the case comments. The information will also exist in the HTNG Form.
10. Don't forget to click 'SAVE'.
11. Now check the inputs in each field for spaces.

This is what the completed configuration form will look like:

Note: If a property is migrating from G2 to G3, it may not be necessary to check the box next to 'Migrated from G2'.

There are separate steps to be followed if a property is migrating from G2 to G3.

- After clicking 'SAVE', there will be a job which will run for approx. one minute.

Come to this screen to see the job status:

- Under Filter Jobs, select Add Property.
- Under Status, highlight all.
- This is the output.

- Now check the property with the SFDC account code and click 'Search'. The record will display.

- Click the Property code (in blue). The following will display.

- Ensure that the status of the job is complete. If it is still running, it will not show up in the UI.

- Now when a search is carried out for the property by entering the Account Number, the property will show up.

- After the job is complete, under Edit Property Data, select Connectivity Location from the dropdown as 'Hotel' and Transport Mechanism Type as 'HTNG'.

- Now with this the property is added. The next step is the Configuration.

-
- Copy the selected row into Notepad for your reference.

Configuration:

Refer to the HTNG form and the modules selected on the SFDC case.

1. CORE SETTINGS on the UI

- BAR configuration: Use the dropdown to select the BAR Pricing Method.

BAR by Day/ BAR by LOS/ Continuous Pricing (Most hotels use the third option)

This needs to be verified in SFDC as shown below:

- Limited Data Build (LDB) – Already checked and set up
- Group Wash By Group – is selected by default. However, this needs to be checked in SFDC as seen in the screen shot. If the module is selected in SFDC, then either retain or remove the selection on the configuration screen in the UI.

- Group Pricing – Selected on the UI Configuration as well as in SFDC.- as per licence

- Function Space – as per licence

- What if
- For some configuration like IDP – chain standard will be followed.
- Extended stay – for some chains, this toggle is enabled by default.
- Analytical Market Segments – Not applicable for LDB properties

In case of any mismatch between the UI and SFDC, the CPM must be contacted.

- Once this is complete, please click SAVE.

2. INBOUND on the UI:

- There are a total of 8 parameters.
- For Data Windows, check the BDE parameter information on the Case comments.
- Change the values in the fields shown as required based on the information as per chain standard or as mentioned in the Case comments.
- Currency Codes:

1. RMS Currency Code is the same as Yield Currency (refer to the HTNG form)
2. Base currency is the currency at the location of the property.

In case both currencies are not the same, then there is a parameter which is 'Apply Yield Currency' which needs to be enabled. This will enable currency conversion in the backend.

- Base Occupancy – Select Single or Double from the dropdown as mentioned on the HTNG Form.
- Pseudo Room Type codes – As mentioned in the HTNG Form.

(The client should provide this before the installation).

If these room types are not configured, these Room Types will come to G3 and will show up on the UI. By adding these room types in the configuration, G3 will not show these room types in the UI.

This completes the Configuration.

3. Configuration Tab in G3 UI

- On the Property tab enter or change the property code. The property name and Client will be displayed.

In the search box enter 'pacman.forecasting.forecastwindowCDP'.

This will filter out the 'pacman.forecasting.forecastwindowCDP'.

Check the values for the CDP forecast window and CDP Optimization window.
Change the values on the UI accordingly. In the Reason For Change dialogue box,
mention the case number.

If the property is using NGI, set the following Parameter to False.

This will restrict the direct rate population into G3.

In NGI we get rates as well and hence setting the parameter to False will not allow rate population into G3. Thus optimization will not get impacted, except for Groups.

Click SAVE.

This completes the 'ADD PROPERTY' activity.

NGI configuration

You'll get the task **Set Vendor Configurations (HTNG)** along with the same case as add property for completing the vendor config.

URL link to vendor page – <https://ngi.int.setting.admin.ideasrms.com/dashboard>

This is the UI for NGI, once you have dragged the vendor id column this will look as below.

Check the vendor details from case and property details from Prod

Go to NGI page <https://ngi.int.setting.admin.ideasrms.com/dashboard> the here we have the vendor Infor hence we'll complete the installation under the same.

Click on drop down and you can see all the clients and property under the vendor.

Check if the client already exists, if exists then we can add property under the client or else first we must add client and then property.

Click on Add client

Fill up the correct details and click on add

Once the details are successfully added below pop up will generate.

After the client is added then add the property as well by clicking on add property and save it.

Once the details are successfully added below window will pop up

Once the client and property are added to NGI we have to complete the remaining config hence click on below icon, this way config form will open for client level and property level

Below config form is for client level and on client level we must set the parameter “clientEnvironmentName” that depend on which prod property’s added either it’s Prod 1(g3.ideas), Prod 2(g3rms), Prod 3(g3rms03), Prod 4(g3rms04), Prod 5(g3rms05).

Whichever the prod put the correct prefix for in parameter “clientEnvironmentName” on property level by double clicking on it

Now set the credentials for the inbound (Must) and outbound (If needed).

- Outbound Token/Authentication Token: This information is available at the case level or can be checked with Integrations (Kristen)/Rekhaunsh for ProtellO clients only. For other clients, this field can be kept as blank.
- The Inbound credentials can be set either at the Vendor/Client/property level.
- It is always preferred to enter the Inbound credentials at the client level. This will ensure that we won’t have to enter these details every time we add a new property under a client.
- For a newly added client, the Inbound credentials must be created by following below steps:

4. Username: [Vendor Code] _ [Client Code]

5. Password

6. Use the link – <https://www.vultr.com/resources/secure-password-generator/?action=generatepassword&lowercase=on&uppercase=on&numbers=on&passwordlength=18>

7. Keep the Length as 18

8. Exclude symbols

- The Outbound credentials can be entered if they are provided at the case level, else keep it blank. This information is usually provided to us by the vendor/client

under the email communication triggered as part of the installation.

Since the credentials are set now, we must complete the configuration on the property level

This is how it will look

In vendor config, we completed the below Steps

- 1. Add client > Set client environment name > Set the inbound/outbound credentials > Outbound token/Authentication token if needed
- 2. Add property under client > set baseCurrencyCode > set scheduledDeferredDelivery > set qualifiedRatesDirectPopulationDisabled and unqualifiedRatesDirectPopulationDisabled

Exit

- Close the 'Add Property' task.
- Complete the 'Vendor Configuration' task

Closure

- Complete the 'Peer Review' task

Escalation Path

- Client Project Manager

Audit Points:

1. Audit was executed as per the HTNG form

2. All the client level configuration was correctly done Ex: Currency, Timezone, Integration

3. Vendor Mapping was done as per the requirements

Revision History

Rev No.	Revision Date	Description	Reason for Change	Revised By
0.1	01-16-2023	Document creation	Creation	Karl
0.2	02-22-2023	Vendor Mapping process added	Change in Vendor Mapping Process	Azim



0

Tagged on:

G3

G3 Installation

HTNG

idnkal 23/01/2023 G3 Procedures, G3 Processes

No Comments

← Consideration while configuring Tax values in G3

G3: Rate Shopping_G2 to G3 RSS Migration/ G2 &G3 RSS Parallel Processing



Leave a Reply

Your email address will not be published. Required fields are marked *

Comment *

Name *

Email *

Website

☐ Save my name, email, and website in this browser for the next time I comment.

Post Comment