



CARE Knowledge Base

Knowledge Engine for CARE, by CARE!

Search by Category

All categories ▼ Search

Enter a search term, select a category and click **Search** or select an icon below.

[All Articles](#) [G2](#) [G3](#) [Car Park RMS](#) [RevPlan](#) [SmartSpace](#) [Casper](#) [Optix](#) [Assets](#)

G3 Process to Upload Configuration File

Overview

- Process to upload configuration file in different scenarios.

Scope Definition

PRE – REQUISITS:

- » Case is received from the client with a configuration file attached to the case.
- » The configuration file should not be uploaded immediately without following the steps mentioned in the section below.

First Scenario

Case is received with a new configuration file.

Follow the below steps-

- 1 Once you receive the case, check the properties mentioned in it.
- 2 Now check in G3 system, whether these properties are already added or not.
- 3 Let’s assume the properties are not added, then upload the configuration file.
- 4 To upload the configuration file, go to the installation status screen and click on the “Upload Configuration button at the bottom on the screen and browse the file and


Categories

Select Category


Recent Posts

- HLTN/hiltonEnableSmallGroupProductsAndInventoryLimitForNewPropertyStep
- Service Recovery Procedure – IDeaSOperaAgent Service in “Stopping” State
- Processing Failures Due to Data Type Mismatch for MGM Resorts
- Dynamic Optimization
- HLTN/Handling Error for SAS Dataset Encoding Job

click on Upload.



2 Once the file is uploaded, the properties will be visible in G3 System:



2 Select the properties and add them in the G3 system.

Second Scenario

Case is received with a new configuration file (Stage=Data Capture).

Follow the below steps-

- 2 Once you receive the case, check the properties mentioned in it.
- 2 Now check in G3 system, whether these properties are already added or not.
- 2 Let's assume the properties are added and are in Data Capture stage.
- 2 Now here you need to follow a different process.
- 2 At first you need to change the parameter `pacman.core.property.configurationComplete` value to FALSE.
- 2 Now upload the newly received configuration file which is attached at the case level.
- 2 Now rollback the mentioned property from Installation tab.
- 2 Once it is rolled back, the property will use the latest configuration file.

Third Scenario

Case is received with the new configuration file (Stage=Population).

Follow the below steps-

- 2 Once you receive the case, check the properties mentioned in it.
- 2 Now check in G3 system, whether these properties are already added or not.

Recent Comments

Pranav Thakar on

[Hilton/Processing Failure – non positive offset value for Product](#)

Ranjit on [Hilton/Processing Failure – non positive offset value for Product](#)

Ranjit on [Service Recovery Procedure – IDeaSOperaAgent Service in “Stopping” State](#)

Ranjit on [Processing Failures Due to Data Type Mismatch for MGM Resorts](#)

Ranjit on [Accor Client Handling Process Guide](#)

- ❓ Let's assume the properties are added and are in Population stage.
- ❓ Now here you need to follow different process
- ❓ At first you need to change the parameter `pacman.core.property.configurationComplete` value to FALSE
- ❓ Now upload the newly received configuration file which is attached at the case level.
- ❓ Rollback the mentioned property from Installation tab.
- ❓ Once it is rolled back, the property will use the latest configuration file.

Fourth Scenario

Case is received with the new configuration file (Stage=1-Way or 2-Way).

Follow the below steps-

- ❓ Once you receive the case, check the properties mentioned in it.
- ❓ Now check in G3 system, whether these properties are already added or not.
- ❓ Let's assume the properties are added and are in One-way or Two-way stage.
- ❓ Now here you need to follow different process.
- ❓ At first you need to change the parameter `pacman.core.property.configurationComplete` value to FALSE
- ❓ Now upload the newly received configuration file which is attached at the case level.
- ❓ Change the property stage to population and rollback the mentioned property from Installation tab.
- ❓ Once it is rolled back, the property will use the latest configuration file.

Fifth Scenario

Case is received with the new configuration file where Extended Stay Rate levels are defined.

Follow the below steps-

- ❓ Once you receive the case, check the properties mentioned in it.
- ❓ Now check in G3 system, whether these properties are already added or not.
- ❓ Let's assume the properties are added and are in Data Capture stage.
- ❓ Now here you need to follow different process
- ❓ At first you need to change the parameter `pacman.core.property.configurationComplete` value to FALSE
- ❓ Now upload the newly received configuration file which is attached at the case level.
- ❓ Rollback the mentioned property from Installation Status tab.
- ❓ Please make sure you rollback the property from Installation Status Tab and not from Installation Tab.
- ❓ Once it is rolled back, the property will use the latest configuration file.

Escalation Path

Should you have any queries or encounter any issues, please follow the standard escalation process defined as below:

Product Engineer -> Sr. Product Engineer -> Technical Lead -> Asst Manager -> Manager



Tagged on: Configuration File g3 configuration

idnahn 24/03/2017 G3 Processes No Comments

← G3-Opera Deployment Parameter Audit Process

Escalation Matrix CARE Monitoring Activities →

Leave a Reply

Your email address will not be published. Required fields are marked *

Comment *

Name *

Email *

Website

☐ Save my name, email, and website in this browser for the next time I comment.

Post Comment