



CARE Knowledge Base

Knowledge Engine for CARE, by CARE!

Search by Category

All categories

▼

Search

Enter a search term, select a category and click **Search** or select an icon below.

[All Articles](#) [G2](#) [G3](#) [Car Park RMS](#) [RevPlan](#) [SmartSpace](#) [Casper](#) [Optix](#) [Assets](#)

G3 Property Check CRSData Folders

INFORMATION

This tool is useful to perform below tasks:

1. To check property specific folders present or not in G3

■ **PRE-REQUISITES:**

Must have access to:

- Jenkins tool.
- G3 RMS UI.

Procedure:

1. Login to the Jenkins URL (<http://jenkins.ideasdev.int/view/G3/job/G3Support-CheckCRSDataFolders/>)
2. Click on Login button.
3. Enter your Jenkins credentials for login.

Categories

Select Category

Recent Posts

- [HLTN/hiltonEnableSmallGroupProductsAndInventoryLimitForNewPropertyStep](#)
- [Service Recovery Procedure – IDeaSOperaAgent Service in “Stopping” State](#)
- [Processing Failures Due to Data Type Mismatch for MGM Resorts](#)
- [Dynamic Optimization](#)
- [HLTN/Handling Error for SAS Dataset Encoding Job](#)

Welcome to Jenkins - CI Server

Username

Password

☐ Remember me on this computer

4. You will be redirected to the Jenkins Job dashboard screen, click on “**Build** with Parameters” tab.

Back to Dashboard

Status

Changes

Workspace

Build with Parameters

Delete Project

Configure

Wordle

Rebuild Last

Pending Changes

Project **G3Support-CheckCRSDataFolders**

Workspace

Recent Changes

Permalinks

- Last build (#1), 2 min 19 sec ago
- Last stable build (#1), 2 min 19 sec ago
- Last successful build (#1), 2 min 19 sec ago

5. Enter Appropriate Inputs.

Project G3Support-CheckCRSDataFolders

This build requires parameters:

EnvName ▼
ProdCluster1 is for PROD1 and ProdCluster2 is for PROD2

client
Enter client name like Hilton or ESA

propertyCode
Enter Property code like ABCDE

startYear ▼

startMonth ▼

Recent Comments

Pranav Thakar on

[Hilton/Processing Failure – non positive offset value for Product](#)

Ranjit on [Hilton/Processing Failure – non positive offset value for Product](#)

Ranjit on [Service Recovery Procedure – IDeaSOperaAgent Service in “Stopping” State](#)

Ranjit on [Processing Failures Due to Data Type Mismatch for MGM Resorts](#)

Ranjit on [Accor Client Handling Process Guide](#)

ProdCluster1 is for PROD1.

ProdCluster2 is for PROD2.

6. Click on **Build** button to start process. Check console output for script output for any failure.

If **build** fails or you spot any error on console output then escalate this issue to TechOps. Do not re-run the **build** after failure without confirmation from TechOps.

7. If **build** is successful then check if **build** is showing any folder present or not like:

Escalation Path

Should you have any queries or encounter any issues, please follow the standard escalation process defined as follows.

Product Engineer -> Sr. Product Engineer -> Technical Lead -> Asst Manager -> Manager



Tagged on: CRSData Folders G3 CRSData

 idnahn  30/03/2017  G3 Procedures  No Comments

[← G3 Step to enable Last One wins functionality](#)

Leave a Reply

Your email address will not be published. Required fields are marked *

Comment *

Name *

Email *

Website

☐ Save my name, email, and website in this browser for the next time I comment.

Post Comment