



CARE Knowledge Base

Knowledge Engine for CARE, by CARE!

Search by Category

All categories 

Search

Enter a search term, select a category and click **Search** or select an icon below.

[All Articles](#) [G2](#) [G3](#) [Car Park RMS](#) [RevPlan](#) [SmartSpace](#) [Casper](#) [Optix](#) [Assets](#)

G3 Property Roll back when New Config file is provided by Hilton

Overview

- G3 Property Roll Back process

PRE – REQUISITES:

- A rebuild OR a repopulation case is received from the client with the new configuration file attached to the case.
- The configuration file should not be uploaded immediately without following the steps mentioned in the section below

IF YOU WANT TO KNOW MORE ABOUT THE WHY

Steps to follow:

First determine the process where you’re applying the RollBack.

Below is the decision tree that can be used :

Categories

Select Category

Recent Posts

[HLTN/hiltonEnableSmallGroupProductsAndInventoryLimitForNewPropertyStep](#)


[Service Recovery Procedure – IDeaSOperaAgent Service in “Stopping” State](#)

[Processing Failures Due to Data Type Mismatch for MGM Resorts](#)

[Dynamic Optimization](#)

[HLTN/Handling Error for SAS Dataset Encoding Job](#)

G3 Hilton – Configuration File Upload – decision chart



- upload the newly received configuration file which is attached at the case level.
- If the system throws the error that the “Configuration file is already uploaded”, please update the configuration file name.


Refer below sample updated name-

If we receive the config file by the name as Hilton_Group_20131003_4_CONFIG.txt

Rename it to **Hilton_Group_20131003_4_CONFIG_UPD.txt**

In above file name the _UPD part is updated.

- To upload the configuration file, go to the installation status screen and click on the “Upload Configuration button at the bottom on the screen and browse the file and click on Upload.



- Now select the property which you want to rollback.

Installation Status		Installation Summary						
Filter	Property Code	Property Name	Catch Up Status	Catch Up Initiated By	Recent Catch Up Start Date	Catch Up End Date	SRP Attribution Extract Date	SRP Attribution Submitted Date
☒	MCQHW	Homewood Orlando Nearest Universal	Completed	Vishal Shah	Mon Oct 14 09:50:06	Mon Oct 14 11:54:35	10/03/2013	10/03/2013

Recent Comments

Pranav Thakar on

[Hilton/Processing Failure – non positive offset value for Product](#)

Ranjit on [Hilton/Processing Failure – non positive offset value for Product](#)

Ranjit on [Service Recovery Procedure – IDeaSOperaAgent Service in “Stopping” State](#)

Ranjit on [Processing Failures Due to Data Type Mismatch for MGM Resorts](#)

Ranjit on [Accor Client Handling Process Guide](#)

- At the bottom of the page select the Rollback tab.

- Once the property is rollback the below message will appear on the screen

- After the rollback, property will come to its original state of Data capture.
- Open PROD-1 CMA and run the below query:
 - **Query to find the property configuration records which are not passed.**
 - Select **global** under **Select Chains**
 - Enter property code in the field **Property_code(String)**

This query will give you the status of the Configuration file records which are not yet passed (Pending).

Once the job is completed, export the details in an excel sheet. The “_EXST_” record for this property should **NOT** be present in the query output/sheet. This indicates that it has been consumed successfully.

- Now update the new SRP date given in the case level.

- Start the catch-up of the property with just 2 extracts and once the 2 extracts are populated the Application should show the Tier 1, Tier 2, etc Market segments –

- If the market segments are visible then start the catchup for the entire set of extracts. In some cases, we might need to process all the available extracts, as the EXST information is sent to us in the latest extracts.
- If Tier1, Tier2, etc. market segments are not visible on GUI then property is not an extended stay property and configuration file doesn't have this information. Just confirm the same by checking in the configuration file.

One way to identify this is If the below flag is set to Y then it's an extended stay property.

- Now start the catchup for the entire set of extracts. Number of extracts seen seems reasonably low , then to get old extracts – you should follow the process outlined [here](#) , and raise the request with TechOps to restore the data extract for that property .

- Monitor the catchup process. Once the catchup completes for CRS and RSS extracts, Apply the Phase II configurations, this will set the property into Population mode.
- Keep a task WOC in the case confirming client that rebuild has been completed.

Refer below WOC for your reference.

=====

Hi <Case Owner>,

Thank you for opening the SFDC Case # _____

Please be informed that rebuild activity has been completed successfully using the new SRP extract date.

Best Regards,

<CARE>

IDeaS – A SAS COMPANY

=====

- This ends the rebuild process

Escalation Path

Should you have any queries or encounter any issues, please follow the standard escalation process defined as below:

Product Engineer -> Sr. Product Engineer -> Technical Lead -> Asst Manager -> Manager

Audit Points:

1. Was there a rebuild OR a repopulation case received from the client with the new configuration file attached to the case.
2. Was the property already added and What is the site status
3. If the property was not added – was the configuration file uploaded and property added ?
4. Was there a repopulation case? Did ERM approve repopulation via a task?
5. Was the config. file uploaded? Check using query in CMA.
6. Rollback completion.
7. List of configuration items not passed.
8. Catch – up completion.
9. Once the catchup was completed for CRS and RSS extracts- Application of the Phase II configurations done?
10. Response sent to ERM/ Client

 0

Tagged on: Roll back for new config

[← FOLS rollback for Accor](#)

[G3 – Find out how many extracts a property has processed historically →](#)

Leave a Reply

Your email address will not be published. Required fields are marked *

Comment *

Name *

Email *

Website

☐ Save my name, email, and website in this browser for the next time I comment.

Post Comment