

Search by Category

Enter a search term, select a category and click **Search** or select an icon below.

G3 Rate Shopping Configuration and Extracts Catchup

Categories

- This is divided into 4 key tasks.
 - RS#2
 - RS#3
 - Enabling G3 application to show Rate Shopping data
 - Jenkins job for these configurations looks like below

Recent Posts


HLTN/Handling Error for SAS Dataset Encoding Job

W	Name ↓
	G3Support-CheckCRSDataFolders
	G3Support-RSSConfigureProperty
	G3Support-RssExtracts-Catchup
	G3Support-Sas-DII-Version-Check

Icon: S M L

- Pre-requisite :
 - Property name : Like Terranea Resort from Case
 - Property Account ID: From the Account page in SFDC
 - Vendor where the property is to be configured like :TravelClick Rate360 . This changes for each property and is noted on the case description
- To complete RS#2 tasks go to the Jenkins job for G3Support-RSSConfigureProperty [here](#)

- Click on **Build with Parameters** like :



- You would then be re-directed to input details on a screen like below . Please ensure you key in correct information and they are as follows.

- Application : Dropdown for this is from RSS1 to RSS19. This is the vendor where the property must be configured
- Drop Zone : 2 options are possible
 - Hilton
 - This is the storage location where all the Rate shopping extracts for Hilton are made available.
 - ESA
 - All NON Hilton properties are configured for this dropzone and is 'not' limited to ESA only.
- Property Code : The information that is entered here should be based on the selection made in the previous step and should be as follows :
 - For Hilton : A 5 letter property code should be entered – like HMSPA
 - For ESA (GA/Non Hilton properties) : Account ID should be entered – like 9999-9991
- PropertyName : This should match the name of the property as on its account page
- Extract File pattern : Enter a 'representative' extract file pattern that should be 'allowed' to be processed for this property and is generally based on the distinction of identifying the property uniquely either by its property code or the associated IDEaS account ID that is sent by the vendor in the file name. Typically this should be setup as follows :
 - For Hilton : The code should be <5 letter property code>*RSS.zip , for example HMSPA*RSS.zip
 - For ESA (GA/Non Hilton property) Sample of this file pattern should be like 9999-9991*RSS.zip OR 99999991*RSS.zip , and should be identified by looking at the file pattern definition for that vendor as

Recent Comments

Pranav Thakar on
[Hilton/Processing Failure – non positive offset value for Product](#)

Ranjit on [Hilton/Processing Failure – non positive offset value for Product](#)

Ranjit on [Service Recovery Procedure – IDEaSOperaAgent Service in “Stopping” State](#)

Ranjit on [Processing Failures Due to Data Type Mismatch for MGM Resorts](#)

Ranjit on [Accor Client Handling Process Guide](#)

defined on the vendor page here

http://aspscripts.ideasprod.int/rateshopping_info/

- Review this information again and make sure this is inserted correctly. Once found to be correct – click on the Build and monitor the Job.
 - If the Jenkins job is successful we can say RS#2 is completed
 - If Jenkins Job is unsuccessful or Failed
- Updating the G3 application to enable Rate shopping for a property
 - Go to Support > Configuration – Select the correct chain and property.
 - Look up a parameter by the name **pacman.bar.webRateShoppingEnabled** in the search menu on the right hand side
 - Click on Edit
 - Set this parameter to True
 - Hit save and then G3 is enabled to show web rate shopping data.
- **RS#3**
 - First step is to check if we have received the extract for this property. To verify this information you should go to the [index page](#) and then go to the vendor where the property was configured/associated and check if you have received any files.
 - Do you see a file?
 - Yes
 - There are 2 steps to configuration
 - IDEaS G3 application configuration
 - If you see a file open the file and check the property code as shown here

. This will be denominated in the G3 application later as

pacman.bar.webRateAlias

- Also collect the vendor name as outlined in the RSS (Rate Shopping file) as shown here

. This will later be denominated as pacman.bar.webRateSource in the IDEaS G3 configuration for that property.

- What is the Chain for which this configuration is being completed?
 - HILTON
 - Login to <https://g3.ideas.com/solutions/api/auth/login#/p48>
 - ESA/GA
 - Login to <https://g3rms.ideas.com/solutions/monitoring-dashboard#/p10047>
- Once chain selection in the correct G3 application is

completed and you're logged into the correct chain

- Go to Support > Configuration like so

- Go to the Property screen. Select the correct Property – **DO NOT CHANGE INFORMATION IN ANY OTHER PAGE.**

- Next step is to update the Web rate alias (think of this as a property code on the vendor side) as well as the vendor name as determined from the 1st Rate shopping file. To do this the parameter field should be editable and to do this – search for the parameter
pacman.bar.webRateAlias
(2) and then click on Edit (3) as in the image

- update the following parameters by searching for them in the parameters list as shown in the screenshot – which is denominated as 2 .

- pacman.bar.webRateAlias
(3,4)

- pacman.bar.webRateSource (5,6)
 - Once updated make sure you 'save' changes
 - **Important Note : if you do not fill in this information prior to running the catchup Jenkins job – the job will fail.**
- Jenkins job execution and monitoring for catch up
 - Go to Jenkins G3Support-RssExtracts-Catchup [here](#)
 -

Click on Build with Parameters:Inputs would be as follows :

- Identify the Instance
 - How to Identify which instance a property is during G2/G3 Rate Shopping configuration
 - Go to the Rate Shopping Info Page [here](#)
 - Go to the 'relevant' Rate Shopping vendor (RSS Vendor) as shown
 - On the URL of the page you'd get the instance name as shown here
 - This give you the Instance of the Rate shopping vendor

- Fill in all the details relevant to the Job as follows :
 - Instance_Name – from the previous step
 - application – Drop down selection per configuration in RS#2
 - G3 Client code : Fetch this information from Installation > Property > in the “SFDC Account #: ” end account ID from SFDC and the result will return the chain and the property code . Copy and insert that in Jenkins job input field.
 - PropertyCode
 - For Hilton property
 - It is the 5 letter property code and entered with a Prefix as Hilton- <5 letter code> . For example if Hilton property code is ABCDE the this should be entered as Hilton-ABCDE
 - For ESA/GA properties
 - The IDEaS account ID should be entered.
 - ExtractPattern
 - Hilton
 - Pattern should be entered as Hilton-ABCDE where ABCDE is the Hilton property code
 - ESA/GA
 - Account ID as defined on the vendor side like Pattern 8 or 9 char. example 1111-1111 or 11111111
 - DropZone
 - Hilton for Hilton properties
 - ESA for Non Hilton/GA properties

- Collect the 1st date from where you want to start the catchup from. So if you typically see a lot of extracts on the rate shopping index page – and that they're not processed – they should be brought to the drop zone for catchup. So this date is critical – and you should collect its year/Month information from the extract name and select the correct dropdown in the Start_Year and Start_Month fields.
 - Typically we keep the G2G3_Migr parameter as No.
 - Review all these selection carefully once again and then Build this job.
 - Monitor the job. Typically this should be succesful if all information is correctly keyed in.
 - You can also monitor these jobs in the G3 application under Support>monitoring dashboard>jobs. This will take sometime to process – depending on the number of RSS extracts in the dropzone.
 - To verify whether this was completed correctly – go the G3 application and verify if rate shopping information is populated in different reports/screens.
- No
 - Has it been more than 3 days that the Rate Shopping file is not received?
 - Yes
 - Please return the task to the case owner and advise that rate shopping file for the property were not received and that the vendor needs to issue the files to IDEaS.
 - No
 - Please wait upto 3 days from last confirmed date of receipt of extract OR communication from vendor/hotel/PM

Audit Points:

1.The Jenkins job for G3Support-RSSConfigureProperty & Build then set the parameter: pacman.bar.webRateShoppingEnabled = True

2. Check the values for the parameter values is correctly updated for Web rate alias:
pacman.bar.webRateAlias

- pacman.bar.webRateAlias = Property Ex: 21084
- pacman.bar.webRateSource = <RateShopping Vendor Name. Ex: otainsight

3.From G3 Monitoring Dashboard all the RateShopping Jobs with completed successfully.

 0

Tagged on: [G3 Rate shopping catchup](#) [G3 Rate shopping catchup](#) [G3 RSS catchup](#) [G3 RSS extract processing](#) [G3 RSS](#) [G3 RSS](#)

 idnyos  04/07/2017  G3 Procedures  1 Comment

[← G3 Update SFDC Account #](#)

[Enabling nSight in G3 IDaaS application →](#)

One thought on “G3 Rate Shopping Configuration and Extracts Catchup”

 Pranav Thakar
 06/07/2017 at 01:21
 Permalink

– This is a good article. Thank you!

 Reply

Leave a Reply

Your email address will not be published. Required fields are marked *

Comment *

Name *

Email *

Website

☐ Save my name, email, and website in this browser for the next time I comment.

Post Comment

