



CARE Knowledge Base

Knowledge Engine for CARE, by CARE!

Search by Category

All categories

▼

Search

Enter a search term, select a category and click **Search** or select an icon below.

[All Articles](#) [G2](#) [G3](#) [Car Park RMS](#) [RevPlan](#) [SmartSpace](#) [Casper](#) [Optix](#) [Assets](#)

G3 Schedule Pull Extract

Over View

The pull extract task is assigned to agent with schedule time. The agent has properties associated and is configured to connect to server. The agent initiates connecting to server at schedule time and searches extracts from server. If the extracts are available, the extracts will be pulled. It also includes the steps of task and its schedule configurations.

Purpose

The purpose of this document is to procedure for scheduling a pull extracts task.

Intended Audience

CARE Team

Scope

The scope is limited to the G3 Properties that are identified.

Procedure

The Pull Extract task is scheduled for an Agent. An Agent has properties assigned to it and is configured to connect to some server. In the case of G3 there are PCRS and

Categories

Select Category

Recent Posts

[HLTN/hiltonEnableSmallGroupProductsAndInventoryLimitForNewPropertyStep](#)

[Service Recovery Procedure – IDeaSOperaAgent Service in “Stopping” State](#)

[Processing Failures Due to Data Type Mismatch for MGM Resorts](#)

[Dynamic Optimization](#)

[HLTN/Handling Error for SAS Dataset Encoding Job](#)

HCRS agents. The Agents are configured to connect to Hilton’s SFTP server. The CRS files are location on this server.

When triggered, the Pull Extract task initiates the connection to the server, based on the Agent associated with the task and searches for the extracts. The properties included in the search are based on the assigned properties for that Agent.

- ◆ In Support -> Task Create
- » Select The client the Agent is in
- » Click Search
- » Right click the desired agent
- » Select PullExtract for the Task Type
- » Enter a Task Name if desired (This may help organize tasks)
- » Select On Retrieval or Interval
- The pull task is normally scheduled at 15 minute interval

Information Manager | Dashboards | Reports | Forecasts | Decisions | Configure | Support | System

Task-Create

Search Filter

IDG Agent Code	Client	Inbound	Outbound	External
HiltonPCRS	Hilton	IDG	FTP	PCRS

Create Task

IDG Agent Code: HiltonPCRS

Client: Hilton

Task Type: PullExtract

Task Name: some name

Property: --- Select ---

Type

☒ Repetitive

☐ Calendar

☐ All Days

☐ On Retrieval

☒ Interval

☐ By DOW

☐ Floating

☒ Actionable

Schedule Time

Execute Every : 00 15

Sear...

Cancel

👍 0

Tagged on: Pull extract

idnahn

30/03/2017

G3 Processes

No Comments

Leave a Reply

Your email address will not be published. Required fields are marked *

Comment *

Recent Comments

- Pranav Thakar on [Hilton/Processing Failure – non positive offset value for Product](#)
- Ranjit on [Hilton/Processing Failure – non positive offset value for Product](#)
- Ranjit on [Service Recovery Procedure – IDeaSOperaAgent Service in “Stopping” State](#)
- Ranjit on [Processing Failures Due to Data Type Mismatch for MGM Resorts](#)
- Ranjit on [Accor Client Handling Process Guide](#)

Name *

Email *

Website

☐ Save my name, email, and website in this browser for the next time I comment.

Post Comment

