



CARE Knowledge Base

Knowledge Engine for CARE, by CARE!

Search by Category


All categories ▼ Search

Enter a search term, select a category and click **Search** or select an icon below.

All Articles G2 G3 Car Park RMS RevPlan SmartSpace Casper Optix Assets

G3 – Clean up property data not populated in application

- This procedure is typically used during BVS activity and is used to weed out extracts or files that have not been populated in the database for the property. They could be partial feeds or incomplete feeds such that even accidental population of bad data is disallowed.
- How to clean up property data that is not populated in G3? Please use the following steps :
 - Go to Prod 2
 - Go to Installation>Property details > select chain > select property > Hit Search



- This should return the property as a result . click on the property code
- This would open up another page that reads property details where select the tab that reads ‘data loads’

Categories

Select Category

Recent Posts

[HLTN/hiltonEnableSmallGroupProductsAndInventoryLimitForNewPropertyStep](#)

[Service Recovery Procedure – IdeaSOperaAgent Service in “Stopping” State](#)

[Processing Failures Due to Data Type Mismatch for MGM Resorts](#)

[Dynamic Optimization](#)

[HLTN/Handling Error for SAS Dataset Encoding Job](#)

- Under data loads (1) do the following

- Show all (2)
- Click on the column that reads (populated) and sort it to see if there are any feeds whose status is 'false' and such extracts whose status is false in this column, should get you all extracts that are not populated in G3 (3)
- select all the extracts that are not populated (4) and appear as partial extracts (7 out of 14 feeds or 8 out of 14 in completion status field OR OR 14 out of 14 but **not** populated feed) indicates that the extract is partial and typically may be required to be removed during BVS (Booked Versus Stay) activity.
- Click on actions (5) and you should get an option to delete such extracts.



0

Tagged on: g3 clean up data g3 remove old extracts

idnyos 06/10/2017 G3 Procedures No Comments

[← RRA \(Review and Reputation Analysis\) – Overview, Installation and configuration](#)

[How to use RollBack step whilst undertaking BVS? \(Only for G3-GA and not for Hilton & ESA\) →](#)

Leave a Reply

Your email address will not be published. Required fields are marked *

Comment *

Recent Comments

Pranav Thakar on
[Hilton/Processing Failure – non positive offset value for Product](#)

Ranjit on [Hilton/Processing Failure – non positive offset value for Product](#)

Ranjit on [Service Recovery Procedure – IDeaSOperaAgent Service in “Stopping” State](#)

Ranjit on [Processing Failures Due to Data Type Mismatch for MGM Resorts](#)

Ranjit on [Accor Client Handling Process Guide](#)

Name *

Email *

Website

☐ Save my name, email, and website in this browser for the next time I comment.

Post Comment

