



CARE Knowledge Base

Knowledge Engine for CARE, by CARE!

Search by Category

All categories

▼

Search

Enter a search term, select a category and click **Search** or select an icon below.

[All Articles](#) [G2](#) [G3](#) [Car Park RMS](#) [RevPlan](#) [SmartSpace](#) [Casper](#) [Optix](#) [Assets](#)

G3 – How to get a user name with a user ID

Login to [G3 CMA](#)

Go to SQL : Run SQL > Look for a query by the name “**Search User Details using user_id**”

Run SQL

View Scheduled SQL

Edit !

Search SQL

Clear Filters

Query Name:

-Select a query-

▼

OR Search:

Search User Details using

Fetch

Categories

Select Category

Recent Posts

- [HLTN/hiltonEnableSmallGroupProductsAndInventoryLimitForNewPropertyStep](#)
- [Service Recovery Procedure – IDeaSOperaAgent Service in “Stopping” State](#)
- [Processing Failures Due to Data Type Mismatch for MGM Resorts](#)
- [Dynamic Optimization](#)
- [HLTN/Handling Error for SAS Dataset Encoding Job](#)

Click on Fetch and it should bring you to the actual query pane window like below :

Run SQL

Selected Query: Search User Details using user_id

SFDC Case:

Get

Select Chains:

--Select Chain--

Selected Delimiter: ;

Query Description: Search User Details from Global DB. Please run against global DB of Prod1 or Prod2 as per requirement

Query Set:

```
select
User_ID,User_Name,Screen_Name,Email_Address,First_Name,Last_Name,REMAINI
NG_FAILED_ATTEMPTS_ALLOWED,Client_Code,Internal_Status_ID,Created_DTTM,
Last_Password_Change_DTTM from users where user_id=@user_id
```

Query Parameters:

user_id(Integer)

Run SQL

Schedule SQL

Recent Comments

- Pranav Thakar on Hilton/Processing Failure – non positive offset value for Product
- Ranjit on Hilton/Processing Failure – non positive offset value for Product
- Ranjit on Service Recovery Procedure – IDeaSOperaAgent Service in “Stopping” State
- Ranjit on Processing Failures Due to Data Type Mismatch for MGM Resorts
- Ranjit on Accor Client Handling Process Guide

Please ensure you select the correct chain and the user id .

Once you hit run this will return a job . If you check the job details you’d get the username associated with that userID .

0

Tagged on: G3 search username G3 user ID

idnyos

24/01/2018

G3 Processes

No Comments

← G3 : How to resolve – “Not enough leg demand memory allocated” type errors

CCFG Failure – IPCfgRuntimeParamOverrideForLDBStep →

Leave a Reply

Your email address will not be published. Required fields are marked *

Comment *

Name *

Email *

Website

☐ Save my name, email, and website in this browser for the next time I comment.

Post Comment