



CARE Knowledge Base

Knowledge Engine for CARE, by CARE!

Search by Category

All categories ▼

Search

Enter a search term, select a category and click **Search** or select an icon below.

[All Articles](#) [G2](#) [G3](#) [Car Park RMS](#) [RevPlan](#) [SmartSpace](#) [Casper](#) [Optix](#) [Assets](#)

G3: DYNAMIC ANALYTICAL MARKET SEGMENT (AMS) REBUILD PROCESS (Also for LDB to Standard)/ G3: AMS Changes – Dynamic Rebuild HTNG & OXI reference doc

Refer to the original pdf document here:
[Dynamic AMS Rebuild Process](#)

The above file includes a recording too!

Refer to this process for LDB to Standard **Build**

Introduction

Before this functionality, G3 used to apply attribute changes only to future bookings. Business booked prior to the change remains in the market segment with the old attributes.

Therefore, it is business requirement that in some cases the hotel might want to apply the changes to business booked prior to the change, for example, because the client made a mistake in the initial assignment.

So, in that case, by this process, we can rebuild the AMS of a property and move the historical data as well before the change date without property rollback and catch up.

Process

Categories

Select Category

Recent Posts

- [HLTN/hiltonEnableSmallGroupProductsAndInventoryLimitForNewPropertyStep](#)
- [Service Recovery Procedure – IDeaSOperaAgent Service in “Stopping” State](#)
- [Processing Failures Due to Data Type Mismatch for MGM Resorts](#)
- [Dynamic Optimization](#)
- [HLTN/Handling Error for SAS Dataset Encoding Job](#)

In case of MS attribution errors in Properties with AMS enabled, we can now apply the latest configuration without rolling back and catching up the property. The process for this is outlined below:

1. Ensure AMS feature is turned ON.
 - o `pacman.ams.AnalyticalMarketSegmentAuditEnabled = TRUE`
2. The following parameters need to be turned ON
 - o `pacman.feature.differentialRebuild = TRUE`
 - o `pacman.ams.amsRebuildEnabled = TRUE`
 - o `pacman.feature.removeAmsFromIntegrations = TRUE`
 - o `pacman.feature.backfillEnabled = TRUE`
3. Go to Configure > Market Segment and unassign the wrongly attributed MS from MS screen.

Assigned Market Segments

Market	Original Market Segment	Rate Code	Forecast Type	Unassign	Edit
	SY		Wash		
ick > Non-linked > Semi-yieldable	TA		Demand and Wash		
ick > Non-linked > Non-yieldable	TA		Demand and Wash		
ick > Linked to BAR > Semi-yieldable	TA		Demand and Wash		
ick > Non-linked > Yieldable	TA		Demand and Wash		

4. Once you click on Unassign, G3 will give a pop up with below alert:

Unassign Attributes

Are you sure you want to unassign Attributes for these Rate Codes?

Original Market Segment	Rate Code	Attributes
▼ TB		Transient > Qualified Non-block > Linked to BAR > Yieldable
	EQUALS 'FL3H	
	EQUALS 'FLM	

Do you want to apply these changes to past data?
Note: Select Yes if you made a mistake and the previous attributes were incorrect. Also select Yes if history needs to move with this change as it is likely representative. G3 RMS fixes the mistake by rebuilding past data and pace. It does that for all market segments and rate codes that are impacted by the change.

It is important that you select the correct option. If you have any questions, contact your iDeaS representative.

☐ No
☒ Yes

Yes Cancel

5. The checkbox 'Yes' needs to be explicitly checked if the hotel wants to move the historical data too.
6. If this checkbox is not checked then, G3 assumes that this is a business practice change and hence the past data would not be changed.
7. Once it is done, please re-assign the attributes at rate code level and create Forecast Groups.
8. After clicking on CreateForecastGroups, the job may take longer as the rebuild process may take up to 30 minutes.
9. To monitor these changes, the g3 application monitoring dashboard can be opened in a new incognito tab. The modified hotel market segments will be visible in the job's execution context.

Impact Forecast:

o When the hotel changes the attributes of a market segment, G3 checks all forecast models to ensure they are current. This check might lead to changes in the forecast and decisions. The size of the change might seem too large compared to the attribute change. For example, the hotel changes an attribute for a low-volume market segment. After the next optimization, the hotel notices large changes in the demand

Recent Comments

Pranav Thakar on [Hilton/Processing Failure – non positive offset value for Product](#)

Ranjit on [Hilton/Processing Failure – non positive offset value for Product](#)

Ranjit on [Service Recovery Procedure – IDeaSOperaAgent Service in “Stopping” State](#)

Ranjit on [Processing Failures Due to Data Type Mismatch for MGM Resorts](#)

Ranjit on [Accor Client Handling Process Guide](#)

forecast. The changes apply to the entire forecast window and in unrelated Forecast Groups.

Pace:

- o Decision Pace (i.e. Pricing, Overbooking, Last Room Value) will not be deleted.

Overrides:

- o Demand Overrides: will be deleted for the forecast groups which are reformed.

- o Pricing Overrides: will be retained.

Group Evaluation Data:

- o Group evaluation data will be deleted if the market segment is qualified for deletion.

STLY:

- o STLY will only be updated for the MS' which are getting rebuild.

- o Transient business will be build using reservations nights. Final state of reservations will be used – for example, if we have one reservation against MS ABC till 25th Jan and then on the day of arrival it was changed to MS XYZ then the pace will be built for MS XYZ. Cancellation will be handled as per cancellation date.

- o Group – Straight MS Pace will be derived from booking date. Extract pace will be replaced by derived pace. Changes in blocks will not be considered.

- o Transient to Group or Group to Transient Pace backfill logic

Configurations:

- o All other configurations will be retained as it is.

Discrepancies Causes:

- o A change in the Market Segment (MS) between booking and check-out date; For example, a reservation is booked against the MS 'RAC' and after a few days the MS is changed to 'GOV' and it remains with the 'GOV' MS on the record through check-out.

- o In the dynamic approach, the system will use the final state of the reservation to create the pace i.e. the room would be recorded against the 'GOV' MS from the booking date.

- o This will cause a discrepancy in rooms sold for the pace points where the reservation's Market Code was 'RAC'.

- o Similarly, if there is a change in the number of nights on the reservation between the initial and final record of the reservation there would be a discrepancy for that occupancy date.

- o Group business recorded against Transient Market Segments or vice versa. In the new approach – the following considerations apply: For Transient Reservations booked on a Group MS: These will not

be recorded in the booking pace as the new approach uses Group Blocks to build booking pace dynamically.

For Group Reservations booked on Transient MS: The picked-up reservations would be used when building pace i.e. they will show in the pace from the date the individual reservations are made.

AMS rebuild session recording:

[Watch 'Dynamic AMS Rebuild process discussion' | Microsoft Stream \(Classic\)](#)

G3 RMS AMS Changes – Dynamic Rebuild HTNG & OXI

AMS Changes-DynamicRe-Build_ HTNG&OXI_Ref.docx

Attributed Market Segment (AMS) Dynamic – Rebuild will allow market segment changes in the application which will have little to no product downtime.



0

Tagged on: LDB To Standard Build Rebuild

idnkai

09/03/2023

G3 Procedures, G3 Processes

No Comments

← G3: Limited Data Build for Inventory Change Feature Reference Document v2.0

G3: Process to de-install a property using G3 RMS →

Leave a Reply

Your email address will not be published. Required fields are marked *

Comment *

Name *

Email *

Website

☐ Save my name, email, and website in this browser for the next time I comment.

Post Comment

