



# CARE Knowledge Base

Knowledge Engine for CARE, by CARE!

## Search by Category

All categories



Search

Enter a search term, select a category and click **Search** or select an icon below.

[All Articles](#) [G2](#) [G3](#) [Car Park RMS](#) [RevPlan](#) [SmartSpace](#) [Casper](#) [Optix](#) [Assets](#)

## G3: G2-G3 MULTI-RMS APPLICATION PROCESS (G2-G3 Parallel process)

### Business Usage

We have properties on G2 RMS that would be transitioning to G3 RMS. To provide a smooth transition between RMS' for the client with no/minimal downtime we have developed the "G2-G3 MULTI-RMS APPLICATION PROCESS". With this process we will be able to keep the G2 property in Decision Delivery mode till the day of Transition. In the meanwhile, the user will have time to configure the G3 RMS optimally and review the Forecast and Decisions before we switch the systems.

### Implement Process

#### Add Property in G3 RMS –

1. If the Client and Property code do not exist in G3, keep the Client code and Property code same as G2 property – start from step 5 and **ignore steps 2 & 3**
2. If the Client and Property code exist in G3 which is not as same as G2, please follow the steps 2 & 3 and make sure these parameters are activated before you start the process
2. Turn "**feature.G3NgiDifferentClientCodePropertyCodeMappingEnabled = True**" from Configuration – This parameter needs to be enabled at the **Property Level**
3. Parameter **ngi.client.property.mapping.enabled** – This is a Property System Parameter and CARE do not have access to turn this to True. We need TechOps assistance to activate this parameter

### Categories

Select Category

### Recent Posts

[HLTN/hiltonEnableSmallGroupProductsAndInventoryLimitForNewPropertyStep](#)

[Service Recovery Procedure – IDeaSOperaAgent Service in "Stopping" State](#)

[Processing Failures Due to Data Type Mismatch for MGM Resorts](#)

[Dynamic Optimization](#)

[HLTN/Handling Error for SAS Dataset Encoding Job](#)

4. **Insert Mapping in Global Table** – This needs to be configured by QA by running the below rest call from Postman –

**POST** – <http://us1d3ap01.ideasdev.int/pacman-platformsecurity/rest/clientCodePropertyCodeMapping/setMapping?propertyId=5&g3ClientCode=Ascott&g3PropertyCode=0001&ngiClientCode=1541&ngiPropertyCode=0001>

5. Turn **“Build MS Activity using PMS MS = True”** in Vendor Configuration in G3

6. **Go to Support >> Installation.**

1. Click Add Property button.
2. Fill available details on Add Property pop-up page.

7. **Rollback the G3 Property**

1. Go to Support >> Installation Screen
2. Select the migrated property from G2.

- Go to Actions >> click Rollback

1. Verify Rollback job gets successful.

8. **Catchup G3 Property**

1. Go to Support >> Installation Screen
2. Select the migrated property from G2.

- Go to Actions >> click Data Mapping

1. Select Start Date and End Date
2. Monitor the Catchup Job till successful completion

9. **Rate shopping** Extracts to be caught up

1. This needs to be confirmed PM/CRM and accordingly the extracts needs to be populated/caught up in G3 RMS
2. Auto Population enabled for G2 G3 parallel processing for RSS extracts

- **Care normal process: Handover property to client for configurations and mapping.**

1. Market Segment / room type – room class mapping etc.
2. If Non-Cp rate plan configurations else pricing configuration

- Create / Commit Forecast Groups

1. Verify create commit FG, property mode changed to Decision Creation Mode

11. Check G2 and G3 system date are same. If not, Care with the help of TechOPS mark status to COMPLETE (Date from which extract not processed at G3). Process remaining extracts / feed in G3. (Repeat step 4)

- **Vendor Configuration (When G2 and G3 having same system date)**

1. Go to Support >> Installation >> Vendor screen
2. Go to G2 property vendor configuration (which is migrated to G3)

- Click Parameter Form button against that property

## Recent Comments

Pranav Thakar on

[Hilton/Processing Failure – non positive offset value for Product](#)

Ranjit on [Hilton/Processing Failure – non positive offset value for Product](#)

Ranjit on [Service Recovery Procedure – IDeaSOperaAgent Service in “Stopping” State](#)

Ranjit on [Processing Failures Due to Data Type Mismatch for MGM Resorts](#)

Ranjit on [Accor Client Handling Process Guide](#)

1. Set "Client Environment Name" as "g3rms,intf"
2. Refer to the Prod instance and update accordingly – Prod1 – g3, Prod2 – g3rms, Prod3 – g3rms03

- Fully migrated to G3.


1. Go to Support >> Installation >> Vendor screen
2. Go to G2 property vendor configuration (which is migrated to g3)

- Click Parameter Form button against that property

1. Change "Client Environment Name" to "g3rms"
2. Please do not delete configuration from G2 >> intf (Scheduler is running from g2 end).
3. Remove property from g2 and Configure BDE, CDP schedule on G3.

#### 14. Normal process to change property stage from Decision Creation to Decision Delivery.

1. Make sure G2 property Decision upload is disabled (One Way) before we take G3 to Decision Delivery mode



## Revision History

| Version | Date of Publication | Reason for Change   | Author(s)         |
|---------|---------------------|---------------------|-------------------|
| 1       | 12-Jun-2020         | Initial Publication | Prathamesh Prabhu |



0

Tagged on: G2 G2 to G3 RMS transition G3 Parallel

idnkal 21/03/2023 G3 Procedures, G3 Processes

No Comments

## Leave a Reply

Your email address will not be published. Required fields are marked \*

Comment \*

Name \*

Email \*

Website

☐ Save my name, email, and website in this browser for the next time I comment.