



Search by Category

Enter a search term, select a category and click **Search** or select an icon below.

G3: Process to de-install a property using G3 RMS

Overview

Categories

Recent Posts

HLTN/hiltonEnableSmallGroupProductsAndInventoryLimitForNewProperty Step

Service Recovery Procedure – IDeaSOperaAgent Service in “Stopping” State

Processing Failures Due to Data Type Mismatch for MGM Resorts

Dynamic Optimization

HLTN/Handling Error for SAS Dataset Encoding Job



This is one of the initial steps in the IDeaS Process.

The next important step is to install OXI. Refer to:

A recommended step before you proceed with installation – is to collect all the necessary information required in the Implementation form – which is attached at the case level.

A sample Implementation form is [here](#), if you've never seen one previously.

The information required to **Add Property** is:

- Client
- Property Name

Pranav Thakar on Hilton/Processing Failure – non positive offset value for Product

Ranjit on Hilton/Processing Failure – non positive offset value for Product

Ranjit on Service Recovery Procedure – IDeaSOperaAgent Service in “Stopping” State

Ranjit on Processing Failures Due to Data Type Mismatch for MGM Resorts

Ranjit on Accor Client Handling Process Guide

- Property Code
- Property Time Zone
- Yield Currency (3 Letter Currency Code)
- Web Rate Alias (optional. The Web Rate Alias, is also known as the Subscription ID for Rate Shopping vendors.)
- CRS Timezone (optional)

Here is a screen shot of the **Add Property** form accessed from the [Support | Installation | **Property**] screen, and clicking the [Add Property] button:

The screenshot shows the 'Installation' screen with tabs for Client, **Property**, Vendor, Opera Agent, and IDG Agent. Below the tabs is a 'Search Properties' section with dropdowns for Client Name, Client Code, and Property Code, all set to 'All'. At the bottom, the 'Add Property' button is highlighted with a red box.

Once you click Add property this should pull up a screen like below – however ensure that you select the **correct chain** – because the parameters like external system and sub system will appear if and only if – the chain is set with an NGI – OXI combination at the chain(client) level configuration.

Also ensure that **if the property being added is an LDB property** (which would be mentioned in the case notes OR in the implementation form attached/present at the case level) then you check the **Limited Data Build** tick mark in the add property section below.

The 'Add Property' form contains the following fields and options:

- Client: * Edwardian Hotel Group (dropdown)
- Property Name: * (text input)
- Property Code: * (text input)
- SFDC Account #: * (text input)
- Property Timezone: * (dropdown)
- Yield Currency: * (text input)
- Web Rate Alias: (text input)
- CRS Timezone: (dropdown)
- Include Room Revenue Tax: (text input)
- External System: NGI (dropdown)
- Sub System: OXI (dropdown)
- ☐ Limited Data Build
- Buttons: Save, Cancel

Once you fill in all the details and hit 'save', go to Jobs screen and monitor the Add Property Job. If it fails – please escalate to the IDEASG3QA queue in SFDC.

Typically this is completed in 2 minutes max. Typically as an outcome the property should now reflect on the installation screen.

To verify this – Go to Support>Installation>Select property>select correct chain > Search for the complete list of properties by hitting search. The property you added must be available on this screen/list now.

In most cases this job completes without any error . However if you encounter any errors in this job then you must escalate this to the IDEaS G3 QA team via a SFDC task/case.

Once you have added the client and property please complete the other configurations on G3 server with the help of standard template/Checklist.

Typically below parameters would be updated :

Parameter	Type /parameter	Where you'll find it	Details
Property Name			Account
SFDC Account Number	Unqiue code for each property. Account ID. e.g., XXXX-XXXX	Salesforce Case -> Account details	Account Number
G3 - Property Code	Unqiue code for each property which is ideally the last four digits of the Account ID. e.g., XXXX-XXXX	Salesforce Case->Account Details > Client property code OR implementation form under SFDC case	Parent Account. Some exceptional chains may use alphanumeric combinations
Property Timezone (Hotel Timezone)	pacman.core.propertyTimeZone	Implementation form	Timezone. You should verify whether your addition from add property is correctly reflected in system parameters
G3 Extraction Trigger Control	pacman.integration.suspendBdeAndCdp	NA	Ensure that during installation mode this is set to True(By default it is True at Global level)
Currency Code – This parameter is to set yieldcurrency at the property level	pacman.core.property.YieldCurrencyCode	Implementation form	You should verify whether your addition from add property is correctly reflected in system parameters
What <u>Pseudo Room</u> Types do you have in your PMS?	pacman.integration.pseudoRoomTypeCodes	Implementation form	NOTE – This is a Mandatory information
<u>Web Rate Shopping</u>	pacman.bar.webRateShoppingEnabled	Implementation form	This is an Optional input. Key this in , only if property subscribes to <u>Rate shopping</u>
BDE <u>Optimization</u> / Decision Window	pacman. <u>optimization</u> .optimizationWindowBDE	Implementation form	Should be set to Property at the property level
BDE <u>Forecast</u> Window	pacman.forecasting.forecastWindowBDE	Implementation form	Should be set to Property at the property level
Is Currency Conversion is applicable?	pacman.core.property.ApplyYieldCurrency	Implementation form	Should be set to TRUE at the property level/ Information at SFDC Case Level
	pacman.core.property.BaseCurrencyCode	Implementation form	Update the Base Currency provided by the CPM
If Limited Data <u>Build</u> Property	pacman.core.LimitedDataBuildEnabled	Implementation form	Must ensure this is set to True IF and only IF the property is an LDB property
CDP Configuration	pacman.forecasting.forecastWindowCDP	Salesforce case	CDP <u>Forecast</u> and Decision Window (Default value is 45)
	pacman. <u>optimization</u> .optimizationWindowCDP	Salesforce case	CDP <u>Forecast</u> and Decision Window (Default value is 45)
<u>Group</u> Pricing Module	pacman.feature.GroupPricingEnabled	Salesforce case	Should be set to Client at the property level
<u>Group</u> Wash by Group	pacman.feature.GroupWashByGroupEnabled	Salesforce case	Should be set to Client at the property level
What-if scenarios	pacman.feature.WhatIfEnabled	Salesforce case	Should be set to Client at the property level
Analytical MS (Yes/No)	pacman.feature.AnalyticalMarketSegmentEnabled	Salesforce case	For LDB , this parameter must be set to False. For Standard <u>build</u> , set this parameter

			to True at Client Level.
IP BAR			
BAR Type	pacman.bar.barDecision	Salesforce case OR Implementation form	Default for BAR by Day(RateOfDay), Or BAR by LOS
	pacman.bar.EnableSingleBarDecision	Salesforce case OR Implementation form	Should be TURE when client is not able to accept different <u>decisions</u> by different <u>Room Class</u>
	pacman.bar.AllowMinMaxLOSOVERRIDE	Implementation form	Default for BAR by Day(RateOfDay), True for BAR by LOS
Web Rate Alias	pacman.bar.webRateAlias	RSS Feed	Is present in the RSS Feed if available
	pacman.bar.webRateSource	RSS Feed	Is present in the RSS Feed if available
	pacman.feature.isContinuousPricingEnabled	Implementation form	Indicates whether Configuration Pricing should be turned ON or not. NOTE – Currently whenever continuous pricing is turned ON, the same needs to be turned on in SAS new feature file as well.
Night audit completion	pacman.integration.timeToCheckAuditDate	Implementation form	If the Client says Night audit completes by 5:00 am – we'll set this to 6 am
Base occupancy rate value definition	pacman.integration.ngi.rates.baseOccupancyNumber	Implementation form	used for determining the use of either single or double occupancy rate values when receiving rates from NGI
<u>Rate code.</u>	pacman.integration.opera.dailybarPMSRateCode	Implementation form	Default <u>rate code</u> for Daily BAR (like BAR1 or Rack etc)

1. Ensure that the values are added correctly. A good practice is to review and review the addition.
2. Assign a task to review the configurations. [Peer Review].

Audit Points:
1. Please check that the following points are correctly entered:
The information required to Add Property is:
Client
Property Name
Property Code
Property Time Zone
Yield Currency (3 Letter Currency Code)
Web Rate Alias (optional. The Web Rate Alias, is also known as the Subscription ID for <u>Rate Shopping</u> vendors.)
CRS Timezone (optional)
2. Ensure on the Add property Tab:
External System: NGI
Sub System: OXI
3. Check & ensure all key parameters are entered correctly:

Typically below parameters would be updated :
What <u>Pseudo Room</u> Types do you have in your PMS?
<u>Web Rate Shopping</u>
BDE <u>Optimization</u> / Decision Window
Is Currency Conversion is applicable?
If Limited Data <u>Build</u> Property



0

Tagged on: Add G3 OXI property

idnyos

09/01/2018

G3 Processes

No Comments

[← How to add an OXI client on a G3 system \(IdeaS Task: G3-I2 Add Client\)](#)

[How to Open or log a case in SFDC \(General Guideline\) →](#)

Leave a Reply

Your email address will not be published. Required fields are marked *

Comment *

Name *

Email *

Website

☐ Save my name, email, and website in this browser for the next time I comment.

Post Comment