



CARE Knowledge Base

Knowledge Engine for CARE, by CARE!

Search by Category

All categories

▼

Search

Enter a search term, select a category and click **Search** or select an icon below.

[All Articles](#) [G2](#) [G3](#) [Car Park RMS](#) [RevPlan](#) [SmartSpace](#) [Casper](#) [Optix](#) [Assets](#)

G3: Process to de-install a property using G3 RMS

Overview

This process is part of the Installation and maintenance activity for a property using G2 RMS.

Purpose

Follow the steps mentioned in this document in order to de-install a property using G2 RMS.

Intended Audience

The Installation team or any member who is deinstalling a new property into the system.

Reasons for De-installation:

1. A property has stopped using IDeaS systems for certain contractual requirements
2. The ownership of the hotel has changed

Scope:

This document will cover the following two scenarios in de-installation of G3 RMS:

Categories

Select Category

Recent Posts

[HLTN/hiltonEnableSmallGroupProductsAndInventoryLimitForNewPropertyStep](#)

[Service Recovery Procedure – IDeaSOperaAgent Service in “Stopping” State](#)

[Processing Failures Due to Data Type Mismatch for MGM Resorts](#)

[Dynamic Optimization](#)


[HLTN/Handling Error for SAS Dataset Encoding Job](#)

1. The hotel has discontinued the contract with IDEaS.

Pre-requisites

Entry criteria

1. The following is an example of a case for deinstallation of a property using G3 RMS.



This case description mentions details such as Client Code, Property name, Property code, Property ID, Integration and Date of de-installation and Hotel contact.

2. The case has the following workflow:

The screenshot shows the 'Activity History' for case 00107702. It displays a table with 17 activities. The columns are: Subject, Assigned To, Task Number, Due Date, and Last Modified. The activities are listed in chronological order, starting from the most recent at the top. The tasks include 'G3 D0-Header Review', 'G3 D0-Check prior Deletion of Property from G3 RMS', 'G3 D0-Header Review', 'G3 D0-Header Review', 'G3 D0-Header Review', 'G3 D0-Header Review', 'G3 D0-Header Review', 'G3 D0-Header Review', 'G3 D0-Header Review', 'G3 D0-Header Review', 'G3 D0-Header Review', 'G3 D0-Header Review', 'G3 D0-Header Review', 'G3 D0-Header Review', 'G3 D0-Header Review', 'G3 D0-Header Review', and 'G3 D0-Header Review'. The 'Assigned To' column lists the names of the team members responsible for each task, such as 'Ashish Nair', 'Rahul Aske', 'Saurabh Thakur', and 'Deepen Maharana'. The 'Due Date' column shows the deadline for each task, and the 'Last Modified' column shows the date and time when the task was last updated.

The above steps must be followed.

Process:

1. G3: D0- Update Case details:

This step has to be completed by the case owner (CRM).

Case Details Must contain the following before any other tasks can take place: G3 Client Name

Recent Comments

Pranav Thakar on [Hilton/Processing Failure – non positive offset value for Product](#)

Ranjit on [Hilton/Processing Failure – non positive offset value for Product](#)

Ranjit on [Service Recovery Procedure – IDEaSOperaAgent Service in “Stopping” State](#)

Ranjit on [Processing Failures Due to Data Type Mismatch for MGM Resorts](#)

Ranjit on [Accor Client Handling Process Guide](#)

G3 Client Code

G3 Property Code

G3 Property Name

Date of installation and contacts.

Comments	Check Outputs MUST contain the following before any other tasks can be set please
	(G3) Client Name
	(G3) Client Code
	(G3) Property Code
	(G3) Property Name
	Date of installation and contacts.
Please Refer to the following information	

2. **G3-DI0:Send Client De-Installation Preparation Template Email** – Assign task G3-DI1 to ICS to send de-installation email to the client.Set Due date 5 days prior to the scheduled de-installation Date.Send out de-installation preparation template email under CS Template Folder.

3. **G3-DI1:Inform Vendor to stop data delivery to IDEaS**– Task is applicable for OXI/HTNG/FOLS Integration.ICS to reach out to client via email to inform messages are stopped being sent to IDEAS G3 RMS on the scheduled de-installation date. To be completed at least 5 days prior to the Scheduled De-installation date.

4. **G3-DI2:Inform RSS Vendor to stop xml delivery**- For hotels with an active RSS to IDEaS RMS Rate Shopping Integration, notify the RSS to stop the xml delivery on the deinstall date <dd Mmm YYYY>.

5. **G3-DI2a: Remove RSS configuration** – Delete Rate shopping configuration on <DD MM YYYY>.If no RSS integration, close the task. As part of de-installation, it is necessary to disconnect the rate shopping service.

6. **G3-DI2b: Restart RSS Instance**- If no RSS integration then close this task.

For G3, the Rate shopping configuration needs to be removed using Jenkins.

1. Log into Jenkins. The user ID and Password would be already provided to each member.

1. Delete the Rate Shopping Configuration using Jenkins build.

2. Restart the Rate shopping Instance on the successful deletion of the property

7. G3-DI3:Remove Additional Inbound configuration if exists – Remove D360\IWS\RPM\FSRM\STR integration if exists and then close this task.

8. G3-DI4:Do Not Monitor – G3 – Reassign to SPM/Change Due date to date this needs to be completed.

Do Not Monitor starting <ddMmmYYYY>, property is de-installing G3. Ensure email notifications for data capture are not sent to the client.

Therefore, if a property is being de-installed there will be no need to monitor that property. Hence it is important to add that property to “Do Not Monitor”.

G3 RMSàSupportàInstallation-> select client ->select the required property ->core settings -> Do not monitor

9. G3-DI5:Confirm messages stopped in NGI – Case Owner to assign task to ICS to confirm messages are stopped being received in NGI. If not, ICS to update CRM again for follow up with vendor and property.

10. G3-DI6:Delete Property from G3 RMS – Trigger Delete property job on <DD MM YYYY>
Delete Property will not be active unless the system mode is Data Capture.Please change the system mode to Data Capture

Monitor Delete Property job.

Refer to the procedure below:

In G3, while de-installing the client, use the following steps:

Delete Property in the User Interface:

1. Log into the user interface.

1. Identify the production environment (Prod), select the chain and the property.
2. Go to the Installation screen: **Support** -> **Installation**

Enter the chain name

1. Click Delete – Access to this option is restricted.
2. This action will generate a job which can be seen under the **Jobs** tab in the Monitoring Dashboard.
3. To reach the Monitoring Dashboard, use the following steps:

Support -> **Monitoring Dashboard** -> **Jobs** -> **Filter Jobs** -> **Delete Property**

Support->Monitoring Dashboard-> Jobs->Filter Jobs->Delete Property

Click on the Jobs tab. The following will display. Now, filter Jobs to locate the Delete Property Job.

Support->Monitoring Dashboard->Jobs->Filter Jobs->Delete Property

Once the job is triggered, ensure that the status of the job is “Complete” on the Monitoring Dashboard.

11. **G3-DI7:Remove property from NGI** – Go to Installation->Vendor->Remove the property from NGI vendor and close this task.
 1. For HTNG/ OXI: Send an email to the vendor.
 2. For Opera Agent : Send an email to the client.
12. **G3-DI8:Task4d:Clean collection from NGI-** Assign a task to Shift Lead to clear the NGI collection. Provide account ID, property code, client code, property ID,external system and sub-system.
13. **G3-DI9:Remove Client From G3** – ICS 1st reassign Task to Case Owner (CO).If no properties are assigned to the client then Delete Client from G3. Assign task to ICS.
14. **G3-DI10:Peer Review** – Verify if all the necessary configurations are removed from G3.
15. **G3-DI11:Change SFDC System Mode to – De-Installed** – ICS to check if the System Mode on the Renewal Type Order has changed to ‘RMS De-Installed’ after delete property. If not changed automatically, then ICS will be required to update the system mode on the Renewal Type Order as ‘RMS De-installed’.
16. **G3-DI12:Close SFDC Case** – Once the de-installation activity is complete close the SFDC Case- This is done by the Case Owner

Exit

- Once the de-installation activity is complete close the SFDC Case.

Closure

Complete ‘Peer Review’ task

Escalation Path

- Client Project Manager

Links:

(Recording stored in SharePoint)

Audit Points:

1. Check the required property is deleted from G3

2. Check all the De-installed jobs completed successfully

3. Check all RSS Configurations are removed for specific properties and check additional Inbound removed properly D360\IWS\RPM\FSRM\STR integration

Revision History

Rev No.	Revision Date	Description	Reason for Change	Revised By
0.1	02-26-2022	Document creation	Creation	Karl

0

Tagged on:

deinstall

G3

idnkal

09/03/2023

G3 Procedures, G3 Processes

No Comments

←

G3: DYNAMIC ANALYTICAL MARKET SEGMENT (AMS) REBUILD PROCESS (Also for LDB to Standard)/ G3: AMS Changes – Dynamic Rebuild HTNG & OXI reference doc

G3 : Commonly reported issues and resolution paths →

Leave a Reply

Your email address will not be published. Required fields are marked *

Comment *

Name *

Email *

Website

☐ Save my name, email, and website in this browser for the next time I comment.

Post Comment

