



CARE Knowledge Base

Knowledge Engine for CARE, by CARE!

Search by Category

All categories

▼

Search

Enter a search term, select a category and click **Search** or select an icon below.

[All Articles](#) [G2](#) [G3](#) [Car Park RMS](#) [RevPlan](#) [SmartSpace](#) [Casper](#) [Optix](#) [Assets](#)

How To resolve Opera Data Load job failure for Error Resort code is not same as the configured resort name

Hello Team,

If you observe a failure with Opera Data Load job with the error as below:-

=====

Tetris Errors: [0 – UNEXPECTED_ERROR – Spring batch job processing failed because there was a validation error. Current feed : e23fe50f-27b7-4364-92c4-d704b65e62ae : **resort : is not same as the configured resort name ABS** – **User.id**: null – Workcontext: null]

=====

Cause : – **Resort code** is not in sync with Client side agent and In IDeaS G3 RMS configuration.

Resolution:-

1) IDeaS side where we can check this parameter : –

Support>Configuration>Property:- choose the client and property : –

`pacman.integration.opera.operaResort`

Categories

Select Category

Recent Posts


[HLTN/hiltonEnableSmallGroupProductsAndInventoryLimitForNewPropertyStep](#)

[Service Recovery Procedure – IDeaSOperaAgent Service in “Stopping” State](#)

[Processing Failures Due to Data Type Mismatch for MGM Resorts](#)


[Dynamic Optimization](#)

[HLTN/Handling Error for SAS Dataset Encoding Job](#)



2) Client-Side we can check this parameter at test connection page: –

Please see the below highlighted part: –



In such a scenario, we can write an email to the client:-

a) We are facing processing issue due to the mismatch in resort code. Could you please confirm the what is the correct resort code? (Before escalating to the client check if anyone has recently updated this parameter at our end “pacman.integration.opera.operaResort”)

b) Accordingly, analyze where(Client or IDEaS side) the Resort code is incorrect.

c) If the Resort code is incorrect at IDEaS side, open a task for ICS team to update it.

d) If the Resort code is incorrect at Client-side then ask for the connectivity get it updated from ICS team.

e) Send the resolution to the client once the processing is finished fine.



Recent Comments

Pranav Thakar on [Hilton/Processing Failure – non positive offset value for Product](#)

Ranjit on [Hilton/Processing Failure – non positive offset value for Product](#)

Ranjit on [Service Recovery Procedure – IDEaSOperaAgent Service in “Stopping” State](#)

Ranjit on [Processing Failures Due to Data Type Mismatch for MGM Resorts](#)

Ranjit on [Accor Client Handling Process Guide](#)

One thought on “How To resolve Opera Data Load job failure for Error Resort code is not same as the configured resort name”



 Pranav Thakar

 03/09/2019 at 17:57

 [Permalink](#)

Very detailed and thorough article. Good one!

 Reply

Leave a Reply

Your email address will not be published. Required fields are marked *

Comment *

Name *

Email *

Website

☐ Save my name, email, and website in this browser for the next time I comment.

Post Comment