



CARE Knowledge Base

Knowledge Engine for CARE, by CARE!

Search by Category

All categories ▼


Search

Enter a search term, select a category and click **Search** or select an icon below.

[All Articles](#) [G2](#) [G3](#) [Car Park RMS](#) [RevPlan](#) [SmartSpace](#) [Casper](#) [Optix](#) [Assets](#)

How to add an Opera client on a G3 system (IDeaS Task: G3-I2 Add Client)

Add Client is a onetime activity per Client (i.e. **Chain**). Comparable step of this in G2 is 'G2 Support Creation' via Jenkins



Typically Opera Properties will be added to the environment with the URL:

<http://g3rms.ideas.com>

Categories

Select Category

Recent Posts

- [HLTN/hiltonEnableSmallGroupProductsAndInventoryLimitForNewPropertyStep](#)
- [Service Recovery Procedure – IDeaSOperaAgent Service in “Stopping” State](#)
- [Processing Failures Due to Data Type Mismatch for MGM Resorts](#)
- [Dynamic Optimization](#)
- [HLTN/Handling Error for SAS Dataset Encoding Job](#)

Add Property is then performed for each new property to be added for a Client. This would be done at a *later* stage. This topic covers only the addition of a Client (Chain).


Add Client Pre-requisites :

The required information to Add Client is

- Client Name
- Client Code
- External System

Note : All of these should be documented in the Case/SFDC. If you do not have this please reach out to a CARE Shift Co-ordinator who can help you with finding this information on the case.

Here is a screen shot of the **Add Client** form accessed from the [Support | Installation | Client] screen, and clicking the [Add Client] button:



Installation

Client

Property

Vendor

Opera Agent

IDG Agent

Add Client

Client Code (142)	Client Name	Total Properties (1419)	Data
1554	Destination Hotels & Resorts	0	0

Recent Comments

- Pranav Thakar on
[Hilton/Processing Failure – non positive offset value for Product](#)
- Ranjit on [Hilton/Processing Failure – non positive offset value for Product](#)
- Ranjit on [Service Recovery Procedure – IDeaSOperaAgent Service in “Stopping” State](#)
- Ranjit on [Processing Failures Due to Data Type Mismatch for MGM Resorts](#)
- Ranjit on [Accor Client Handling Process Guide](#)

Then Add Client should offer a screen like below :

[**Client Name**] is a potentially longer descriptive name such as “Luxury Resorts International” or “Scandic” (Character limit is 40 characters)

[**Client Code**] is a shorter name such as “Luxury” or “Scandic” that will be used more often in the UI to save on screen real estate. (Check Account page in SFDC for G3ClientCode)

[**External System**] for Opera clients should be set to “opera”.

You should then download the default Opera installation Checklist from [here](#):

Then go to Support>Configuration like below :

After that – You’d land on a default page . Do not make any change here. It looks something like below :

Select the correct property and update the below parameters to the values defined below :

pacman.core.property.externalSystem	Opera
pacman.PreProduction.RemoteTaskCreationEnabled	TRUE
pacman.integration.opera.pingTimeout	0
pacman.monitor.DailyProcessingMonitoringEnabled	TRUE

The remainder of the two parameters must be defined by how the Hotel chooses to install the agent.

OPMS Agent Installation Type	pacman.integration.opera.opmsAgentInstallationType
ORS Agent Installation Type	pacman.integration.opera.orsAgentInstallationType

It would be set to dedicated if its a dedicated agent and shared for shared agents.

Last but not the least – you should update your checklist with these values as you track your progress.



0

Tagged on:

add chain

Add client

G3 Add client

G3 chain

G3-I2 Add Client

idnyos

05/06/2017

G3 Procedures

No Comments

← G3 : Granting Access to Hotel End users (task type : G3-I7 System Access)

Leave a Reply

Your email address will not be published. Required fields are marked *

Comment *

Name *

Email *

Website

☐ Save my name, email, and website in this browser for the next time I comment.

Post Comment