



CARE Knowledge Base

Knowledge Engine for CARE, by CARE!

Search by Category

All categories 

Search

Enter a search term, select a category and click **Search** or select an icon below.

[All Articles](#) [G2](#) [G3](#) [Car Park RMS](#) [RevPlan](#) [SmartSpace](#) [Casper](#) [Optix](#) [Assets](#)

IDeaS G3-RMS Opera Agent System Requirements

IDeaS G3-RMS Opera Agent System Installation Requirements

This post lists the requirements necessary for a successful installation of the IDeaS Opera Agent transport software at hotels running the Opera OPMS and/or Opera ORS Systems. This document will also detail the installation process.


The following schematic displays the standard setup for the IDeaS G3 RMS Opera Agent with Opera OPMS and/or Opera ORS.

Categories

Select Category

Recent Posts

- [HLTN/hiltonEnableSmallGroupProductsAndInventoryLimitForNewPropertyStep](#)
- [Service Recovery Procedure – IDeaSOperaAgent Service in “Stopping” State](#)
- [Processing Failures Due to Data Type Mismatch for MGM Resorts](#)
- [Dynamic Optimization](#)
- [HLTN/Handling Error for SAS Dataset Encoding Job](#)



Please note the minimum specifications detailed below are guidelines only and are representative of a machine running the Windows 7 Operating System. For further information concerning the system requirements for these operating systems, please consult your Microsoft representative. Item Minimum Specifications Recommended Specifications Operating System Windows 7 Professional, Enterprise, or Ultimate 64 bit Windows Server 2008R2 64 bit, Windows Server 2012 64 bit

Item	Minimum Specifications	Recommended Specifications
Operating System	Windows 7 Professional, Enterprise, or Ultimate 64 bit	Windows Server 2008R2 64 bit, Windows Server 2012 64 bit
Processor	OS Minimum Requirements are Sufficient	OS Recommended Requirements are Sufficient
Available RAM for Agent	≥ 2 GB	≥ 4 GB
Hard Drive	10 GB (Free Space)	≥ 20 GB (Free Space)
Monitor	Any	Any
Network Connection	Ethernet 10 MB/1GB	Ethernet ≥ 1 GB
Other Requirements	- Requires access to the network drives and/or directories as and when applicable - Must have access to the Internet at all times (E.g. to www.ideas.com) - Requires administrative login to install programs with following privileges: - Act as part of operating system. - Log on as a batch job. - Log on as a service. - Log on locally. - Replace a process level token.	

IDEaS G3-RMS Opera Agent System Installation Requirements

- One computer (PC1), with a Microsoft Windows Operating System – this computer may or may not be a dedicated server.
- Create login user on PC1 specifically for IDEaS.
- Login user on PC1 (created above) must have Administrative Rights.

Recent Comments

Pranav Thakar on [Hilton/Processing Failure – non positive offset value for Product](#)

Ranjit on [Hilton/Processing Failure – non positive offset value for Product](#)

Ranjit on [Service Recovery Procedure – IDEASOperaAgent Service in “Stopping” State](#)

Ranjit on [Processing Failures Due to Data Type Mismatch for MGM Resorts](#)

Ranjit on [Accor Client Handling Process Guide](#)

- iv. The password for the account created on PC1 should never expire and should not be changed. If changing the password is required, please contact CARE@ideas.com. (Password need not be communicated to IDeaS)
- v. Internet connectivity with TCP/IP on PC1. If PC1 does not have direct Internet connectivity, then a proxy server may be used.
- vi. If a Proxy Server is being used, only Basic and NTLM authentications will be supported. Kerberos and Digest authentication methods are not supported.
- vii. If there is a Proxy Server being used for internet connectivity, you must have the IP Address and Port Number as well as the Username and Password of the Proxy Server available during the installation.
- viii. If there is a Proxy Server being used for internet connectivity, please ensure that Microsoft Internet Explorer or Chrome is configured with the correct proxy information for the IDeaS user installing IDeaS Agent Utilities.
- ix. The IDeaS software requires free disk space for software installation, logging, and additional space depending on the policy for archiving or storing data and programs.

License for OPERA :

Before extracting data and/or uploading decisions to the OPERA applications ORS or OPMS, the appropriate Integration license must have been activated. As of OPERA Version 5.0.03.03 (e-patch 25) and higher, the IDeaS license is follows:

- Full Integration license: OPP_IDEA – Required for all properties to function in full 2-way integration mode and supports all data extract options and all decision capabilities.

Each license fee covers the activation of the license and enablement of the following functionality, where applicable, by a remote ORACLE installer:

- Enabling the Internal IDEAS User Account with appropriate Password
- Ensuring that the IDeaS Internal User Account has the rights/privileges and access to all functions and packages required by Data Capture and Decision upload API's
- Making available ALL required Oracle information such as Database name, User name and Password, IP address and Schema.
- Enabling Hurdle Functionality
- Allow Use of Overbooking
- Enabling currently available Best Available Rate (BAR) API functionality
- Enabling transaction detail functionality.

Connectivity Credentials for OPERA

The following connectivity credentials, for OPERA databases, are required for setup of IDeaS G3 OPERA Agent data transport client and are required to have been provided by ORACLE as part of the License activation fee and/or directly by the client:

- Oracle Database Username
- Oracle Database Password
- Oracle Database Instance Name (SID) or TNSNAMES entry for the database
- Oracle database Host IP address, Port Number. Ideally, the Port Number should not be load balanced and must be a dedicated connection. In the event that OPERA is deployed in a RAC environment, please notify IDeaS Care at care@ideas.com. Under normal circumstances, Port 1521 is the default TCP listener port for the Oracle database. However, care should be taken when

implementing firewall security settings, as subject to configuration. Oracle may reassign tasks to other non-specified ports. When considering firewall settings it is recommended that you always consult with your Oracle DBA. Depending on the OPERA Version number, Oracle connections can be managed differently by the Oracle database.

- Property or Resort Name in PMS
- OPERA Application Username and password. OPERA comes with a specific Internal Account for use with IDeaS that has the appropriate rights and privileges. This User account cannot be used to access the application through the User Interface.
- OPERA Web Application Server URL and OPERA schema name (to be used to connect from Web Server) – optional

Tips for Typical Connectivity Settings

To setup full integration between IDeaS G3 and the OPERA Hotel Management system:

- The necessary IDeaS Integration License Code, OPP_IDEA, must be available and active to support extraction of data and upload of automated decisions. Please see License Types for OPERA Section above for further information.

In order to support Last Room Value (Hurdle Rates) upload to OPERA PMS or ORS from IDeaS RMS:

- The OPMS and ORS should be Version 5.0.03.03 e-patch 25 or higher
- Yield Categories will need to be defined in OPERA as the equivalent of Room Classes configured in the G3 RMS
- All room types should be made yieldable, or non-yieldable, and must be assigned to the above yield category regardless of yieldable status
- All Rate plans should be made yieldable as and where appropriate

In order to activate **BAR by LOS** decision upload to OPERA, the following settings are required to be configured in OPERA:

- Application function “Best Available Rates” to “Y”
- The Application Setting under the Rates Group – BEST AVAILABLE RATE TYPE must be set to **BAR by LOS**. When activating Best Available Rates function, the Application setting is by default set to BAR by Day.

The Rate plans to be used for BAR need to match identically with the BAR rate configured in the IDeaS G3 application. This should be a subset of the existing rate plan list for the particular property.

In order to activate Best BAR by LOS decision upload to OPERA, the following settings are required to be configured in OPERA:

- Application function “Best Available Rates” to “Y”
- The Application Setting under the Rates Group – BEST AVAILABLE RATE TYPE must be set to Best BAR by Date. When activating Best Available Rates function, the Application setting is by default set to **BAR by Day**.

Please see additional IDeaS OPERA-related Functionality Guides for details on other extraction / decision upload capabilities.

Packages Required for OPMS and ORS

The ORACLE packages and procedures that are required by the IDeaS G3 OPERA Agent are detailed below. Please note: Some packages are only available in certain versions of OPERA and as such, it is always recommended that the client addresses any questions concerning package availability directly with their ORACLE Account Representative.

Package name	Function or Procedure	Table
pms_p	Initialize	
Pms_p	business_date	
OPERA.OTM	otm.save()	
v5i_occupancy	Get_future_occupancy	temp_v5i_occupancy
v5i_occupancy	Get_past_occupancy	temp_v5i_occupancy
occupancy	Get_future_data	temp_occupancy_data
occupancy	Get_past_data	temp_occupancy_data
Olc	Set_running_app	
NO_TO_SELL_PKG	Set_Limit	
	Ins_Bar_Records	
INT_SET_HURDLE	hurdle_rec_type	
INT_SET_HURDLE	RPUT	
INT_PMSRATES	SetRateRestriction	Reservation_restrictions
DBAR_INTF_PKG	Ins_upd_dbar_lvl_rec	
	Reset_cache	
V5I_CURRENCY_EXCHANGE	get_exchange_rate	temp_v5i_currency_exchange
DAILY_RATES_WITH_BUCKETS	Rput	
	updateDailyRates	
	v5i_blocks.get_block_data	temp_v5i_blockinfo temp_v5i_blockdata

The named packages and procedures must be available in the Schema name provided by the client and the Oracle credentials must have the appropriate rights and

privileges necessary to run the named packages and procedures.



Tagged on: Agent installation qualification Agent pre-requisite agent prerequisite G3 Agent requirements Opera Agent Opera Agent System Requirements Opera Packages Packages PC Pre-requisite pre-requisites

idnyos 10/05/2017 G3 Processes No Comments

← Data Restore Requests to TechOps

Guidelines to assisting Pilot and Primary Evaluation Sites →

Leave a Reply

Your email address will not be published. Required fields are marked *

Comment *

Name *

Email *

Website

☐ Save my name, email, and website in this browser for the next time I comment.

Post Comment

