



CARE Knowledge Base

Knowledge Engine for CARE, by CARE!

Search by Category

All categories

▼

Search

Enter a search term, select a category and click **Search** or select an icon below.


[All Articles](#) [G2](#) [G3](#) [Car Park RMS](#) [RevPlan](#) [SmartSpace](#) [Casper](#) [Optix](#) [Assets](#)

IDEaS G3-RMS US25763-GUI migrate one hotel from source client to destination client belonging to the same production instance

Process provided by Geetanjali from Technology

Overview

The Property migration from one client to other client can be performed from Support-> Move Property.



The migration activity is divided into 3 parts.

- 1. Property Selection
- 2. User and Role management
- 3. Agent Migration

Categories

Select Category

Recent Posts

- [HLTN/hiltonEnableSmallGroupProductsAndInventoryLimitForNewPropertyStep](#)
- [Service Recovery Procedure – IDEASOperaAgent Service in “Stopping” State](#)
- [Processing Failures Due to Data Type Mismatch for MGM Resorts](#)
- [Dynamic Optimization](#)
- [HLTN/Handling Error for SAS Dataset Encoding Job](#)

Before you start the Property Move, kindly go through this document for Pre- checks and guidelines.

Scope

1. Opera integration has three flavors viz. opera agent, OXI, OCWS. If the opera property is getting migrated within these flavors then below are the considerations

Opera to OXI Migration

1. Change external system to NGI
 2. Do configurations at NGI side – in nucleusVendorConfigParams collection
- Opera Agent is not required and hence needs to be removed.

Opera to OCWS Migration

1. Set the external system to OCWS
 2. Configuration at NGI side – in nucleusVendorConfigParams collection
- Set schedule at G3 side.
1. Opera Agent is not required and hence needs to be removed.

2. This tool does not support PMS migration. , it moves the property from one client to another in G3 system.

Below migrations are not supported

1. Opera-> Rezview
 2. Rezview->Opera
 3. Rezview->Rezview
 4. Hilstar/PCRS->Hilstar/PCRS
6. If the property code of the property being migrated is matching with property code of any of the properties under Target client, then 'Move Property' cannot be done.
 7. Only one property can be migrated at one time.

User and Role migration considerations

1. Authorization group will not be moved from one client to another.
2. If the same role is present in Source and Destination client with different access permissions, then role in the Destination client will be considered.
3. If user (say User1) has access to multiple properties (P1, P2, P3) in Source client and if only one property out of these is getting migrated (say P1) along with User1.

Recent Comments

Pranav Thakar on [Hilton/Processing Failure – non positive offset value for Product](#)

Ranjit on [Hilton/Processing Failure – non positive offset value for Product](#)

Ranjit on [Service Recovery Procedure – IDeaSOperaAgent Service in “Stopping” State](#)

Ranjit on [Processing Failures Due to Data Type Mismatch for MGM Resorts](#)

Ranjit on [Accor Client Handling Process Guide](#)

After the property P1 gets migrated, user (user1) will also get migrated in the same flow and hence user will not have access to property P2 and P3. User cannot login to source client.

4. In case of multiple properties getting migrated from Source client to destination client, the user which has System CEO Role in the Target client will have to provide access to user for these migrated properties through Authorizations ->User Management screen.
5. If user has access to multiple properties and user has set a preference as default property to a property which is being migrated to target client. Now when property is migrated to target client but not the user, then User's preference of default property will get lost.

Pre-Checks/Pre-Activities

Processing pre-checks

1. Kindly make sure that no processing is running like BDE, CDP, any on demand process, decision upload, what if for the property being migrated.
2. Please stop all incoming extract pull and decision upload activities before starting the property migration.

Opera Agent Pre-Activities

1. Kindly make sure that opera agent version of both source and target client are upgraded to latest and are same for both clients.
2. Liaise with CRM and get the remote connection of a machine where opera agent is installed for source and target client
3. Depending on the agent type and agent topology of source client agent and target client agents, liaise with the client/CRM and decide whether existing agent needs to removed or use the same agent as is or add the property to target agent.

Property code Pre-check

1. Kindly check the property code of the source property is different than the property code of all the properties under Target Client. If the property code of source property matches with any one of property code from target client then migration cannot be done.

User and role Pre- Activities

1. The user can be moved from one client to other with the same role or with the role from source client or with the role from target client. If same role is present in source and target client, then target client role will be considered.
2. Kindly liaise with client/CRM and get the list of users and associated role for the user that needs to be migrated.
3. Kindly ensure that the all users of Source client are logged out from the system during migration activity.

Configuration Parameter Pre Activities

The property movement from one client to another, moves configuration parameters set at property level only. It does not move parameters at Client level. Hence kindly follow below steps to decide which source client level parameters needs to be set at property level once property is moved under another client. Kindly follow below steps.

1. Before migration, Login to the G3 CMA application.
2. Fetch Query '*Difference between configuration parameter value set at client level for two clients*'. You can search the query with keyword 'Difference'.
3. Select Chain as 'global'
4. Specify query parameters Source Client Code, Source Property Code (The property code of a property which needs to be moved) and Target Client Code.
5. Run SQL.
6. The query output is – the difference between configuration parameter values set at client level for two clients and associated parameter name for those values.
7. Get the query result using job id. The result contains ParameterName, SourceClientValue and TargetClientValue. Export the result.
8. Kindly share the result with Product management for the above differences in param values.
9. Liaise with product management, and confirm whether SourceClientValue needs to be set for a property at property level. On confirmation, set the parameter values at property level.

Move Property

The Property migration from one client to other client can be performed from Support-> Move Property. It consists of below sections.



The screenshot shows the 'Move Property' interface. At the top, there is a breadcrumb trail: 'Home Property' > 'Property Selection' > 'User Role Management' > 'Agent Migration'. Below this, there are two sections: 'Move From' and 'Move To'. Each section has a 'Client:' dropdown and a 'Property:' dropdown.

Property Selection

1. Move from: Client contains the list of all clients. Select the source client.
2. Once client is selected, Property drop down will populate the properties name from that client. Select the property to be moved.
3. Select Target client from Move to: Client
4. Click Next.

User	Source Role	Target Role
SourceRole@source.com	SourceRole	SourceRole
SourceRole@source.com	SourceRole	TargetRole 1

User and Role Management

1. Click on add
2. As per the list of users and corresponding roles received from client/CRM, add the users which needs to be migrated and select the target role for the user.
3. Source Role will display role for the user only if the user is assigned to individual property. If user has access to Authorization group with some role then Source role will be shown as -.
4. Click Next.

Agent Migration

1. Before performing agent migration, kindly make sure that you have got the access to a machine where opera agent is installed for source client and target client.
2. Verify the agent type and agent topology for both source client and target client, kindly discuss possible migration options with client/CRM and then chose appropriate option for Agent migration.
3. Source Agent will display all agents present for property.

For each source agent, select the target agent as per requirement and confirmation from client as mentioned above and kindly perform all necessary manual steps at Opera Agent side i.e client side configurations (this requires access to remote machine where opera agent is installed)

Target Agent drop down has below options:-

Leave Agent As Is

This option will de-associate the agent from source client and associate to target client.

Manual Step at client side on Target client: -

1. Access the opera agent machine of source client.
2. Access URL <http://localhost:9080/>

3. Click on agent manager setting.
4. Update below parameters

Set G3 Client ID to -> Target client ID

Set G3 Username to -> Target client's G3 Agent email id

5. Click SAVE
6. After clicking SAVE, it may take up to 15 minutes to provide a G3 Agent Connection. You may need to refresh the page.
7. Click Test Connection. You should get the message 'The Connection test to G3 was successful.'

Remove Agent

This option will remove the property from the agent of source client. This will run remote task Delete

Property task. It may take up to 15 minutes run this task.

Manual Step at client side: -

Kindly discuss with client/CRM, check the agent type and topology and then create new agent

target client side and add the property to it OR Add the property to any of the existing agent.

List of all shared agents from target client (This option will be available only if target client has shared agent)

-

This option will remove the property from source agent and map it under the selected target

Agent. It will run two remote task at the back end; Delete Property and Add Property. These tasks

may take up to 15-20 minutes to provide a G3 Agent Connection. You may need to refresh the page

Manual Step at client side on Target Client: -

1. Access the opera agent machine of source client.
2. Access URL <http://localhost:9080/>
3. Click on property settings and select the property which is migrated.
4. Enter the pms details for a property.
5. Test the connection. You should get the message 'PMS Connection was successful.'

After migration, check the agent connectivity option by downloading logs.

Logout and login to the application.

Post Migration Verification

Login to the application and verify that property has been moved under Target Client. For any queries kindly contact G3 Team Bose.

Revision History

Version	Date	Description	Author
1.0	28-Sep-2016	First Draft	Geetanjali Belsare
1.0	28 -Feb-2023	Upload into CARE Knowledge Base	Karl Lobo & Nikhil Hatwalne



0

Tagged on: Merger migration

idnkal

28/02/2023

G3 Procedures, G3 Processes

No Comments

[← G3: Rate Shopping Vendor Switch](#)

[G3:Data Feed Specification Overview V8.0 →](#)

Leave a Reply

Your email address will not be published. Required fields are marked *

Comment *

Name *

Email *

Website

☐ Save my name, email, and website in this browser for the next time I comment.

Post Comment