



CARE Knowledge Base

Knowledge Engine for CARE, by CARE!

Search by Category

All categories



Search

Enter a search term, select a category and click **Search** or select an icon below.

[All Articles](#) [G2](#) [G3](#) [Car Park RMS](#) [RevPlan](#) [SmartSpace](#) [Casper](#) [Optix](#) [Assets](#)

MGM Rollout – OPERA Agent

Below are some steps need to be followed for MGM property roll-outs.

G3: Side

1. Add Property on G3 side (Mostly the property code is same as resort code)
2. Set below parameters for 1st/History Data Pull
 1. [pacman.integration.opera.pastDays]=730
 2. [pacman.integration.opera.groupPastDays]=730
 3. [pacman.integration.futureDays]=730
 4. [pacman.integration.opera.populationChunkSize]=60
3. Each property of MGM will have its own agent. (The topology/type set at agent level, so no change required)
4. History is pulled from Build DB.
5. Once History feed is pulled set below parameters before daily pull
 1. [pacman.integration.opera.pastDays]=45
 2. [pacman.integration.opera.groupPastDays]=560
 3. [pacman.integration.futureDays]=730
 4. [pacman.integration.opera.populationChunkSize]= 180 (Default value)
 5. [pacman.integration.timeToCheckAuditDate] : set appropriate as suggested hhmm by MGM

Agent: Side

1. Install agent on D:\IDeaSAgent drive of the VM.
2. On each VM we are going to have 5 agents.
3. Ports used per each agent: 443, 1443, 2443 and 3443

Categories

Select Category

Recent Posts

[HLTN/hiltonEnableSmallGroupProductsAndInventoryLimitForNewPropertyStep](#)

[Service Recovery Procedure – IDeaSOperaAgent Service in “Stopping” State](#)

[Processing Failures Due to Data Type Mismatch for MGM Resorts](#)


[Dynamic Optimization](#)

[HLTN/Handling Error for SAS Dataset Encoding Job](#)

4. Configure the APM required for capturing agent performance by MGM IT

Steps to set the APM parameters to IDeaS Agent:

- Stop the agent service.
- Open Registry of system. (Windows Run -> regedit)
- Search for IDeaSAgent or go to [Computer\HKEY_LOCAL_MACHINE\SOFTWARE\WOW6432Node\Apache Software Foundation\Procrun 2.0\IdeaSOperaAgent\Parameters\Java]



- Edit the Options and provide -DagentProfile and -javaagent
- e.g. MGM Grand Agent: **-javaagent:D:\ca\wily\Agent.jar -DagentProfile=D:\ca\wily\core\config\IntroscopeAgent001.profile**
- Start the agent service.

- Use **Build** environment to pull the History Feed. (Provide **Build** database Host URL and Database Name)
- Note, Use OPMS Database Port to any number before changing connection type to TNS. **UI** throws error if TNS selected and port is blank.
- Once history feed complete change the db details from **Build** to Prod db.

In Agent Questionnaire: Request the **Build** DB details along with PROD DB details.

Note: Sometimes MGM need the timings around Data Feed creation. You can get the data from Job but if you want detail data of how much time taken in Temp Table population and data transfer to G3 then use CMT query to get stats. [Opera_Performance_Monitor by correlation ID]: Use correlation id as a parameter.



0

Tagged on:

MGM

OperaAgent

Recent Comments

Pranav Thakar on

[Hilton/Processing Failure – non positive offset value for Product](#)

Ranjit on [Hilton/Processing Failure – non positive offset value for Product](#)

Ranjit on [Service Recovery Procedure – IDeaSOperaAgent Service in “Stopping” State](#)

Ranjit on [Processing Failures Due to Data Type Mismatch for MGM Resorts](#)

Ranjit on [Accor Client Handling Process Guide](#)

idnsgu 01/08/2019 G3 Procedures, G3 Processes, G3 Solutions

No Comments

← Duplicate Records in Summary Statistics for G3 NGI/HTNG Properties.

Hilton Portal and Community Access Email & Full Upload Requests Handling

Leave a Reply

Your email address will not be published. Required fields are marked *

Comment *

Name *

Email *

Website

☐ Save my name, email, and website in this browser for the next time I comment.

Copyright © 2025 CARE Knowledge Base. All rights reserved. Theme Spacious by ThemeGrill. Powered by: WordPress.