



CARE Knowledge Base

Knowledge Engine for CARE, by CARE!

Search by Category

All categories



Search

Enter a search term, select a category and click **Search** or select an icon below.

[All Articles](#) [G2](#) [G3](#) [Car Park RMS](#) [RevPlan](#) [SmartSpace](#) [Casper](#) [Optix](#) [Assets](#)

NGI – OXI and HTNG Processing Flow

This document is to give you an insight of the processing flow of NGI for OXI and HTNG G3 properties.

HTNG

As soon as we get all the 6 types of data then the NGI Deferred Delivery Job (BDE/CDP) is triggered.

OXI

As soon as the NGI data extract job is completed it will create the data at NGI side and then it triggers an event to G3 then the Deferred Delivery Job will start on G3 side.

Steps and working of NGI Deferred Delivery Job.

Once the event is triggered at the G3 side and the job is started at G3 side the very first step which matters to us is –

- **fileMetadataCreationStep** – In this step we create the meta data records. These are just Meta data records we do not populate any activity data in this step.
- **totalHotelPastActivityDataLoadStep** – This step will get the Past Hotel Level data from the NGI collection and populate into G3 tables.
- **totalHotelCurrentActivityDataLoadStep** – This step will get the Current Hotel Level data from the NGI collection and populate into G3 tables.
- **roomTypePastActivityDataLoadStep** – This step will get the Past Room Type Level data from the NGI collection and populate into G3 tables.

Categories

Select Category

Recent Posts

[HLTN/hiltonEnableSmallGroupProductsAndInventoryLimitForNewPropertyStep](#)

[Service Recovery Procedure – IDeaSOperaAgent Service in “Stopping” State](#)

[Processing Failures Due to Data Type Mismatch for MGM Resorts](#)

[Dynamic Optimization](#)

[HLTN/Handling Error for SAS Dataset Encoding Job](#)

- **roomTypeCurrentActivityDataLoadStep** – This step will get the Current Room Type Level data from the NGI collection and populate into G3 tables. Here in all the steps we populate the data in main table as well as in the pace table of G3.
- **costOfWalkCalculatorStep** – We do calculate the cost of walk for the first time for Room type. Let's say for a new property then we will calculate default cost of walk values for all the room types of that property. If the property is old and we received a new room type later then we add default cost of walk for that new roomtype in this step.
- **roomTypeCapacityUpdateStep** – It calculates the capacity based on the activity data. While doing this it considers all future data only and takes maximum capacity for a room type from it. Data which we received and update in the Accom type table. So whatever capacity we see on UI in the Room Class configuration that is done by this step.
- **roomTypeMarketSegmentPastActivityDataLoadStep** – This step will get the Past Market Segment data from the NGI collection and populate into G3 tables.
- **roomTypeMarketSegmentCurrentActivityDataLoadStep** – This step will get the Current Market Segment data from the NGI collection and populate into G3 tables.
- **groupDataAndPaceLoadStep** – In this case we get all the information from the Group block master of NGI and populate them in main and pace table of Group block on G3 side.
- **createNewRateCodeAlertStep** – If we get any new rate code in the data we will create an alert for that so that they can map the rate code.
- **unqualifiedDeferredDeliveryRateLoadStep**
- **qualifiedDeferredDeliveryRateLoadStep** – These are the qualified and unqualified rate which we have received since yesterday all those data getting populated in rates table of G3.
- **reservationDataLoadStep** – All the reservation which we have received since yesterday will be populated in this step.
- **roomTypeMarketSegmentZeroFillingStep** – When we get the information from the NGI for Market segment we ignore all the zero information on the G3 side to reduce the traffic between NGI and G3. So once we have all the information on the G3 we do zero filling of the records which we did not get it from the NGI.
- **roomTypeMarketSegmentPaceStep** – It populates the pace data into the Market Segment table this also updates the status in NGI that the data is successfully populated in G3.
- **loadSasDatasetStep** – This step is responsible for all the data which we have populated in G3 that data will Processed and copied. Data is not moved to SAS.
- **markFileMetadataSuccessfulStep** – Till this step we are done with population of data in G3.



0

👤 idnahj 📅 20/10/2018 📁 G3 Processes 💬 No Comments

← NGI – OXI/ HTNG Overview and Flow

G3 – Agile Rates and Per Person Pricing – Learning TidBits – 12th Dec 2018



Recent Comments

Pranav Thakar on

[Hilton/Processing Failure – non positive offset value for Product](#)

Ranjit on [Hilton/Processing Failure – non positive offset value for Product](#)

Ranjit on [Service Recovery Procedure – IDeaSOperaAgent Service in “Stopping” State](#)

Ranjit on [Processing Failures Due to Data Type Mismatch for MGM Resorts](#)

Ranjit on [Accor Client Handling Process Guide](#)

Leave a Reply

Your email address will not be published. Required fields are marked *

Comment *

Name *

Email *

Website

☐ Save my name, email, and website in this browser for the next time I comment.

Post Comment

