



CARE Knowledge Base

Knowledge Engine for CARE, by CARE!

Search by Category

All categories 

Search

Enter a search term, select a category and click **Search** or select an icon below.

- All Articles
- G2
- G3
- Car Park RMS
- RevPlan
- SmartSpace
- Casper
- Optix
- Assets


NGI – OXI/ HTNG Overview and Flow

This document is to give you an insight of the working flow of NGI for OXI and HTNG G3 properties.

Use one of the following selections to read more about each in greater detail.

HTNG

There are 3 parts as shown in the below diagram.



1. Integration/Vendors

These are the vendors from where we get the data (e.g Protel)

We receive 4 types of data -

1. **Reservation level**
2. **Rates level**
3. **Group level**
4. **Summary Level (Summary statistics)**

Reservation, Rates, Groups data are real time.

2. NGI

NGI has been divided into 2 parts as shown in the diagram

1. **Raw Collection.**

In the Raw the data is stored in the same form as we received from vendor – Grid.FS, before accepting the data we validate the messages then we reject those messages and we provide them with the error why the messages were rejected.

There are 2 types of validation

Primary validation - User name/password validation – if the username/password is incorrect the message will not even go into Raw collection the message will be rejected as it is (This is one of the example of primary validation).

Secondary validation - For example – If it is a summary level message for one of the occupancy date in the Room Type Market Segment level data room sold is missing.

There are 2 types of Secondary validation

a. Error - In case of error we don't process that data further (explained above) we send the error to HTNG vendor and wait them to correct the data and send us the correct data.

b. Warning - There are some messages with which we can still process the data we just send a Warning to HTNG vendor.

For example – In case of rate message typically we expect we should get more than 2 Room Type in a Rate Plan but if we get 1 Room Type in a Rate Plan then we don't reject it we accept the data but we send warning saying that we have received only one room type in a rate code which is unusual.

2. Nucleus Collection.

In the Nucleus we have 5 collections.

- NucleusQualifiedRateplan/ NucleusUnqualifiedRatePlan - Rate level data is stored in this collection depending upon the qualified and unqualified rates.
- NucleusReservation - Reservation level data is stored in this collection.
- NucleusOccupancySummary
- NucleusGroupBlockMaster - Group level data is stored in this collection.
- NucleusTotalHotelActivity/ NucleusRoomTypeActivity/ NucleusRoomTypeMarketSegmentActivity - Summary Level (Summary statistics) is stored in this collection, there are 6 types of Summary Level data
 - Current Hotel
 - Past Hotel
 - Current Room Type
 - Past Room Type
 - Current Room Type Market Segment
 - Past Room Type Market Segment

All these data is processed/converted in a specific format in which the G3 understands and the data is send to G3.

3. G3

When the stats messages are completely processed at NGI end an event is triggered for G3 post this G3 triggers NGI Deferred Delivery/ CDP Deferred Delivery Job.

OXI



How to Read Messages





idnahj 20/10/2018 G3 Processes No Comments

[← G3-Opera Exceptions and Solutions](#)

[NGI – OXI and HTNG Processing Flow →](#)

Leave a Reply

Your email address will not be published. Required fields are marked *

Comment *

Name *

Email *

Website

☐ Save my name, email, and website in this browser for the next time I comment.

Post Comment