



CARE Knowledge Base

Knowledge Engine for CARE, by CARE!

Search by Category

All categories

▼

Search

Enter a search term, select a category and click **Search** or select an icon below.

[All Articles](#) [G2](#) [G3](#) [Car Park RMS](#) [RevPlan](#) [SmartSpace](#) [Casper](#) [Optix](#) [Assets](#)

Necessary criteria based rest calls while doing G3 monitoring

Below are the rest call which have to be used while doing G3 monitoring.

All the rest calls are criteria based and it is recommended to use only this rest calls instead of using pre-defined queries.

Criteria based queries are recommended because they are designed as per the Mongo DB indexes, If we fire queries which are not inclined towards Mongo DB indexing can cause issues in Mongo DB.

How to verify if the rest call is criteria based?
-If below highlighted is in rest call then that rest call is criteria based.

`/criteria?search=clientCode==<clientcode>;propertyCode==<propertycode>`
=====

1. FOR CHECKING SUMMARY STATISTICS

`http://us2pngiap01.ideasprod.int:9090/nucleusStatisticsCorrelations/criteria?search=clientCode==<>;propertyCode==<>;fiscalDate==YYYY-MM-DD`

2. BELOW ARE THE REST CALLS FOR DECISION TRACKING

`http://us2pngiap01.ideasprod.int:9090/nucleusDecisionDeliveryTrackers/criteria?search=clientCode==<>;propertyCode==<>;nucleusDecisionType==<>;lastModifiedDate=gt=YYYY-MM-DD;status==SENT`

`http://us2pngiap01.ideasprod.int:9090/nucleusDecisionDeliveryTrackers/criteria?search=clientCode==<>;propertyCode==<>`

Categories

Select Category

Recent Posts

[HLTN/hiltonEnableSmallGroupProductsAndInventoryLimitForNewPropertyStep](#)

[Service Recovery Procedure – IDeaSOperaAgent Service in “Stopping” State](#)

[Processing Failures Due to Data Type Mismatch for MGM Resorts](#)

[Dynamic Optimization](#)

[HLTN/Handling Error for SAS Dataset Encoding Job](#)

http://us2pngiap01.ideasprod.int:9090/oxiMessageOutgoings/criteria?
search=clientCode==<>;propertyCode==<>;transactionId==<>

http://us2pngiap01.ideasprod.int:9090/nucleusDecisionDeliveryTrackers/criteria?
search=clientCode==<>;propertyCode==<>;jobName==<>;nucleusDecisionType==<>

3. FOR CHECKING RTAV

http://mn5pngiappw101.ideasprod.int:9090/oxiMessageRtavs/criteria?
search=clientCode==<>;propertyCode==<>;requestDateTime=gt=YYYY-MM-DDT15:27:41.899

4. FOR VALIDATING IF WE HAVE RECEIVED FUNCTION SPACE DATA

http://us2pngiap01.ideasprod.int:9090/ahwsSyncSessions/criteria?
search=clientCode==<>;propertyCode==<>;createDate%3EYYYY-MM-DD&size=100

5. FOR AGENT PROPERTY DECISIONS

https://g3rms.ideas.com/pacman-
platformsecurity/rest/agentDecision/DecisionType?
propertyId=Pid&externalSystem=opera

Note – use the appropriate information in <TAGS>



idnahj 23/09/2020 G3 Processes 2 Comments

← Resident Guest Forecasting

Handling RSS failures →

2 thoughts on “Necessary criteria based rest calls while doing G3 monitoring”



Rohan Chitnis
24/09/2020 at 01:59
Permalink

Very Nice Article Akshay!! Very Helpful

Reply



Ronak Jalan
26/09/2020 at 19:23
Permalink

Thanks Akshay!!

Reply

Recent Comments

Pranav Thakar on
[Hilton/Processing Failure – non positive offset value for Product](#)

Ranjit on [Hilton/Processing Failure – non positive offset value for Product](#)

Ranjit on [Service Recovery Procedure – IDeaSOperaAgent Service in “Stopping” State](#)

Ranjit on [Processing Failures Due to Data Type Mismatch for MGM Resorts](#)

Ranjit on [Accor Client Handling Process Guide](#)

Leave a Reply

Your email address will not be published. Required fields are marked *

Comment *

Name *

Email *

Website

☐ Save my name, email, and website in this browser for the next time I comment.

Post Comment