



CARE Knowledge Base

Knowledge Engine for CARE, by CARE!

Search by Category

All categories ▾

Search

Enter a search term, select a category and click **Search** or select an icon below.

[All Articles](#) [G2](#) [G3](#) [Car Park RMS](#) [RevPlan](#) [SmartSpace](#) [Casper](#) [Optix](#) [Assets](#)

OperaFeedValidationStep Failed

Symptom :

Data processing(opera data load job) is failed with below error
+++++ Tetris Errors: [0 – UNEXPECTED_ERROR – Spring batch job processing failed because there was a feed validation error. Feed validation failed for Transaction. – User.id: null – Workcontext: null] OperaFeedValidationStep Failed: Reservation ID : [310397384, 310397573, 310397604] have invalid Room Type3

Resolution :

Run the below queries in CMA for the property : (If you DO NOT have access to Ad-HOC access – reach out to your TL (Ashwin/Vinay)

Observation conditions and actions in accordance to these observations

1. If you have a small number of reservations that are blank – please reach out to CPM /Case Owner and seek the room type where these missing room types should be mapped.
 1. Once these room type details are received for these reservations (found in Data Dog link of the failed job)
 1. Check if all the failed reservations are grouped by either to ONE room type or MANY room types

Categories

Select Category

Recent Posts

- [HLTN/hiltonEnableSmallGroupProductsAndInventoryLimitForNewPropertyStep](#)
- [Service Recovery Procedure – IDeaSOperaAgent Service in “Stopping” State](#)
- [Processing Failures Due to Data Type Mismatch for MGM Resorts](#)
- [Dynamic Optimization](#)
- [HLTN/Handling Error for SAS Dataset Encoding Job](#)

1. All reservations mapped to One room type
 1. Please enable the following configuration for the property pacman.integration.opera.missingRoomType Value – set to value of the missing room type details received from the CPM.
 2. Resume the job
2. If the number of reservations are more and that they're mapped to multiple room types – please collect the list of reservations from the Data dog link, Provide to CPM to be mapped by the client.
 1. Once this mapping is received – please escalate to your respective TL or reach out to Ashwin/Vinay for updating the Room type.

please make sure that you check past days

■ Resolution

- Potentially blank Room types received in reservation
- Query to be run in G3 CMA is as follows
 - select count(*) from opera.history_transaction where room_type='';
 - This would give you typically a small count >>0 to few hundreds. entries where room types are NOT assigned.
 - **Important check**
 - Check past days set for the property in both **INBOUND AND DATA LOADS**
 - Inbound
 - should typically be a smaller number (this issue is typically seen for newer properties) and that this may NOT be set at
 - Data loads : make sure past days is set correctly and has a 2 days past data AFTER the first extract capture.
 - Please correct the past days – then run the standard procedure to generate the blank room type and share with client.
 - Once this is provided – assign task to CSS to update RT's to the relevant reservation

NEXT STEPS:

Sample errors as follows

- Step name
 - operaDataFeedValidationStep
 - Error : Tetris Errors: [0 – UNEXPECTED_ERROR – Spring batch job processing failed because there was a feed validation error.Feed validation failed for Transaction.User.id: null – Workcontext: null]
 -
 - Datadog Error :
 - Encountered an error executing step: operaDataFeedValidationStep – Tetris Errors: [0 – UNEXPECTED_ERROR – Spring batch job

Recent Comments

Pranav Thakar on [Hilton/Processing Failure – non positive offset value for Product](#)

Ranjit on [Hilton/Processing Failure – non positive offset value for Product](#)

Ranjit on [Service Recovery Procedure – IDeaSOperaAgent Service in “Stopping” State](#)

Ranjit on [Processing Failures Due to Data Type Mismatch for MGM Resorts](#)

Ranjit on [Accor Client Handling Process Guide](#)

processing failed because there was a feed validation error.

- Feed validation failed for Transaction.
 - User.id: null – Workcontext: null]
- Work Context Info:
- BkCorrelationId: null
- ClientCode: CAJALOSAN
- ClientId: 516
- ExternalSystem: OPERA_AGENT
- PropertyCode: 0013
- PropertyGroupId: null
- PropertyId: 993953
- PropertySFDCAccountNumber: null
- PropertyStage: null
- UserId: System
- UserRole: BusinessUser
- Uspld: null
- Tetris Errors: [0 – UNEXPECTED_ERROR – Spring batch job processing failed because there was a feed validation error.
- Feed validation failed for Transaction.
 - User.id: null – Workcontext: null]
- at deployment.platform-ear.ear.ejb-pacman.jar//com.ideas.tetris.pacman.services.opera.ValidateOperaFeedService.validateOperaFeed(ValidateOperaFeedService.java:56)
- at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
- at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
- at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
- at java.base/java.lang.reflect.Method.invoke(Method.java:566)
- at [org.jboss.as.ee@17.0.1.Final](#)//org.jboss.as.ee.component.ManagedReferenceMethodInterceptor.processInvocation(ManagedReferenceMethodInterceptor.java:52)
- at [org.jboss.invocation@1.5.2.Final](#)//org.jboss.invocation.InterceptorContext.proceed(InterceptorContext.java:422)
- at [org.jboss.invocation@1.5.2.Final](#)//org.jboss.invocation.InterceptorContext\$Invocation.proceed(InterceptorContext.java:509)
- at [org.jboss.as.weld.common@17.0.1.Final](#)//org.jboss.as.weld.interceptors.Jsr299Bi

```
ndingsInterceptor.delegateInterception(
Jsr299BindingsInterceptor.java:79)
■ at
org.jboss.as.weld.common@17.0.1.Final/
/org.jboss.as.weld.interceptors.Jsr299Bi
ndingsInterceptor.doMethodInterceptio
n(Jsr299BindingsInterceptor.java:89)
■ at
org.jboss.as.weld.common@17.0.1.Final/
/org.jboss.as.weld.interceptors.Jsr299Bi
ndingsInterceptor.processInvocation(Jsr
299BindingsInterceptor.java:102)
■ at
org.jboss.as.ee@17.0.1.Final//org.jboss.a
s.ee.component.interceptors.UserInterc
eptorFactory$1.processInvocation(User
InterceptorFactory.java:63)
■ at
org.jboss.invocation@1.5.2.Final//org.jb
oss.invocation.InterceptorContext.proce
ed(InterceptorContext.java:422)
■ at
org.jboss.as.ejb3@17.0.1.Final//org.jboss
.as.ejb3.component.invocationmetrics.E
xecutionTimeInterceptor.processInvoca
tion(ExecutionTimeInterceptor.java:49)
■ at
org.jboss.invocation@1.5.2.Final//org.jb
oss.invocation.InterceptorContext.proce
ed(InterceptorContext.java:422)
■ at
org.jboss.as.jpa@17.0.1.Final//org.jboss.
as.jpa.interceptor.SBInvocationIntercept
or.processInvocation(SBInvocationInter
ceptor.java:47)
■ at
org.jboss.invocation@1.5.2.Final//org.jb
oss.invocation.InterceptorContext.proce
ed(InterceptorContext.java:422)
■ at
org.jboss.as.ee@17.0.1.Final//org.jboss.a
s.ee.concurrent.ConcurrentContextInte
rceptor.processInvocation(ConcurrentC
ontextInterceptor.java:45)
■ at
org.jboss.invocation@1.5.2.Final//org.jb
oss.invocation.InterceptorContext.proce
ed(InterceptorContext.java:422)
■ at
org.jboss.invocation@1.5.2.Final//org.jb
oss.invocation.InitialInterceptor.process
Invocation(InitialInterceptor.java:40)
■ at
org.jboss.invocation@1.5.2.Final//org.jb
oss.invocation.InterceptorContext.proce
ed(InterceptorContext.java:422)
■ at
org.jboss.invocation@1.5.2.Final//org.jb
oss.invocation.ChainedInterceptor.proce
ssInvocation(ChainedInterceptor.java:
53)
```

- at
[org.jboss.as.ee@17.0.1.Final](#)//org.jboss.as.ee.component.interceptors.ComponentDispatcherInterceptor.processInvocation(ComponentDispatcherInterceptor.java:52)
- at
[org.jboss.invocation@1.5.2.Final](#)//org.jboss.invocation.InterceptorContext.proceed(InterceptorContext.java:422)
- at
[org.jboss.as.ejb3@17.0.1.Final](#)//org.jboss.as.ejb3.component.pool.PooledInstanceInterceptor.processInvocation(PooledInstanceInterceptor.java:51)
- at
[org.jboss.invocation@1.5.2.Final](#)//org.jboss.invocation.InterceptorContext.proceed(InterceptorContext.java:422)
- at
[org.jboss.as.ejb3@17.0.1.Final](#)//org.jboss.as.ejb3.component.interceptors.AdditionalSetupInterceptor.processInvocation(AdditionalSetupInterceptor.java:54)
- at
[org.jboss.invocation@1.5.2.Final](#)//org.jboss.invocation.InterceptorContext.proceed(InterceptorContext.java:422)
- at
[org.jboss.as.ejb3@17.0.1.Final](#)//org.jboss.as.ejb3.tx.CMTTxInterceptor.invokeInCallerTx(CMTTxInterceptor.java:185)
- at
[org.jboss.as.ejb3@17.0.1.Final](#)//org.jboss.as.ejb3.tx.CMTTxInterceptor.required(CMTTxInterceptor.java:364)
- at
[org.jboss.as.ejb3@17.0.1.Final](#)//org.jboss.as.ejb3.tx.CMTTxInterceptor.processInvocation(CMTTxInterceptor.java:144)
- at
[org.jboss.invocation@1.5.2.Final](#)//org.jboss.invocation.InterceptorContext.proceed(InterceptorContext.java:422)
- at
[org.jboss.invocation@1.5.2.Final](#)//org.jboss.invocation.InterceptorContext\$Invocation.proceed(InterceptorContext.java:509)
- at
[org.jboss.weld.core@3.1.1.Final](#)//org.jboss.weld.module.ejb.AbstractEJBRequestScopeActivationInterceptor.aroundInvoke(AbstractEJBRequestScopeActivationInterceptor.java:81)
- at
[org.jboss.as.weld.common@17.0.1.Final](#)//org.jboss.as.weld.ejb.EjbRequestScopeActivationInterceptor.processInvocation(EjbRequestScopeActivationInterceptor.java:89)

- at
[org.jboss.invocation@1.5.2.Final](#)//org.jboss.invocation.InterceptorContext.proceed(InterceptorContext.java:422)
- at
[org.jboss.as.ejb3@17.0.1.Final](#)//org.jboss.as.ejb3.component.interceptors.CurrentInvocationContextInterceptor.processInvocation(CurrentInvocationContextInterceptor.java:41)
- at
[org.jboss.invocation@1.5.2.Final](#)//org.jboss.invocation.InterceptorContext.proceed(InterceptorContext.java:422)
- at
[org.jboss.as.ejb3@17.0.1.Final](#)//org.jboss.as.ejb3.component.invocationmetrics.WaitTimeInterceptor.processInvocation(WaitTimeInterceptor.java:47)
- at
[org.jboss.invocation@1.5.2.Final](#)//org.jboss.invocation.InterceptorContext.proceed(InterceptorContext.java:422)
- at
[org.jboss.as.ejb3@17.0.1.Final](#)//org.jboss.as.ejb3.security.SecurityContextInterceptor.processInvocation(SecurityContextInterceptor.java:100)
- at
[org.jboss.invocation@1.5.2.Final](#)//org.jboss.invocation.InterceptorContext.proceed(InterceptorContext.java:422)
- at
[org.jboss.as.ejb3@17.0.1.Final](#)//org.jboss.as.ejb3.deployment.processors.StartupAwaitInterceptor.processInvocation(StartupAwaitInterceptor.java:22)
- at
[org.jboss.invocation@1.5.2.Final](#)//org.jboss.invocation.InterceptorContext.proceed(InterceptorContext.java:422)
- at
[org.jboss.as.ejb3@17.0.1.Final](#)//org.jboss.as.ejb3.component.interceptors.ShutdownInterceptorFactory\$1.processInvocation(ShutdownInterceptorFactory.java:64)
- at
[org.jboss.invocation@1.5.2.Final](#)//org.jboss.invocation.InterceptorContext.proceed(InterceptorContext.java:422)
- at
[org.jboss.as.ejb3@17.0.1.Final](#)//org.jboss.as.ejb3.component.interceptors.LoggingInterceptor.processInvocation(LoggingInterceptor.java:67)
- at
[org.jboss.invocation@1.5.2.Final](#)//org.jboss.invocation.InterceptorContext.proceed(InterceptorContext.java:422)

- at
[org.jboss.as.ee@17.0.1.Final](#)//org.jboss.as.ee.component.NamespaceContextInterceptor.processInvocation(NamespaceContextInterceptor.java:50)
- at
[org.jboss.invocation@1.5.2.Final](#)//org.jboss.invocation.InterceptorContext.proceed(InterceptorContext.java:422)
- at
[org.jboss.invocation@1.5.2.Final](#)//org.jboss.invocation.ContextClassLoaderInterceptor.processInvocation(ContextClassLoaderInterceptor.java:60)
- at
[org.jboss.invocation@1.5.2.Final](#)//org.jboss.invocation.InterceptorContext.proceed(InterceptorContext.java:422)
- at
[org.jboss.invocation@1.5.2.Final](#)//org.jboss.invocation.InterceptorContext.run(InterceptorContext.java:438)
- at [org.wildfly.security.elytron-private@1.9.1.Final](#)//org.wildfly.security.manager.WildFlySecurityManager.doChecked(WildFlySecurityManager.java:618)
- at
[org.jboss.invocation@1.5.2.Final](#)//org.jboss.invocation.AccessCheckingInterceptor.processInvocation(AccessCheckingInterceptor.java:57)
- at
[org.jboss.invocation@1.5.2.Final](#)//org.jboss.invocation.InterceptorContext.proceed(InterceptorContext.java:422)
- at
[org.jboss.invocation@1.5.2.Final](#)//org.jboss.invocation.ChainedInterceptor.processInvocation(ChainedInterceptor.java:53)
- at
[org.jboss.as.ee@17.0.1.Final](#)//org.jboss.as.ee.component.ViewService\$View.invoke(ViewService.java:198)
- at
[org.jboss.as.ee@17.0.1.Final](#)//org.jboss.as.ee.component.ViewDescription\$1.processInvocation(ViewDescription.java:185)
- at
[org.jboss.as.ee@17.0.1.Final](#)//org.jboss.as.ee.component.ProxyInvocationHandler.invoke(ProxyInvocationHandler.java:81)
- at deployment.platform-ear.ear.ejb-pacman.jar//com.ideas.tetris.pacman.services.opera.ValidateOperaFeedService\$\$view345.validateOperaFeed(Unknown Source)

- at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
- at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
- at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
- at
java.base/java.lang.reflect.Method.invoke(Method.java:566)
- at
[org.jboss.weld.core@3.1.1.Final](#)//org.jboss.weld.util.reflection.Reflections.invokeAndUnwrap(Reflections.java:410)
- at
[org.jboss.weld.core@3.1.1.Final](#)//org.jboss.weld.module.ejb.EnterpriseBeanProxyMethodHandler.invoke(EnterpriseBeanProxyMethodHandler.java:134)
- at
[org.jboss.weld.core@3.1.1.Final](#)//org.jboss.weld.bean.proxy.EnterpriseTargetBeanInstance.invoke(EnterpriseTargetBeanInstance.java:56)
- at
[org.jboss.weld.core@3.1.1.Final](#)//org.jboss.weld.module.ejb.InjectionPointPropagatingEnterpriseTargetBeanInstance.invoke(InjectionPointPropagatingEnterpriseTargetBeanInstance.java:68)
- at
[org.jboss.weld.core@3.1.1.Final](#)//org.jboss.weld.bean.proxy.ProxyMethodHandler.invoke(ProxyMethodHandler.java:106)
- at deployment.platform-ear.ear.ejb-pacman.jar//com.ideas.tetris.pacman.services.opera.ValidateOperaFeedService\$Proxy\$_\$\$_Weld\$EnterpriseProxy\$.validateOperaFeed(Unknown Source)
- at
deployment.job.war//com.ideas.tetris.jems.job.opera.step.OperaDataFeedValidationStep.doInvoke(OperaDataFeedValidationStep.java:47)
- at
deployment.job.war//com.ideas.tetris.jems.core.step.tasklet.BusinessServiceStep.invoke(BusinessServiceStep.java:142)
- at
deployment.job.war//com.ideas.tetris.jems.core.step.tasklet.BusinessServiceStep.lambda\$doExecute\$0(BusinessServiceStep.java:95)
- at deployment.platform-ear.ear//io.micrometer.core.instrument.


```
AbstractTimer.record(AbstractTimer.java:149)
■ at
  deployment.job.war//com.ideas.tetris.je
  ms.core.step.tasklet.BusinessServiceSte
  p.doExecute(BusinessServiceStep.java:9
  3)
■ at
  deployment.job.war//com.ideas.tetris.je
  ms.core.step.tasklet.AbstractTaskletSte
  p.execute(AbstractTaskletStep.java:98)
■ at
  deployment.job.war//org.springframework
  rk.batch.core.step.tasklet.TaskletStep$C
  hunkTransactionCallback.doInTransacti
  on(TaskletStep.java:407)
■ at
  deployment.job.war//org.springframework
  rk.batch.core.step.tasklet.TaskletStep$C
  hunkTransactionCallback.doInTransacti
  on(TaskletStep.java:331)
■ at deployment.platform-
  ear.ear//org.springframework.transactio
  n.support.TransactionTemplate.execute(
  TransactionTemplate.java:140)
■ at
  deployment.job.war//org.springframework
  rk.batch.core.step.tasklet.TaskletStep$2.
  doInChunkContext(TaskletStep.java:27
  3)
■ at
  deployment.job.war//org.springframework
  rk.batch.core.scope.context.StepContext
  RepeatCallback.doInIteration(StepCon
  textRepeatCallback.java:82)
■ at
  deployment.job.war//org.springframework
  rk.batch.repeat.support.RepeatTemplat
  e.getNextResult(RepeatTemplate.java:3
  75)
■ at
  deployment.job.war//org.springframework
  rk.batch.repeat.support.RepeatTemplat
  e.executeInternal(RepeatTemplate.java:
  215)
■ at
  deployment.job.war//org.springframework
  rk.batch.repeat.support.RepeatTemplat
  e.iterate(RepeatTemplate.java:145)
■ at
  deployment.job.war//org.springframework
  rk.batch.core.step.tasklet.TaskletStep.do
  Execute(TaskletStep.java:258)
■ at
  deployment.job.war//org.springframework
  rk.batch.core.step.AbstractStep.execute
  (AbstractStep.java:208)
■ at
  deployment.job.war//org.springframework
  rk.batch.core.job.SimpleStepHandler.ha
  ndleStep(SimpleStepHandler.java:152)
```

- at
deployment.job.war//com.ideas.tetris.je
ms.core.job.JemsStepHandler.doHandle
Step(JemsStepHandler.java:162)
- at
deployment.job.war//com.ideas.tetris.je
ms.core.job.JemsStepHandler.handleSte
pWithRetry(JemsStepHandler.java:106)
- at
deployment.job.war//com.ideas.tetris.je
ms.core.job.JemsStepHandler.handleSte
p(JemsStepHandler.java:69)
- at
deployment.job.war//org.springframework
rk.batch.core.job.flow.JobFlowExecutor.
executeStep(JobFlowExecutor.java:68)
- at
deployment.job.war//org.springframework
rk.batch.core.job.flow.support.state.Ste
pState.handle(StepState.java:68)
- at
deployment.job.war//org.springframework
rk.batch.core.job.flow.support.SimpleFlo
w.resume(SimpleFlow.java:169)
- at
deployment.job.war//org.springframework
rk.batch.core.job.flow.support.SimpleFlo
w.start(SimpleFlow.java:144)
- at
deployment.job.war//com.ideas.tetris.je
ms.core.job.flow.JemsFlowJob.doExecut
e(JemsFlowJob.java:37)
- at
deployment.job.war//org.springframework
rk.batch.core.job.AbstractJob.execute(A
bstractJob.java:320)
- at
deployment.job.war//org.springframework
rk.batch.core.launch.support.SimpleJob
Launcher\$1.run(SimpleJobLauncher.jav
a:149)
- at
java.base/java.util.concurrent.ThreadPo
olExecutor.runWorker(ThreadPoolExec
utor.java:1128)
- at
java.base/java.util.concurrent.ThreadPo
olExecutor\$Worker.run(ThreadPoolExe
cutor.java:628)
- at
java.base/java.lang.Thread.run(Thread.ja
va:834)

■

Sample process for TL

Please use the following query :

```
UPDATE opera.History_Transaction
SET Room_type = '(Room type)'
WHERE History_Transaction_ID in (history_transaction_ID1,
History_transaction_ID2);
```

Note : History transaction ID’s tend to be unique as opposed to Reservation name ID’ss that are availble in the datadog link.

Ideally – you should look up the history transaction id for the relevant reservation ID provided in the data dog link and use the update query note above.



Tagged on: Blank Room Types OperaFeedValidationStep Failed

idnyos

21/09/2023

G3 Processes

No Comments

← Rate shopping data is NOT visible on at a glance or BAD screen

Agent to Agent Migration →

Leave a Reply

Your email address will not be published. Required fields are marked *

Comment *

Name *

Email *

Website

☐ Save my name, email, and website in this browser for the next time I comment.

Post Comment