



CARE Knowledge Base

Knowledge Engine for CARE, by CARE!

Search by Category

All categories

Search

Enter a search term, select a category and click **Search** or select an icon below.

[All Articles](#) [G2](#) [G3](#) [Car Park RMS](#) [RevPlan](#) [SmartSpace](#) [Casper](#) [Optix](#) [Assets](#)

Process Document_G3 Data Feed Migration to EDF

Document Control

Document Information			
Name of Document	Process Document_G3 Data Feed Migration to EDF_1.00	-	-
Version Number	1.00	-	-
Prepared By	Sr. Process Analyst	Name	Sneha Nirgude
Reviewed By	Migration Project Lead	Name	Chaitanya Deshmukh
Approved By	Process Team Lead	Name	Karl Lobo

Categories

Select Category

Recent Posts

- HLTN/hiltonEnableSmallGroupProductsAndInventoryLimitForNewPropertyStep
- Service Recovery Procedure – IDeaSOperaAgent Service in “Stopping” State
- Processing Failures Due to Data Type Mismatch for MGM Resorts
- Dynamic Optimization
- HLTN/Handling Error for SAS Dataset Encoding Job

1 Introduction

1.1 Purpose

The purpose of this document is to prepare a standard process for migration of G3 Data Feed to Enterprise Data Feed to ensure the timely migration of the properties.

1.2 Scope

This document will help in identifying the different activities performed & the different teams involved in the process of migration.

1.3 Intended Audience

The target audience for this document is the team and the stakeholders involved in G3 Data Feed to Enterprise Data Feed migration projects.

E.g. – Project Manager, Project Lead, Team Members, etc.

1.4 Abbreviation

Abbreviation	Description
NGI	Next Generation Integration
SPM	Systems Performance Monitoring
EDF	Enterprise Data Feed
RMS	Revenue Management System
ICS	Installation, Configuration & Systems

2 Assumptions

- Estimation is based on Estimation History document.

3 Entry Criteria

- Client should be in 'Core' bucket feed type.
- Go ahead received from client.
IDeaS team will send an e-mail to client sharing all the necessary information and IP whitelisting details.
- IP addresses are whitelisted at client end and connection is established.
This check will be done by the EDF team by establishing a test connect for the same.
- Feeds should be certified. This can be done as mentioned below.
- Check if Ready for Migration
In this step the EDF team will compare the feed from NGI and the feed from EDF.
If the files in the feeds match, then a particular client will be considered ready for EDF migration.

Note – This ready check will be performed for few properties of a particular client.

Recent Comments

Pranav Thakar on [Hilton/Processing Failure – non positive offset value for Product](#)

Ranjit on [Hilton/Processing Failure – non positive offset value for Product](#)

Ranjit on [Service Recovery Procedure – IDeaSOperaAgent Service in “Stopping” State](#)

Ranjit on [Processing Failures Due to Data Type Mismatch for MGM Resorts](#)

Ranjit on [Accor Client Handling Process Guide](#)

4 Pre-Requisites & Assumptions

- It is assumed that the project team has the access to the following tools & has the required knowledge to use the tools
- G3 RMS
- NGI
- Data Dog
- EDF


5 Activities Performed

Note – Ideally perform the below activities before the BDE is triggered.


During the execution, utilize the checklist to keep a track of properties and steps executed [Datafeed Migration to EDF_Checklist_Project Name_1.00.xlsx](#)

Step 1 – Disable Datafeed parameter in G3

- In this step the EDF team will set the “feature.isDatafeedFileEnabled” to false in G3.
- For the same go to G3 –> Support –> Configuration –> Client tab –> Enter the client’s name



- Once the appropriate client name is selected go to Feature Toggles –> Search the parameter ‘feature.isDatafeedFileEnabled’ –> Click on Multi Client Edit option



- You will be redirected to following screen. Click on value dropdown –> Select ‘False’ –> In the Property column enter the property codes for which this parameter is disabled –> Reason for change –> Save

Multi-Property Edit

Client Code : ACCORHG

Parameter : pacman.feature.isDatafeedFileEnabled

Value *

false

Property Codes *

A598,3133,2939,5424,3737

Reason for change *

For these properties now the Data Feed will be delivered through EDF

Save Cancel

Step 2 – Enable the AWS Post

Processing parameter

- EDF team will set the “preProduction.notifyAWSPostProcessingEnabled” to true in G3
- For the same go to G3 ->Support -> Configuration ->Client tab -> Enter the client’s name

- Once the appropriate client name is selected go to Feature Toggles ->Search the parameter ‘preProduction.notifyAWSPostProcessingEnabled’->Click on Multi Client Edit option

- You will be redirected to following screen. Click on value dropdown ->Select ‘True’ ->In the Property column enter the property codes for which this parameter is enabled ->Reason for change -> Save

Monitor Feeds

- When the BDE is triggered as per the schedule, the team who is executing the roll out will monitor the feeds generated through EDF using the Data Dog.
- This verification can be done using the Data Dog dashboard built by the EDF team as shown below
- Go to the [Data Dog](#) –> Enter the appropriate client code –> Compare the “Count of the Properties -BDE” and “Count zip files uploaded”.
- The count in these sections should be the same.

Note – If there are any discrepancies observed in the rollout the same should be flagged to the EDF team & the rollout for the next batched should be put on hold until the discrepancies are resolved.

Only after the successful rollout of the previous batch the rollout of for next batches will begin.

Post successful roll-out the SPM team will perform the monitoring task.

6 Exit Criteria

- No discrepancies observed after the BDE was triggered post migration of data feed.
- Migration of Data Feed successfully completed for the respective client.
- Client handed over to the SPM team.



Tagged on: data feed EDF EDF Rollout Enterprise Data Feed Enterprise Data Feed Roll Out G3 Data Feed to Enterprise Data Feed

Sneha Nirgude

22/09/2023

G3 Procedures, G3 Processes, G3 Solutions, Migrations, Processes

No Comments

← Agent to Agent Migration

G3 HTNG to HTNG →

Leave a Reply

Your email address will not be published. Required fields are marked *

Comment *

Name *

Email *

Website

☐ Save my name, email, and website in this browser for the next time I comment.

Post Comment