



CARE Knowledge Base

Knowledge Engine for CARE, by CARE!

Search by Category

All categories

Search

Enter a search term, select a category and click **Search** or select an icon below.

- All Articles
- G2
- G3
- Car Park RMS
- RevPlan
- SmartSpace
- Casper
- Optix
- Assets

Resolution for failure in step – reservationDataLoadWithClientAPIStep and reservationdataload

When ever you see property failed in steps reservationDataLoadWithClientAPIStep and reservationdataload with below error

```
=====
=====
javax.ejb.EJBTransactionRolledbackException: element cannot be mapped to a
null key Cause : java.lang.NullPointerException: element cannot be mapped to a
null key
=====
=====
```

Please follow the below mentioned steps.

Let’s take a property as an example

```
=====
Client Code : EDWARDIAN
Client Name : Edwardian Hotel Group
Property Code : 0009
Property Name : Manchester
Job Name : NGI Deferred Delivery Job
```

Categories

Select Category

Recent Posts

- HLTN/hiltonEnableSmallGroupProductsAndInventoryLimitForNewPropertyStep
- Service Recovery Procedure – IDeaSOperaAgent Service in “Stopping” State
- Processing Failures Due to Data Type Mismatch for MGM Resorts
- Dynamic Optimization
- HLTN/Handling Error for SAS Dataset Encoding Job

Step Name : reservationDataLoadWithClientAPIStep OR reservationdataload

Error: javax.ejb.EJBTransactionRolledbackException: element cannot be mapped to a null key Cause : java.lang.NullPointerException: element cannot be mapped to a null

We receive this failures because we have received some reservations Id's with blank market code.

How to find these reservations?

Use the below rest call for getting these reservations.

<http://us2pngiap01.ideasprod.int:9090/nucleusReservations/criteria?search=clientCode==<clientCode>;propertyCode==<propertyCode>;statisticsCorrelationId==<statisticsCorrelationId>&page=0&size=131>

Please use appropriate information between tags <>.

Here in this example –

clinetCode = EDWARDIA
propertyCode = 0009
statisticsCorrelationId = 5f925a2eb700e5659c635f40
size – 131 (you can change this count as per your requirement)

Where to find statisticsCorrelationId – Refer below screen shot

Problem Detail

Problem Summary - 1475496

Job Instance Id : 67458541

Job Name : NGI Deferred Delivery Job

Step Name : reservationDataLoadWithClientAPIStep

System Mode : Decision Delivery Mode

Creation Date : 22-Oct-2020 23:21:29 PM

Problem id : 1475496

Owner : Akshay Janghane

Creation Date : 23-Oct-2020 00:06:46 AM

Closed Date : 23-Oct-2020 04:05:34 AM

Duration : 03:58:48

Error Code : UNEXPECTED_ERROR

Node : US2PIAP22

Client Code : EDWARDIAN

Client Name : Edwardian Hotel Group

Property Code : 0009

Property Name : Manchester

Problem Description

javax.ejb.EJBTransactionRolledbackException: element cannot be mapped to a null key Cause : java.lang.NullPointerException: element cannot be mapped to a null key

Actions

Notes

Solutions

Execution Steps

Execution Parameters

Execution Context

name	value
businessDate	10/22/2020 00:00:00
businessTime	2020-10-22T06:21:42+01:00
statisticsCorrelationId	5f925a2eb700e5659c635f40
dtbLocId	2441
decisionId	36278
externalSystem	NGI
fileMetadataId	9427
fiscalDate	10/22/2020 00:00:00
forceFullDecisions	false
futureDays	560

So the rest call will be

<http://us2pngiap01.ideasprod.int:9090/nucleusReservations/criteria?search=clientCode==EDWARDIAN;propertyCode==0009;statisticsCorrelationId==5f925a2eb700e5659c635f40&page=0&size=131>

Hit this rest call and find the reservation which have market code as ‘null’ refer below screen shot for example.

Recent Comments

Pranav Thakar on
[Hilton/Processing Failure – non positive offset value for Product](#)

Ranjit on [Hilton/Processing Failure – non positive offset value for Product](#)

Ranjit on [Service Recovery Procedure – IDeaSOperaAgent Service in “Stopping” State](#)

Ranjit on [Processing Failures Due to Data Type Mismatch for MGM Resorts](#)

Ranjit on [Accor Client Handling Process Guide](#)

```
}, {
  "createDate" : "2020-10-22 22:29:32.832",
  "lastModifiedDate" : "2020-10-22 22:29:32.832",
  "versionId" : 474014212,
  "reservationId" : "214583865",
  "clientId" : "EDWARDIAN",
  "propertyCode" : "0009",
  "correlationId" : "474014212",
  "statisticsCorrelationId" : "5f925a2eb700e5659c635f40",
  "bookingDate" : "2020-10-14T00:00:00.000Z",
  "earliestArrivalDate" : "2020-10-20",
  "latestDepartureDate" : "2020-10-22",
  "cancellationDate" : null,
  "cancellationReason" : null,
  "cancellationId" : null,
  "status" : "CHECKED_OUT",
  "nationality" : null,
  "channel" : null,
  "confirmationNumber" : null,
  "customerValue" : null,
  "roomStays" : [ {
    "arrivalDate" : "2020-10-20",
    "departureDate" : "2020-10-21",
    "marketCode" : null,
    "sourceBookingCode" : null,
    "numberOfChildren" : 0,
    "numberOfAdults" : 1,
    "bookingType" : null,
    "invTypeCode" : "KNXC",
    "bookedAccomTypeCode" : "KNXC",
    "rateCode" : null,
    "invBlockCode" : "PORT201020",
    " " : " "
  } ]
}
```

Get all the reservations Id's which has 'null' market code.

After getting all the reservation Id's please contact your TL or any M Escalation team member so that we can get it deleted from QA.

Note – This can be a defect in NGI, QA is working on this to identify if this is a defect till then we have to follow the above process.



idnahj

23/10/2020

G3 Solutions

No Comments

← Upload error – Import Failed due to incorrect expected export date

RevPlan – Deactivation of Data Feed →

Leave a Reply

Your email address will not be published. Required fields are marked *

Comment *

Name *

Email *

Website

☐ Save my name, email, and website in this browser for the next time I comment.

Post Comment