



CARE Knowledge Base

Knowledge Engine for CARE, by CARE!

Search by Category

All categories

▼

Search

Enter a search term, select a category and click **Search** or select an icon below.

[All Articles](#) [G2](#) [G3](#) [Car Park RMS](#) [RevPlan](#) [SmartSpace](#) [Casper](#) [Optix](#) [Assets](#)

Solution for failure in step – FPLOSQualifiedCdpRecommendationSrpChunkStep

If you observe any processing failure in step FPLOSQualifiedCdpRecommendationSrpChunkStep with below error please follow the given steps.

```
=====ERROR
EXAMPLE=====
Tetris Errors: [34 – DATABASE_EXCEPTION – executeBatch failed for calculate
FPLOS – User.id: null – Workcontext: null] Cause :
com.microsoft.sqlserver.jdbc.SQLServerException: There is already an object
named ‘PK_990995_RateQualifiedTable’ in the database.
=====
=====
```

Here in the above error ‘PK_990995_RateQualifiedTable’ **990995** is the DataBase ID which is different for every property.

We get this error because the ‘PK_990995_RateQualifiedTable’ is already present in the database.

This table is temporary table, we do not have option to delete or drop this table.

The only option is to disconnect the DataBase and reconnect it.

Please open a midas ticket for TechOps to disconnect the DataBase and reconnect it.
(PLEASE CONSULT WITH ME OR OTHER M ESCALATION MEMBERS BEFORE OPENING MIDAS TICKET FOR TECHOPS)

Categories

Select Category

Recent Posts

- [HLTN/hiltonEnableSmallGroupProductsAndInventoryLimitForNewPropertyStep](#)
- [Service Recovery Procedure – IDeaSOperaAgent Service in “Stopping” State](#)
- [Processing Failures Due to Data Type Mismatch for MGM Resorts](#)
- [Dynamic Optimization](#)
- [HLTN/Handling Error for SAS Dataset Encoding Job](#)

Use the below template.

=====

=====

Client Code : XXXXXX

Client Name : XXXXXX

Property Code : XXXXXX

Property Name : XXXXXXXXXXXXXXXXXX

Db Name : XXXXXX (Use the DataBase ID here)

DB Server Name : XXXXXXXXXXXXXX (You can find this in jobs section)

There is already an object named ‘PK_XXXXXXX_RateQualifiedTable’ in the database.

Process CRS BDE job is failing at FplosRecommendationSrpChunk step failing for ‘PK_XXXXXXX_RateQualifiedTable’ already exist error.

After Investigation we found that ‘PK_XXXXXXX_RateQualifiedTable’ temp table exist in tempdb.

This table is temporary table, dropped and created at Stored Procedure table at fplosRecommandatation code .

We do not have option to delete / drop table which is created at app session.

For this we have only option to restart DataBase service or disconnect DataBase and reconnect back solution.

Please disconnect XXXXXX DataBase and reconnect back.

=====

=====

DO NOT OPEN THE MIDAS TICKET WITHOUT CONSULTING WITH ME OR OTHER M ESCALATION MEMBERS.

Please feel free to reach me if you have any doubts or questions.

 0

 idnahj  02/12/2020  G3 Solutions  No Comments

[← Schedule report failure in delivery](#)

[PULL CRS Extract JOB- DO’s and DONT’s →](#)

Leave a Reply

Your email address will not be published. Required fields are marked *

Comment *

Recent Comments

- Pranav Thakar on [Hilton/Processing Failure – non positive offset value for Product](#)
- Ranjit on [Hilton/Processing Failure – non positive offset value for Product](#)
- Ranjit on [Service Recovery Procedure – IDeaSOperaAgent Service in “Stopping” State](#)
- Ranjit on [Processing Failures Due to Data Type Mismatch for MGM Resorts](#)
- Ranjit on [Accor Client Handling Process Guide](#)

Name *

Email *

Website

☐ Save my name, email, and website in this browser for the next time I comment.

Post Comment

