

Modular responsive web design

Allowing responsive web modules to respond to custom criterias instead of only viewport size by implementing *element queries*

LUCAS WIENER lwiener@kth.se

Master's Thesis at ${
m CSC}$

Supervisors at EVRY AB: Tomas Ekholm & Stefan Sennerö Supervisor at CSC: Philipp Haller Examiner: Mads Dam

TRITA xxx yyyy-nn

Abstract

Abstract goes here.

Referat

Modulär responsiv webbutveckling

Sammanfattning ska vara här.

Contents

1	Intr	roduction	1
	1.1	Targeted audience	1
	1.2	Problem statement	1
	1.3	Objective	1
	1.4	Methodology	1
	1.5	Delimitations	1
	1.6	Outline	1
Ι	Bac	ekground	3
2	Bro	wsers	5
	2.1	The origin of the web	6
	2.2	The need for browsers	6
3	Wel	o development	7
	3.1	From documents to applications	7
	3.2	Responsive web design	7
4	Mod	dular development	9
	4.1	Web Components	9
II	The	eory	11
5	Ren	dering engines	13
6	Eler	ment queries	15
II	[Thi	rd-party framework	17
7	Ana	dysis of approaches	19
	7.1	Current implementations	19

21
23
25
27
29
29
B 1
2

Introduction

- 1.1 Targeted audience
- 1.2 Problem statement
- 1.3 Objective
- 1.4 Methodology
- 1.5 Delimitations
- 1.6 Outline

Part I Background

Browsers

Browsers and the Internet is something that many people today take for granted. It is not longer the case that only computer scientists are browsing the web. Today the web is becoming increasingly important in both our personal and professional lives. This chapter will give a brief history of browsers and the rise of the web. It will also cover the role of browsers today, and what can be expected in the future.

Before addressing the birth of the web, lets define the meaning of the concepets of the Internet, Web and World Wide Web. The word internet can be translated to something between networks. When referring to the Internet (capitalized) it is usually the global decentralized internet used for communication between millions of networks using TCP/IP. Since the Internet is decentralized, there is no owner. Or in other words, the owners are all the network end-points which means all users of the Internet. One can argue that the owners of the Internet are the ISP's, providing the services and infrastructure making the Internet possible. On the other hand, the backbones of the Internet are usually co-founded by countries and companies. Or is it the ICANN¹ organization which has the responsibility for managing the IP addresses in the Internet namespace? Clearly, the Internet wouldn't be what it is today without all the actors. The Internet lays the ground for many systems and applications, including the World Wide Web, file sharing and telephony. In 2014 the number of Internet users was measured to just below 3 billions, and estimations shows that we have surpassed 3 billions users today (no report for 2015 has been made yet) [4]. Users are here defined as humans having unrestricted access to the Internet [4]. If one instead measures the number of connected entities (electronic devices that communicates through the Internet) the numbers are much higher. An estimation for 2015 of 25 billions connected entities has been made, and the estimation for 2020 is 50 billions [1].

As already stated, the Word Wide Web (abbreviated www or w3) is a system that operates through the Internet. The World Wide Web is usually shortened to simply *the web*. The web is a system for accessing interlinked hypertext documents and other media such as images and videos. Since not only hypertext is interlinked

 $^{^1{\}rm The}$ Internet Corporation for Assigned Names and Numbers

on the web, the term hypermedia can be used as an extension to hypertext which also includes other nonlinear medium of information (images, videos, etc.) [2]. Although the term hypermedia has been around for a long time, the term hypertext is still being used as synonym for hypermedia. Further, the web can also be referred to as the universe of information accessible through the web system. Therefore, the web is both the system enabling sharing of hypermedia and also all of the accessible hypermedia itself [5]. Hypertext documents are today more known by the name web pages or simply pages [3]. Multiple related pages compose a web site or simply a site and are usually hosted from the same domain [3]. To transfer the resources between computers the protocol HTTP is used. Typically the way of retrieving resources on the web is by using a web browser or simply a browser. Browsers handeles the fetching, parsing and rendering of the hypertext (more about this in section 2.2).

2.1 The origin of the web

2.2 The need for browsers

Web development

- 3.1 From documents to applications
- 3.2 Responsive web design

Modular development

4.1 Web Components

Part II

Theory

Rendering engines

Element queries

Part III Third-party framework

Analysis of approaches

7.1 Current implementations

API design

Implementation

Part IV

Result

Discussion

Bibliography

- [1] Dave Evans. "The Internet of Things". In: (Apr. 2011). URL: http://www.cisco.com/web/about/ac79/docs/innov/IoT_IBSG_0411FINAL.pdf (visited on 02/12/2015).
- [2] Hypermedia. Aug. 2014. URL: http://en.wikipedia.org/wiki/Hypermedia (visited on 02/12/2015).
- [3] OED Online. Dec. 2014. URL: http://www.oed.com/ (visited on 02/12/2015).
- [4] internet live stats. *Internet Users*. Feb. 2015. URL: http://www.internetlivestats.com/internet-users/ (visited on 02/12/2015).
- [5] W3C. "About The World Wide Web". In: (Jan. 2001). URL: http://www.w3.org/WWW/ (visited on 02/12/2015).

Appendix A

RDF

And here is a figure

 ${\bf Figure~A.1.~Several~statements~describing~the~same~resource.}$

that we refer to here: A.1